API NUMBER: 063 24772 A Horizontal Hole Oil & Gas	OIL & GAS CO P.(OKLAHOMA	RPORATION COMMISSI DNSERVATION DIVISION D. BOX 52000 A CITY, OK 73152-2000 Ile 165:10-3-1)	
Amend reason: CHANGE SURFACE HOLE LOCATION	AMEND	PERMIT TO DRILL	
	<u></u>		
WELL LOCATION: Sec: 23 Twp: 9N Rge: 1	1E County: HUGHES		
SPOT LOCATION: SE NE SE SE	FEET FROM QUARTER: FROM SOU	ITH FROM EAST	
	SECTION LINES: 739	219	
Lease Name: MADISON	Well No: 2-24	4-13CH	Well will be 219 feet from nearest unit or lease boundary.
Operator CALYX ENERGY III LLC Name:	т	Telephone: 9189494224	OTC/OCC Number: 23515 0
CALYX ENERGY III LLC		DUNN RE	VOCABLE TRUST
6120 S YALE AVE STE 1480		11710 S.	HOLLEY CT.
TULSA, OK	74136-4226	JENKS	OK 74037
Formation(s) (Permit Valid for Listed For Name 1 MISSISSIPPIAN 2 3 4 5 Spacing Orders: 666635 667981	ormations Only): Depth 3750 Location Exception Order	Name 6 7 8 9 10 rs: 667546	Depth Increased Density Orders:
Pending CD Numbers:			Special Orders:
Total Depth: 14500 Ground Elevation: 9	Surface Cas	ing: 1500	Depth to base of Treatable Water-Bearing FM: 40
Under Federal Jurisdiction: No	Fresh Water Supp	bly Well Drilled: No	Surface Water used to Drill: Yes
PIT 1 INFORMATION		Approved Method for	disposal of Drilling Fluids:
Type of Pit System: CLOSED Closed System Means Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000			Dication (REQUIRES PERMIT) PERMIT NO: 18-33831 M=STEEL PITS PER OPERATOR REQUEST
Is depth to top of ground water greater than 10ft below b Within 1 mile of municipal water well? N	base of pit? Y		
Wellhead Protection Area? N			
Pit is located in a Hydrologically Sensitive Area.			
Category of Pit: C			
Liner not required for Category: C			
Pit Location is BED AQUIFER			
Pit Location Formation: CALVIN			

HORIZONTAL HOLE 1

Sec 13 Twp 9N Rge 11E Cour Spot Location of End Point: N2 NW N Feet From: NORTH 1/4 Section Line: Feet From: WEST 1/4 Section Line: Depth of Deviation: 3050 Radius of Turn: 800 Direction: 5 Total Length: 10193 Measured Total Depth: 14500 True Vertical Depth: 3750 End Point Location from Lease, Unit, or Property Line: 165	
Notes:	
Category	Description
DEEP SURFACE CASING	5/23/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	2/9/2018 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
LOCATION EXCEPTION - 667546	2/9/2018 - G57 - (I.O.) 24 & 13-9N-11E X666635 MSSP COMPL. INT. (24-9N-11E) NCT 165' FSL, NCT 0' FNL, NCT 330' FWL COMPL. INT. (13-9N-11E) NCT 0' FSL, NCT 165' FNL, NCT 330' FWL CALYX ENERGY III, LLC. 8-28-2017
SPACING - 666635	2/9/2018 - G57 - (640)(HOR) 24 & 13-9N-11E EXT 660420 MSSP, OTHER EST OTHER POE TO BHL NCT 660' FB
SPACING - 667981	2/9/2018 - G57 - (I.O.) 24 & 13- 9N-11E EST MULTIUNIT HORIZONTAL WELL X666635 MSSP 50% 24-9N-11E 50% 13-9N-11E CALYX ENERGY III, LLC. 8-30-2017

