I NUMBER: 121 24820 zontal Hole Oil & Gas	OIL & GAS I OKLAHOI	CORPORATION COMMISSIC CONSERVATION DIVISION P.O. BOX 52000 MA CITY, OK 73152-2000 Rule 165:10-3-1)	Approval Date: 05/22/2018 Expiration Date: 11/22/2018
	E	ERMIT TO DRILL	
VELL LOCATION: Sec: 35 Twp: 8N Rge: 1	17E County: PITTSB	URG	
SPOT LOCATION: NE SW SE SW		OUTH FROM WEST	
	SECTION LINES: 6	04 1743	
Lease Name: MARGUERITE	Well No: 2	2-2/11H	Well will be 604 feet from nearest unit or lease boundary.
Operator TRINITY OPERATING (USG) LLC Name:	:	Telephone: 9185615631	OTC/OCC Number: 23879 0
TRINITY OPERATING (USG) LLC			
1717 S BOULDER AVE STE 201			DA G. CARNEY LIVING TRUST
TULSA, OK	74119-4842	P.O. BOX 6	60
		MCALEST	ER OK 74502
3 4 5		8 9 10	
Spacing Orders: 676459 677671	Location Exception Or	rders: 677371	Increased Density Orders: 677373
Pending CD Numbers: 201801295			Special Orders:
Total Depth: 18749 Ground Elevation: 8	851 Surface Ca	asing: 170	Depth to base of Treatable Water-Bearing FM: 120
Under Federal Jurisdiction: No	Fresh Water S	upply Well Drilled: No	Surface Water used to Drill: No
		Approved Method for di	sposal of Drilling Fluids:
PIT 1 INFORMATION		Approvod motilod for di	
PIT 1 INFORMATION Type of Pit System: ON SITE			r and backfilling of reserve pit.
Type of Pit System: ON SITE	base of pit? Y	A. Evaporation/dewate B. Solidification of pit of E. Haul to Commercial H. PIT 2 & 3 - CLOSEI	ontents. pit facility: Sec. 19 Twn. 8N Rng. 5E Cnty. 125 Order No: 274874 D SYSTEM=STEEL PITS PER OPERATOR REQUEST, WBM & OBI
Type of Pit System: ON SITE Type of Mud System: AIR Is depth to top of ground water greater than 10ft below to Within 1 mile of municipal water well? N		A. Evaporation/dewate B. Solidification of pit of E. Haul to Commercial	ontents. pit facility: Sec. 19 Twn. 8N Rng. 5E Cnty. 125 Order No: 274874 D SYSTEM=STEEL PITS PER OPERATOR REQUEST, WBM & OBI
Type of Pit System: ON SITE Type of Mud System: AIR Is depth to top of ground water greater than 10ft below t Within 1 mile of municipal water well? N Wellhead Protection Area? N		A. Evaporation/dewate B. Solidification of pit of E. Haul to Commercial H. PIT 2 & 3 - CLOSEI	ontents. pit facility: Sec. 19 Twn. 8N Rng. 5E Cnty. 125 Order No: 274874 D SYSTEM=STEEL PITS PER OPERATOR REQUEST, WBM & OBI
Type of Pit System: ON SITE Type of Mud System: AIR Is depth to top of ground water greater than 10ft below to Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area.		A. Evaporation/dewate B. Solidification of pit of E. Haul to Commercial H. PIT 2 & 3 - CLOSEI	ontents. pit facility: Sec. 19 Twn. 8N Rng. 5E Cnty. 125 Order No: 274874 D SYSTEM=STEEL PITS PER OPERATOR REQUEST, WBM & OB
Type of Pit System: ON SITE Type of Mud System: AIR Is depth to top of ground water greater than 10ft below the Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: 4		A. Evaporation/dewate B. Solidification of pit of E. Haul to Commercial H. PIT 2 & 3 - CLOSEI	ontents. pit facility: Sec. 19 Twn. 8N Rng. 5E Cnty. 125 Order No: 274874 D SYSTEM=STEEL PITS PER OPERATOR REQUEST, WBM & OBI

PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

Pit Location is NON HSA Pit Location Formation: BOGGY

 PIT 3 INFORMATION

 Type of Pit System:
 CLOSED Closed System Means Steel Pits

 Type of Mud System:
 OIL BASED

 Chlorides Max: 300000 Average: 200000
 Is

 Is depth to top of ground water greater than 10ft below base of pit?
 Y

 Within 1 mile of municipal water well?
 N

 Wellhead Protection Area?
 N

 Pit is not located in a Hydrologically Sensitive Area.
 Category of Pit:

 C
 Liner not required for Category: C

 Pit Location is NON HSA
 Pit Location Formation:

HORIZONTAL HOLE 1

Sec 11 Twp 7N Rge 17E County PITTSBURG SE Spot Location of End Point: SW SW SW SOUTH Feet From: 1/4 Section Line: 1 Feet From: EAST 1/4 Section Line: 2590 Depth of Deviation: 7835 Radius of Turn: 382 Direction: 175 Total Length: 10314 Measured Total Depth: 18749 True Vertical Depth: 8157 End Point Location from Lease, Unit, or Property Line: 1

Notes:

Category	Description
HYDRAULIC FRACTURING	5/17/2018 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY - 677373	5/22/2018 - G57 - 11-7N-17E X676459 WDFD 2 WELLS TRINITY OPERATING, LLC. 5-7-2018
LOCATION EXCEPTION - 677371	5/22/2018 - G57 - (I.O.) 2 & 11-7N-17E X676459 WDFD COMPL. INT. (2-7N-17E) NCT 165' FNL, NCT 0' FSL, NCT 2440' FEL COMPL. INT. (11-7N-17E) NCT 0' FNL, NCT 165' FSL, NCT 2440' FEL TRINITY OPERATING (USG), LLC. 5-7-2018
MEMO	5/17/2018 - G71 - PIT 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, WBM & OBM CUTTINGS CAPTURED IN CONCRETE-LINED PIT, SOLIDFIED AND HELD UNTIL DISPOSAL APPROVED BY OCC; PIT 3 - OBM TO VENDOR
PENDING CD - 201801295	5/22/2018 - G57 - 2-7N-17E X676459 WDFD 2 WELLS TRINITY OPERATING, LLC. REC 3-13-2018 (JOHNSON)
SPACING - 676459	5/22/2018 - G57 - (640)(HOR) 2 & 11-7N-17E EXT 669477 WDFD, OTHERS POE TO BHL NCT 165' FNL & FSL, NCT 330' FEL & FWL
SPACING - 676771	5/22/2018 - G57 - (I.O.) 2 & 11-7N-17E EST MULTIUNIT HORIZONTAL WELL X676459 WDFD 50% 2-7N-17E 50% 11-7N-17E TRINITY OPERATING (USG), LLC. 5-14-2018

