API NUMBER: 011 23995

Oil & Gas

Horizontal Hole

## OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 04/19/2018
Expiration Date: 10/19/2018

PERMIT TO DRILL

WELL LOCATION:	Sec:	04	Twp:	15N	Rge:	10W	County:	BLAINE
----------------	------	----	------	-----	------	-----	---------	--------

SPOT LOCATION: NE NE NW NW FEET FROM QUARTER: FROM NORTH FROM WEST SECTION LINES: 250 1200

Lease Name: KRAKEN 33\_28-16N-10W Well No: 2HX Well will be 250 feet from nearest unit or lease boundary.

Operator DEVON ENERGY PRODUCTION CO LP Telephone: 4052353611; 4052353 OTC/OCC Number: 20751 0

DEVON ENERGY PRODUCTION CO LP 333 W SHERIDAN AVE

OKLAHOMA CITY, OK 73102-5015

LOOSEN FAMILY LIMITED PARTNERSHIP

P.O. BOX 1337

OKLAHOMA CITY OK 73101

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 1 9383 6 2 WOODFORD 10818 7 3 8 4 9 10 661313 Spacing Orders: Location Exception Orders: Increased Density Orders: 645371

Pending CD Numbers: 201801596 Special Orders:

201801579 201801581 201801580

Total Depth: 20896 Ground Elevation: 1318 Surface Casing: 1999 Depth to base of Treatable Water-Bearing FM: 40

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit **is not** located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: FLOWERPOT

D. One time land application -- (REQUIRES PERMIT)
H. SEE MEMO

PERMIT NO: 18-34236

## PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA

Pit Location Formation: FLOWERPOT

## HORIZONTAL HOLE 1

Sec 28 Twp 16N Rge 10W County **BLAINE** NW Spot Location of End Point: ΝE NW NW Feet From: NORTH 1/4 Section Line: 50 WEST Feet From: 1/4 Section Line: 385

Depth of Deviation: 9387 Radius of Turn: 750 Direction: 350

Total Length: 10331

Measured Total Depth: 20896
True Vertical Depth: 10818
End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category Description

DEEP SURFACE CASING 4/4/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 4/4/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INTERMEDIATE CASING 4/4/2018 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

MEMO 4/4/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 2 -

OBM TO VENDOR, OBM CUTTINGS PER DISTRICT

Category Description

PENDING CD - 201801579 4/4/2018 - G75 - 28-16N-10W

X661313 MSSP

7 WELLS

DEVON ENERGY PROD. CO., L.P.

REC 4-3-2018 (MINMIER)

PENDING CD - 201801580 4/4/2018 - G75 - (E.O.) 33 & 28-16N-10W

EST MULTIUNIT HORIZONTAL WELL X645371 MSSP, WDFD 33-16N-10W X661313 MSSP, WDFD 28-16N-10W

(WDFD ADJACENT COMMON SOURCE OF SUPPLY TO MSSP)

50% 33-16N-10W 50% 28-16N-10W

DEVON ENERGY PROD. CO., L.P.

REC 4-17-2018 (NORRIS)

PENDING CD - 201801581 4/4/2018 - G75 - (E.O.) 33 & 28-16N-10W

X645371 MSSP, WDFD 33-16N-10W X661313 MSSP, WDFD 28-16N-10W

X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO EXISTING/PROPOSED WELL

COMPL. INT. (33-16N-10W) NCT 0' FSL, NCT 0' FNL, NCT 330' FWL \*\* COMPL. INT. (28-16N-10W) NCT 0' FSL, NCT 165' FNL, NCT 330' FWL

DEVON ENERGY PROD. CO., L.P.

REC 4-17-2018 (NORRIS)

\*\* COMMON MINERAL OWNERSHIP ACROSS S2 33-16N-10W & N2 4-15N-10W PER OPERATOR;

PENDING CD - 201801596 4/4/2018 - G75 - 33-16N-10W

X645371 MSSP

7 WELLS

DEVON ENERGY PROD. CO., L.P.

**REC 4-3-2018 (MINMIER)** 

SPACING - 645371 4/4/2018 - G75 - (640)(HOR) 33-16N-10W

**EST MSSP** 

EXT 588245 WDFD, OTHER POE TO BHL (MSSP) NCT 660' FB

POE TO BHL (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL

(COEXIST SP. ORDER 161625 MCSTR)

SPACING - 661313 4/4/2018 - G75 - (640)(HOR) 28-16N-10W

EXT 645367 MSSP, WDFD POE TO BHL (MSSP) NCT 660' FB

POE TO BHL (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL (COEXIST SP. ORDER # 167297 MCSTR & ORDER # 555820 MSSLM)

