API NUMBER: 085 21287

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 04/24/2018 10/24/2018 **Expiration Date**

PERMIT TO DRILL

WELL LOCATION:	Sec:	24	Twp:	7S	Rge:	1E	County	LOVE			
SPOT LOCATION:	NW	SW	NE		NE		FEET FROM QUARTER:	FROM	NORTH	FROM	EAST
							SECTION LINES:		920		1030

Lease Name: VIRGINIA Well No: 1-24H25X Well will be 920 feet from nearest unit or lease boundary.

XTO ENERGY INC Operator Telephone: 8178853346; 8178852 Name:

OTC/OCC Number: 21003 0

XTO ENERGY INC 810 HOUSTON ST

FORT WORTH. 76102-6203 TX

JOHN & VIRGINIA BONE 13363 INDIAN TRAILS ROAD

MARIETTA OK 73448

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	WOODFORD	15950	6	
2			7	
3			8	
4			9	
5			10	
Spacing Orders:	636780	Location Exception Orders:		Increased Density Orders:
	640262			
Pending CD Num	bers: 201801429			Special Orders:

Total Depth: 23570 Ground Elevation: 827 Surface Casing: 1990 Depth to base of Treatable Water-Bearing FM: 190

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: Yes Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids: Type of Pit System: ON SITE A. Evaporation/dewater and backfilling of reserve pit. Type of Mud System: AIR

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-34088

H. SEE MEMO Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: 4

Wellhead Protection Area?

Liner not required for Category: 4 Pit Location is NON HSA

CADDO Pit Location Formation:

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA
Pit Location Formation: CADDO

PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: CADDO

HORIZONTAL HOLE 1

Sec 25 Twp 7S Rge 1E County LOVE
Spot Location of End Point: NW SE SE NE
Feet From: NORTH 1/4 Section Line: 2100
Feet From: EAST 1/4 Section Line: 525

Depth of Deviation: 15453 Radius of Turn: 1163

Direction: 178
Total Length: 6290

Measured Total Depth: 23570

True Vertical Depth: 16100

End Point Location from Lease,
Unit, or Property Line: 525

Notes:

Category Description

DEEP SURFACE CASING 3/30/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

Category Description

MEMO

HYDRAULIC FRACTURING 3/29/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

3/30/2018 - G71 - PITS 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 3 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201801428 4/3/2018 - G56 - (I.O.) 24 & 25-7S-1E

EST. MULTIUNIT HOR. WELL

X636780 WDFD, OTHERS (24-7S-1E) X640262 WDFD, OTHERS (25-7S-1E)

67% (24-7S-1E) 33% (25-7S-1E) XTO ENERGY INC. REC. 3/12/18 (THOMAS)

PENDING CD - 201801429 4/3/2018 - G56 - (I.O.) 24 & 25-7S-1E

X636780 WDFD, OTHERS (24-7S-1E) X640262 WDFD, OTHERS (25-7S-1E)

SHL 920' FNL, 1030' FEL

COMPL. INT. (24-7S-1E) NCT 1050' FNL, NCT 0' FSL, NCT 330' FEL COMPL. INT. (25-7S-1E) NCT 0' FNL, NCT 2000' FNL, NCT 330' FEL

NO OP. NAMED REC. 3/12/18 (THOMAS)

PENDING CD - 201801430 4/3/2018 - G56 - 25-7S-1E

X640262 WDFD 1 WELL NO OP. NAMED REC 3/12/18 (THOMAS)

PENDING CD - 201801655 4/3/2018 - G56 - 24-7S-1E

X636780 WDFD 1 WELL NO OP. NAMED REC. 3/27/18 (MILLER)

PENDING CD - 201803029 4/17/2018 - G56 - (I.O.) 24-7S-1E

165:10-3-28(C)(2)(B) WDFD

MAY BE CLOSER THAN 600' TO THE BONE VALLEY 1-24H13X12 WELL

NO OP NAMED HEARING 5/29/18

SPACING - 636780 4/3/2018 - G56 - (640) 24-7S-1E

EXT. 621784 WDFD, OTHERS

SPACING - 640262 4/3/2018 - G56 - (640) 25-7S-1E

EXT. 622037 WDFD, OTHERS

