API NUMBER: 049 25196

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

04/24/2018 Approval Date: Expiration Date 10/24/2018

			PERMIT TO DE	RILL	
WELL LOCATION: SPOT LOCATION:		County: GAR FEET FROM QUARTER: FROM SECTION LINES:		WEST 340	
Lease Name: L	ONG	Well No:	1-35-26WXH	Well will be	340 feet from nearest unit or lease boundary
Operator Name:	CASILLAS OPERATING LLC		Telephone: 91	85825310	OTC/OCC Number: 23838 0
	OPERATING LLC STON AVE, STE 2400 OK	74103		MARK A. MCCASKIL 27598 EAST COUNT ELMORE CITY	
Formation(s)	(Permit Valid for Listed For	mations Only): Depth		Name	Depth
1 W	OODFORD	7620	6		
2			7		

Pending CD Numbers: 201700178

201801684

201801685

No Spacing

Total Depth: 15488 Ground Elevation: 1062 Depth to base of Treatable Water-Bearing FM: 390 Surface Casing: 1500

8 9

10

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Location Exception Orders:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000 Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

3

4 5

Spacing Orders:

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: PURCELL D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 18-34138

Increased Density Orders:

Special Orders:

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: PURCELL

HORIZONTAL HOLE 1

Sec 35 Twp 3N Rge 3W County GARVIN

Spot Location of End Point: SW SE SE SE Feet From: SOUTH 1/4 Section Line: 50

Feet From: EAST 1/4 Section Line: 380

Depth of Deviation: 7121
Radius of Turn: 311
Direction: 185

Total Length: 7879

Measured Total Depth: 15488

True Vertical Depth: 15454

End Point Location from Lease,

Unit, or Property Line: 50

Notes:

MEMO

Category Description

DEEP SURFACE CASING 4/12/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 4/12/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

4/12/2018 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201700178 4/24/2018 - G58 - (640)(HOR) 35 & 26-3N-3W

EST WDFD, OTHERS

COMPL. INT. NLT 165' FNL & FSL, NLT 330' FEL & FWL

(COEXIST SP. ORDERS 401391; 401145; 406125; 416006; 417803; 426298; 426805; 417804;

306894; 426227; 426261; 455984; WDFD)

REC 2/23/2018 (JOHNSON)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

049 25196 LONG 1-35-26WXH

Category Description

PENDING CD - 201801684 4/24/2018 - G58 - (I.O.) 26 & 35-3N-3W

EST MULTIUNIT HORÍZONTAL WELL X201700178 WDFD (26 & 35-3N-3W)

35% 26-3N-3W 65% 35-3N-3W NO OP. NAMED

REC 3/27/2018 (JOHNSON)

PENDING CD - 201801685 4/24/2018 - G58 - (I.O.) 26 & 35-3N-3W

4/24/2018 - G58 - (I.O.) 26 & 35-3N-3W X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO EXISTING WELL

X201700178 WDFD (26 & 35-3N-3W)

COMPL. INT. (26-3N-3W) NCT 1320' FNL, NCT 0' FSL, NCT 380' FEL COMPL. INT. (35-3N-3W) NCT 0' FNL, NCT 165' FSL, NCT 380' FEL

NO OP. NAMED

REC 3/27/2018 (JOHNSON)

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

13800 Wireless Way, Okla. City, OK. 73134 (405) 843–48477 * OUT OF STATE (800) 654–3219


Certification No. 1293 LS County, Oklahoma **GARVIN** 340'FWL 3Ň 3W_1.M. 2325'FNL Range Township Section X=2160448 Y=501395 X=2155176 Y=501372 information shown herein construction purposes ONLY 0 GR40/2 0 N - 5 2325 S GRID NAD-27 OK SOUTH US Feet for LANDING POINT Distance & Direction from Hwy Jct or Tov Lease Name: LONG Operator: CASILLAS Good Topography & Vegetation Accessibility to Drill ±0.5 Site? East Town OPERATING, Location on Yes lease Loc. From road fell =2157813 =496091 From Antioch, 3 to rough North the LANDING POINT 2622'FNL-380'FEL NAD-27 (US Feet) 34'42'09.9" N 97'28'34.4" W 34.702742012' N 97.476230617' W X=2157427 Y=498752 웃 Reference Stakes or Stakes Set None West off pasture go lease ±4.5 Line with 으 road ∄. Sec. scattered WeⅡ West, No. 25-T3N-R3W Alternate then brush, 1 - 35 -1 . Location -26WXH ∄. X=2157835 Y=493458 35 South Last 1062 ELEVATION: to of Ω N-S G. lease ᅀ pipeline road BOTTON HOLE 50'FSL-380'FEL NAD-27 (US Feet) 34'40'51.9" N 97'28'34.3" W 34.681091080' N 97.476185495' W X=2157482 East, LANDING POINT, BOTTOM HOLE AND DRILE PATH INFORMATIC PROVIDED BY OPERATOR LISTED, NOT SURVEYED. Jan. 08, Date of Drawing: _ ESSIONAL AC Invoice # 285661A Date Staked: Dec. 15, 2017

DATUM: <u>NAD-27</u> LAT: <u>34°42'12.8"N</u> LONG: <u>97°28'25.8"W</u> was receiver accuracy. is information wide with a GPS refoot Horiz./Vert. a LAT: 34.703556060 IN LONG: 97.473831744* W STATE PLANE COORDINATES: (US Feet) OK SOUTH ZONE: 2158147 499052

CERTIFICATE:

Thomas L. Howell _an Oklahoma Licensed Land I, Ihomas L. Howell an Oklahoma Licensed La Surveyor and an authorized agent of Topographic Land Surveyors of Oklahoma, do hereby certify to the information shown herein

1. Nance Oklahoma Lic. No. _




049-25196

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA
13800 Wireless Way, Okla. City, OK. 73134 (405) 843-48477 * OUT OF STATE (800) 654-3219
Certificate of Authorization No. 1293 LS GARVIN County, Oklahoma 2325'FNL 340'FWL <u>3W</u>1.M. 3Ň Section Township _ Range lhe X=2160448 Y=501395 X=2157803 Y=501374 construction purposes ONLY information shown herein is X=2155176 Y=501372 $\rangle\rangle$ 11 11 11 2325 GRID NAD-27 d 2304 OK SOUTH US Feet 340 LANDING POINT 1000 25 (26 Best Accessi Distance & I from Hwy Jo Lease Name: LONG Operator: CASILLAS OPERATING, Good Topography & Vegetation Нwy Accessibility Dr:II ±0.5 mi. & Direction y Jct or Town_ Site? East on to Location Yes lease road Loc. From fell From Antioch, X=2155187 Y=496077 'n. to North rough the LANDING POINT
2622'FNL-380'FEL
NAD-27 (US Feet)
34'42'09.9" N
97'28'34.4" W
34.702742012' N
97.476230617' W
X=2157427
Y=498752 PATH <u></u> 옷 Reference S Stakes Set West DRILL off pasture go ± 4.5 lease PROPOSED Line Stakes or with of ∄. Sec. scattered ₩ell West, then 9 No.: 25-T3N-R3W Alternate Location brush, 1-35-26WXH ±1.0 ±253 ∄. X=2157835 Y=493458 35 South East 1062 **ELEVATION:** ó ᅌ Ω N-S Gr. at Stake lease pipeline BOTTOM HOLE 50'FSL-380'FEL NAD-27 (US Feet) 34'40'51.9" N 97'28'34.3" W 34.681091080' N 97.476185495' W X=2157482 Y=490873 road East =2157862 =490826 BOTTOM HOLE TOTAL STORY LANDING POINT, BOTTOM HOLE AND DRILL PATH INFORMATION PROVIDED BY OPERATOR LISTED, NOT SURVEYED. 08, Jan. Date of Drawing: __ Invoice # 285661A Date Staked: Dec. 15, АĊ DATUM: NAD-27 LAT: 34°42'12.8"N was receiver accuracy. LONG: 97°28'25.8"W **CERTIFICATE:** s information w d with a GPS r foot Horiz./Vert. a SURVE CENSED 34.703556060° N Thomas Howell I, Thomas L. Howell an Oklahoma Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors of Oklahoma, do hereby certify to the LONG: 97.473831744° W STATE PLANE 1433 OK LAHOMA COORDINATES: (US Feet) information shown herein This gathered with ±1 for OK SOUTH ZONE: _ 2158147 Thomas X:_ 499052 <u> 1433</u> Oklahoma Lic. No. _

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

Surveying and Mapping for the Energy Industry 6709 North Classen Blvd. Oklahoma City, OK 73116 www.topographic.com Telephone Numbers: Local (405) 843-4847 Toll Free (800) 654-3219

LOCATION & ELEVATION VERIFICATION MAP



Sec. 25 Twp. 3N Rng. 3W IM

County GARVIN State OK

Operator CASILLAS OPERATING, LLC

Description 2325'FNL - 340'FWL

Lease LONG 1-35-26WXH

Elevation 1062' Gr. at Stake

Above Background Data from U.S.G.S. Topographic Map Scale: 1"=2000'

Contour Interval _____10'

When elevation is shown hereon it is the ground elevation of the location stake.

Review this plat and inform us immediately of any possible discrepancy.




LAND SURVEYORS OF OKLAHOMA

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

Surveying and Mapping for the Energy Industry 6709 North Classen Blvd. Oklahoma City, OK 73116 www.topographic.com Telephone Numbers: Local (405) 843-4847 Toll Free (800) 654-3219

VICINITY MAP



Scale: 1'' = 3 Miles

OGRANT N-0-N-0-

1958

Sec. 25	Twp	3N Rng.	3W	IM
County	GARVIN	State	OK	
Operator	CASILLAS	OPERATING, LL	С	



