API NUMBER: 073 26018

Oil & Gas

Horizontal Hole

## OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 04/18/2018
Expiration Date: 10/18/2018

PERMIT TO DRILL

County: KINGFISHER WELL LOCATION: Sec: Twp: 18N Rge: 5W 26 FEET FROM QUARTER: SPOT LOCATION: NW NORTH FROM WEST NW NE llnw SECTION LINES: 200 800

Lease Name: COW-HUNT 18-05-23 Well No: 3MH Well will be 200 feet from nearest unit or lease boundary.

Operator CHISHOLM OIL & GAS OPERATING LLC Telephone: 9184886400 OTC/OCC Number: 23991 0

CHISHOLM OIL & GAS OPERATING LLC 6100 S YALE AVE STE 1700

TULSA, OK 74136-1921

STEPHEN E. POLLARD AND SHARON R. POLLARD

704 LEVI ST.

HENNESSEY OK 73742

Formation(s) (Permit Valid for Listed Formations Only):

Depth Name Depth MISSISSIPPIAN (EX CHESTER) 6311 1 6 2 7 3 8 4 9 10 633265 Spacing Orders: Location Exception Orders: 674020 Increased Density Orders: 673078

Pending CD Numbers: 201802362 Special Orders:

Total Depth: 12017 Ground Elevation: 1132 Surface Casing: 250 Depth to base of Treatable Water-Bearing FM: 200

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: SALT PLAINS

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-34307

H. CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST

## **HORIZONTAL HOLE 1**

Sec 23 Twp 18N Rge 5W County KINGFISHER

Spot Location of End Point: NW NE NW NW
Feet From: NORTH 1/4 Section Line: 175
Feet From: WEST 1/4 Section Line: 900

Depth of Deviation: 6229
Radius of Turn: 521
Direction: 355
Total Length: 4970

Measured Total Depth: 12017

True Vertical Depth: 6750

End Point Location from Lease,
Unit, or Property Line: 175

Notes:

Category Description

HYDRAULIC FRACTURING 4/11/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 673078 4/17/2018 - G56 - 23-18N-5W

X633265 MSNLC 1 WELL CHISHOLM O&G OP., LLC

2/2/18

LOCATION EXCEPTION - 674020 4/17/2018 - G56 - (I.O.) 23-18N-5W

X633265 MSNLC

COMPL INT NCT 150' FSL, NCT 150' FNL, NCT 660' FWL

CHISHOLM O&G OP., LLC

2/23/18

PENDING CD - 201802362 4/17/2018 - G56 - (I.O.) 23-18N-5W

X633265 165:10-3-28(C)(2)(B)

MAY BE CLOSER THAN 600' TO THE SMITH #1 WELL OR ANOTHER PROPOSED WELL

NO OP NAMED REC 4/9/18 (DUNN)

SPACING - 633265 4/17/2018 - G56 - (640) (HOR) 23-18N-5W

VAC 45460/62761 MSSLM E2 AND W2 SW4

VAC OTHER EST MSNLC

POE TO BHL 660' FB MSNLC

(COEXIST WITH 45460/62761 MSSLM NW4 AND E2 SW4)