API NUMBER: 073 25868 Α OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 12/19/2017 06/19/2018 **Expiration Date**

Horizontal Hole Oil & Gas

Amend reason: OCC CORRECTION: CORRECT ORDER #

AMEND PERMIT TO DRILL

VELL LOCATION:	Sec:	80	Twp:	15N	Rge:	9W	County	: KINO	SFISHER		
SPOT LOCATION:	NE	SE	SE		SW		FEET FROM QUARTER:	FROM	SOUTH	FROM	WEST
							SECTION LINES:		402		2424

Lease Name: BERNHARDT 8_5-15N-9W Well No: 6НХ Well will be 493 feet from nearest unit or lease boundary.

DEVON ENERGY PRODUCTION CO LP Operator Telephone: 4052353611: 4052353 OTC/OCC Number: 20751 0 Name:

DEVON ENERGY PRODUCTION CO LP 333 W SHERIDAN AVE

OKLAHOMA CITY. OK 73102-5015 DEVON ENERGY PRODUCTION COMPANY, L.P. 333 WEST SHERIDAN AVENUE

OKLAHOMA CITY OK 73102

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 8925 1 6 2 MISSISSIPPIAN (LESS CHESTER) 9715 7 3 WOODFORD 10320 8 9 10 645049 Spacing Orders: Location Exception Orders: Increased Density Orders: 631851 Special Orders:

Pending CD Numbers: 201706743

> 201706732 201706733

Total Depth: 19861 Ground Elevation: 1240 Depth to base of Treatable Water-Bearing FM: 410 Surface Casing: 1999

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill:

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well?

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: CHICKASHA

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 17-33423

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA

Pit Location Formation: CHICKASHA

HORIZONTAL HOLE 1

Sec 05 Twp 15N Rge 9W County KINGFISHER

Spot Location of End Point: NE NW NW NE
Feet From: NORTH 1/4 Section Line: 50
Feet From: EAST 1/4 Section Line: 2150

Depth of Deviation: 9535 Radius of Turn: 478

Direction: 3

Total Length: 9575

Measured Total Depth: 19861

True Vertical Depth: 10320

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category Description

DEEP SURFACE CASING 11/15/2017 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR

OR SURFACE CASING

HYDRAULIC FRACTURING 11/15/2017 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INTERMEDIATE CASING 11/15/2017 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

MEMO 11/15/2017 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2

- OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

Category Description

PENDING CD - 201706732 12/19/2017 - G60 - (E.O.) 8-15N-9W

X631851 MSSP, WDFD

9 WELLS

DEVON ENERGY PRODUCTION CO, LP

REC. 11/13/17 (M. PORTER)

PENDING CD - 201706733 12/19/2017 - G60 - (E.O.) 5-15N-9W

X631851 MSSP, WDFD

9 WELLS

DEVON ENERGY PRODUCTION CO, LP

REC. 11/13/17 (M. PORTER)

PENDING CD - 201706743 12/19/2017 - G60 - (E.O.) 8 & 5-15N-9W

X645049 (8-15N-9W) MSNLC, WDFD X631851 (5-15N-9W) MSSP, WDFD

X165:10-3-28(C)(2)(B) MSSP, MSNLC, WDFD

MAY BE CLOSER THAN 600' TO ANOTHER PROPOSED WELL OR JUSTICE 1-8 OR

CASTONGUAY UNIT 1 WELLS

COMPL. INT. (8-15N-9W) NCT 165' FSL, NCT 0' FNL, NCT 1650' FEL COMPL. INT. (5-15N-9W) NCT

0' FNL, NCT 165' FNL, NCT 1650' FEL DEVON ENERGY PROD. CO. LP.

REC. 11/13/17 (M. PORTER)

SPACING - 631851 12/19/2017 - G60 - (640)(HOR) 5-15N-9W

EST MSSP, WDFD, OTHER

COMPL. INT. (MSSP) NLT 660' FB

COMPL. INT. (WDFD) NLT 330' FEL & FWL, NCT 165' FNL & FSL (COEXIST WITH 56289 MCSTR; SP. ORDER 212941 MSSSD)

SPACING - 645049 12/19/2017 - G60 - (640)(HOR) 8-15N-9W

EST MSNLC, HNTN EXT 642679 WDFD COMPL. INT. (MSNLC) NCT 660' FB

COMPL. INT. (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL

(COEXIST WITH SP. OR DER 176175 MSSSD)

SPACING - 671223 12/19/2017 - G60 - (E.O.) 8 & 5-15N-9W

EST MULTIUNIT HÒRIZÓNTAL WELL X645049 (8-15N-9W) MSNLC, WDFD X631851 (5-15N-9W) MSSP. WDFD

50% 8-15N-9W 50% 5-15N-9W

DEVON ENERGY PROD. CO. LP.

12/14/17