API NUMBER: 017 25239 Α **OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 06/27/2018 12/27/2018 Expiration Date:

Horizontal Hole Oil & Gas

Amend reason: ADD DISPOSAL METHOD; UPDATE ORDER

AMEND PERMIT TO DRILL

WELL LOCATION:	Sec:	28	Twp:	13N	Rge:	7W	County	: CAN	ADIAN		
SPOT LOCATION:	NW	NW	' N	W	NW		FEET FROM QUARTER:	FROM	NORTH	FROM	WEST
							SECTION LINES:		225		321

Lease Name: SOUTHERN STAR 28-13N-7W Well No: 3МН Well will be 225 feet from nearest unit or lease boundary.

PALOMA OPERATING CO INC Operator OTC/OCC Number: Telephone: 7136508509 23932 0 Name:

PALOMA OPERATING CO INC 1100 LOUISIANA ST STE 5100

HOUSTON. TX 77002-5220 ZUM MALLEN RANCHES, LLC

P.O. BOX 186

EL RENO OK 73036

G. Haul to recycling/re-use facility: Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depti	ו
1	MISSISSIPPIAN	9600	6		
2			7		
3			8		
4			9		
5			10		
Spacing Orders:	141058	Location Exception Orders:		Increased Density Orders:	679934

Pending CD Numbers: 201804146 Special Orders:

Total Depth: 14609 Ground Elevation: 1317 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 280

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No.

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 18-34449 H. SEE MEMO Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

HORIZONTAL HOLE 1

Sec 28 Twp 13N Rge 7W County CANADIAN

Spot Location of End Point: SE SW SW SW Feet From: SOUTH 1/4 Section Line: 65
Feet From: WEST 1/4 Section Line: 400

Depth of Deviation: 8936
Radius of Turn: 382
Direction: 178
Total Length: 5073

Measured Total Depth: 14609
True Vertical Depth: 9600
End Point Location from Lease,
Unit, or Property Line: 65

Notes:

Category Description

DEEP SURFACE CASING 6/14/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 6/14/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 679934 7/31/2018 - G75 - 28-13N-7W

X141058 MSSP 1 WELL

PALOMA OP. CO., INC.

7-3-2018

MEMO 6/14/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 2 -

OBM TO VENDOR, OBM CUTTINGS PER DISTRICT

Category Description

PENDING CD - 201804146 6/26/2018 - G75 - (I.O.) 28-13N-7W

X141058 MSSP

COMPL. INT. NCT 165' FNL, NCT 165' FSL, NCT 330' FWL

NO OP. NAMED

REC 6-11-2018 (MILLER)

SPACING - 141058 6/26/2018 - G75 - (640) 28-13N-7W

EXT OTHERS EXT 124533 MSSP