API NUMBER: 073 26325

Oil & Gas

Horizontal Hole

## OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 10/26/2018
Expiration Date: 04/26/2020

## PERMIT TO DRILL

WELL LOCATION:	Sec:	28	Twp:	17N	Rge:	8W	County:	KING	SFISHER	
CDOT LOCATION.	NDA/	NE		۸,	NE	$\neg$	FEET FROM QUARTER:	FDOM	NODTU	_

SPOT LOCATION: NW NE NW NE FEET FROM QUARTER: FROM NORTH FROM EAST SECTION LINES: 250 1810

Lease Name: JR BARTON Well No: 1708 6H-28X Well will be 250 feet from nearest unit or lease boundary.

Operator NEWFIELD EXPLORATION MID-CON INC Telephone: 2816742521; 9188781 OTC/OCC Number: 20944 0

NEWFIELD EXPLORATION MID-CON INC 24 WATERWAY AVE STE 900

THE WOODLANDS, TX 77380-2764

KACY POWELL 605 HOMESTEAD CT

COLWICH KS 67030

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 1 8223 6 2 MISSISSIPPIAN (LESS CHESTER) 8223 7 3 WOODFORD 8793 8 9 10

Spacing Orders: 650033 Location Exception Orders: Increased Density Orders:

Pending CD Numbers: 201805937 Special Orders:

Total Depth: 18905 Ground Elevation: 1130 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 210

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Within 1 mile of municipal water well? N Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: CEDAR HILLS

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-35309

E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498

H. SEE MEMO

#### PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED Chlorides Max: 300000, Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: CEDAR HILLS

## **HORIZONTAL HOLE 1**

Sec 33 Twp 17N Rge 8W County **KINGFISHER** 

SE Spot Location of End Point: SW SE SE Feet From: SOUTH 1/4 Section Line: 85 Feet From: EAST 1/4 Section Line: 440

Depth of Deviation: 8028 Radius of Turn: 358 Direction: 175

Total Length: 10314

Measured Total Depth: 18905 True Vertical Depth: 8793 End Point Location from Lease. Unit, or Property Line: 85

Notes:

**MEMO** 

Category Description

**DEEP SURFACE CASING** 10/24/2018 - GA8 - APPROVED: NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 10/24/2018 - GA8 - OCC 165:10-3-10 REQUIRES:

> 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

10/24/2018 - GA8 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2

- OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201805937 10/25/2018 - G56 - 28-17N-8W

> X650033 MSNLC 5 WELLS NO OP. NAMED

REC 9-25-2018 (MILLER)

Category Description

PENDING CD - 201805949

PENDING CD - 201805938 10/25/2018 - G56 - 33-17N-8W

X650033 MSSP 5 WELLS NO OP. NAMED

REC 9-25-2018 (MILLER)

PENDING CD - 201805948 10/25/2018 - G56 - (I.O.) 28 & 33-17N-8W

EST MULTIUNIT HÖRIZONTAL WELL X650033 MSNLC, WDFD 28-17N-8W X650033 MSSP, WDFD 33-17N-8W

(WDFD IS AN ADJACENT COMMON SOURCE OF SUPPLY TO THE MSNLC & MSSP)

50% 28-17N-8W 50% 33-17N-8W NO OP. NAMED REC 9/25/2018 (MILLER)

10/25/2018 - G56 - (I.O.) 28 & 33-17N-8W X650033 MSNLC, WDFD 28-17N-8W X650033 MSSP, WDFD 33-17N-8W

SHL NE4 28-17N-8W

COMPL. INT.(28-17N-8W) NCT 165' FNL, NCT 0' FSL, NCT 330' FEL COMPL. INT.(33-17N-8W) NCT 0' FNL, NCT 165' FSL, NCT 330' FEL

NO OP. NAMED

REC 9-25-2018 (MILLER)

PENDING CD - 201805950 10/25/2018 - G56 - (I.O.) 28 & 33-17N-8W

X165:10-3-28(C)(2)(B) MSNLC, MSSP (JR BARTON 1708 6H-28X)

MAY BE CLOSER THAN 600' TO THE FLOYD CROSS(CROSS UNIT 1), PECK 28-1, G.V. BARNARD A-1, J.F. FISHER 1, J.R. BARTON 1H-28X & PROPOSED HORIZONTAL WELLS

NEWFIELD EXPLORATION MID-CONTINENT INC.

REC 9-25-2018 (MILLER)

SPACING - 650033 10/25/2018 - G56 - (640)(HOR) 28 & 33-17N-8W

EXT 637371 MSSP 33-17N-8W EXT 637371 WDFD 28 & 33-17N-8W

EST MSNLC 28-17N-8W

POE TO BHL (MSNLC, MSSP) NLT 660' FB POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 330'

FEL & FWL

(COEXIST W/ SP. ORDER # 42491 MSCTR 33-17N-8W, ORDER #189915 MNNG N2 33-17N-8W, ORDER #67497/163799/166140 MSSLM 33-17N-8W, ORDER #89974/93777 MSSLM N2 28-17N-8W, ORDER #91707/143505 MSSLM SW4 28-17N-8W, ORDER #91707/143505/164783 MSSLM SE4 28-

17N-8W)

# PERMIT PLAT

SURVEY BY: M & M Land Surveying, Inc. ~ C.A. No. 3093 (LS)
DRAWING BY: Bennett-Morris And Associates Land Surveying, P.C.

© COPYRIGHT 2018
C.A. No. 5975 (LS) ~ Aaron L. Morris, RPLS
PROJECT NUMBER:

SITE VISIT: (Explanation and Date)

STAKING DATE: 07/18/2018

DRAWING DATE: 08/15/2018

SHEET: 6 OF 10

Phone (580) 226-0446

520 E Street N.W.

Ardmore, OK 73401

Company Name: NEWFIELD EXPLORATION MID-CONTINENT INC.

Lease Name: JR BARTON 1708 6H-28X

M & M Land Surveying, Inc. Section 28 Township 17 N Range 8 W , I.B.M. County of Kingfisher, State of Oklahoma

Elevation

1477


Samuel Comments

大田ついた

Good Location? YES

Original Location: 250'FNL - 1810'FEL 1130' GROUND

Distance & Direction From Nearest Town: 8.3 miles Northwest of Kingfisher



Áaron L. Morris R.P.L.S. No.1477 Bennett-Morris & Associates Land Surveying P.C. ~ C.A. No. 5795 (LS)

BASIS OF BI

1500

Phone (580) 226-5108 Fax (888) 662-7778 1010 Northwest Boulevard Ardmore, OK 73401