API NUMBER: 063 24793 Α

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date:	04/25/2018
Expiration Date:	10/25/2018

23879 0

Well will be 1060 feet from nearest unit or lease boundary.

OTC/OCC Number:

Horizontal Hole Oil & Gas

TRINITY OPERATING (USG) LLC

1717 S BOULDER AVE STE 201

TULSA.

D DRILL

mend reason: AMEND 595' FNL & 1060' FEL.		550' FNL & 11	105' FEL TO)		AM	END PE	RMIT	TO DRIL
393 TINE & 1000 TEE.									
WELL LOCATION:	Sec: 10	Twp: 7N	Rge: 10	E	County	: HUG	HES		
SPOT LOCATION:	NW NV	V SE	NE	FEET FROM QU	JARTER:	FROM	NORTH	FROM	EAST
				SECTION LINE	S:		1595		1060
Lease Name: 1	NADINE				We	ell No:	2-10/15H		
Operator TRINITY OPERATING (USG) LLC Name:						Teleph	ione:	9185615631	

OK

74119-4842

GEOFFREY ALLEN SMITH 9750 HAMILTON CIRCLE DRIVE NORTH **MOBILE** AL 36695

Formation(s) (Permit Valid for Listed Formations Only): Name Depth Name Depth WOODFORD 4427 1 6 2 7 3 8 4 9 10 675019 Spacing Orders: Location Exception Orders: Increased Density Orders: 637781 Pending CD Numbers: 201801157 Special Orders: 201801158 201801164 201801165 Total Depth: 13828 Ground Elevation: 838 Surface Casing: 370 Depth to base of Treatable Water-Bearing FM: 320

Under Federal Jurisdiction: Fresh Water Supply Well Drilled: No Surface Water used to Drill: No Approved Method for disposal of Drilling Fluids:

PIT 1 INFORMATION Type of Pit System: ON SITE A. Evaporation/dewater and backfilling of reserve pit. Type of Mud System: AIR

Is depth to top of ground water greater than 10ft below base of pit? Y E. Haul to Commercial pit facility: Sec. 19 Twn. 8N Rng. 5E Cnty. 125 Order No: 274874 Within 1 mile of municipal water well? H. PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, WBM & OBM

is located in a Hydrologically Sensitive Area.

Category of Pit: 4

Wellhead Protection Area?

Liner not required for Category: 4 Pit Location is BED AQUIFER Pit Location Formation: CALVIN

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

CUTTINGS CAPTURED IN CONCRETE-L

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: CALVIN

PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: CALVIN

HORIZONTAL HOLE 1

Sec 15 Twp 7N Rge 10E County **HUGHES**

SE Spot Location of End Point: SE SE

Feet From: SOUTH 1/4 Section Line:

Feet From: EAST 1/4 Section Line: 1534

Depth of Deviation: 3900 Radius of Turn: 573

Total Length: 9027

Direction: 185

Measured Total Depth: 13828 True Vertical Depth: 4787 End Point Location from Lease, Unit, or Property Line: 1

> **Additional Surface Owner** Address City, State, Zip

JAMES GREGORY SMITH 521 TAN TARA RD STILLWATER, OK 74074

Notes:

Category Description

HYDRAULIC FRACTURING 4/18/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO 4/18/2018 - G71 - PIT 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, WBM &

OBM CUTTINGS CAPTURED IN CONCRETE-LINED PIT, SOLIDFIED AND HELD UNTIL DISPOSAL

APPROVED BY OCC; PIT 3 - OBM TO VENDOR

MEMO 4/18/2018 - G71 - DRILLING IN GREASY CREEK SPRING GAS STORAGE IN BOOCH (ORDER

29729); MUST NOTIFY GAS STORAGE OPERATOR PER OCC 165:10-3-5

PENDING CD - 201801157 4/25/2018 - G57 - (I.O.) 10 & 15-7N-10E

EST MULTIUNIT HORÍZONTAL WELL

X675019 WDFD 10-7N-10E X637781 WDFD 15-7N-10E

42.7% 10-7N-10E 57.3% 15-7N-10E NO OP. NAMED REC 2-27-2018 (DUNN)

PENDING CD - 201801158 4/25/2018 - G57 - (I.O.) 10 & 15-7N-10E

X675019 WDFD 10-7N-10E X637781 WDFD 15-7N-10E

COMPL. INT. (10-7N-10E) NCT 1750' FNL, NCT 0' FSL, NCT 1006' FEL COMPL. INT. (15-7N-10E) NCT 0' FNL, NCT 165' FSL, NCT 1006' FEL

NO OP. NAMED REC 2-27-2018 (DUNN)

PENDING CD - 201801164 4/19/2018 - G57 - 10-7N-10E

X675019 WDFD 8 WELLS NO OP. NAMED REC 2-27-2018 (DUNN)

PENDING CD - 201801165 4/25/2018 - G57 - 15-7N-10E

X637781 WDFD 4 WELLS NO OP. NAMED REC 2-27-2018 (DUNN)

SPACING - 637781 4/25/2018 - G57 - (640)(HOR) 15-7N-10E

EXT 629877 WDFD, OTHERS

POE TO BHL NCT 165' FNL & FSL, NCT 330' FEL & FWL

SPACING - 675019 4/19/2018 - G57 - (640)(HOR) 10-7N-10E

EXT 636029 WDFD, OTHERS

POE TO BHL NCT 165' FNL & FSL, NCT 330' FEL & FWL

(COEXIST W/ SP. ORDER 162672 WDFD NW4 & SP. ORDER 295635 WDFD S2)

