API NUMBER: 073 26164

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 07/20/2018
Expiration Date: 01/20/2019

PERMIT TO DRILL

WELL LOCATION: Sec: 36 Twp: 19N Rge: 7W County: KINGFISHER

SPOT LOCATION: SE SW NW SW FEET FROM QUARTER: FROM SOUTH FROM WEST

SECTION LINES: 1625 360

Lease Name: HENNESSEY UNIT 1907 Well No: 1LMH-36-1 Well will be 360 feet from nearest unit or lease boundary.

 Operator
 CHAPARRAL ENERGY LLC
 Telephone:
 4054264451; 4054264
 OTC/OCC Number:
 16896
 0

CHAPARRAL ENERGY LLC 701 CEDAR LAKE BLVD

OKLAHOMA CITY, OK 73114-7800

WOODS ACRES, INC.

P.O. BOX 713

CHOCTAW OK 73020

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN SOLID 7085 1 6 2 7 3 8 4 9 10 61811 Spacing Orders: Location Exception Orders: Increased Density Orders:

Pending CD Numbers: Special Orders:

Total Depth: 15000 Ground Elevation: 1123 Surface Casing: 600 Depth to base of Treatable Water-Bearing FM: 90

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 5000 Average: 3000

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-34788

H. CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST

HORIZONTAL HOLE 1

Sec 01 Twp 18N Rge 7W County KINGFISHER

Spot Location of End Point: SW SW SW SW Feet From: SOUTH 1/4 Section Line: 165
Feet From: WEST 1/4 Section Line: 325

Depth of Deviation: 6908
Radius of Turn: 875
Direction: 181
Total Length: 6717

Measured Total Depth: 15000

True Vertical Depth: 7255

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

DEEP SURFACE CASING 6/27/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 6/27/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

SPACING - 61811 7/9/2018 - G57 - (UNIT) N2, SW4 1-18N-7W & W2 NW4, S2 36-19N-7W

EST HENNESSEY UNIT FOR MSSSD, OTHERS

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

13800 WIRELESS WAY, OKLA. CITY, OKLA. 73134 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219 API: 073 26164

Certificate of Authorization No. 1293 LS

API: 073 26164 KINGFISHER County, Oklahoma 1625'FSL-360'FWL 36 __19N Range __7W I.M. Section __ Township BOTTOM HOLE X 2027272 Y 395972 X 2029904 Y 395933 X 203252 Y 395895 Range CONSTRUCTION SI E AND DRILL PATH INFORMATION OPERATOR LISTED, NOT SURVEYED. ON PURPOSES ON GRID SI NE NAD-27 OK NORTH US FEET Scale: 19N-R7W 81 = 1000' 2027264 393333 X 2032529 Y 393278 1000 5286 36 Best Acc Good Topography & Vegetation PROPOSED HENNESSEY UNIT 1907 2UMH-36-25 US Hwy Accessibility Drill Name: ROPOSED ENNESSEY UNIT 1907 1LMH-36-25 œ & Direction Jct or Tow Site? CHAPARRAL HENNESSEY UNIT 1907 to then Location ENERGY, From Location 0.5 From X 2032528 Y 390662 X 2027256 Y 390687 fell Junct T19N-R7W ⋽. uoi. T18N-R7W ō 5272 9 the Reference Stakes Stakes Set <u>Non</u> SN LOT 2 Southwest LOT 4 LOT 1 LOT 3 wheat Hwy road 00 field Corner ጵ Ve∥ 악 Ş Alternate No:: Hwy of. 118N-R6W S/2-NW/4 S/2-NE/4 Section 1LMH-36-1 Q 글. Location X 2027265 Y 388071 X 2032534 Y 388032 Hennessey 36 1 T19N 1123' Gr. at 81 180 Oklahoma 12 6717 Stake go PROPOSED PROPOSED
BOTTOM HOLE
165'FSL—325'FWL
36'03'33.3" N
97'54'23.9" W
36.059257543" N
97.906634412' V
X: 2027598
Y: 385592 miles South 2029906 385411 ASTESSIONAL ROSESSIONAL Date of Drawing: July 12, 2018 Invoice # 298140 Date Staked: ____June 12, 2018 DATUM: <u>NAD-27</u> LAT: <u>36°04'39.8" N</u> was receiver occuracy. NB LONG: 97'54'23.5" W **CERTIFICATE:** is information with a GPS foot Horiz./Vert. a LAT: <u>36.07**7709**94/</u> N LONG: <u>97.906534528</u> W THOMAS L Thomas L I, Thomas L. Howell an Oklahoma Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors of Oklahoma, do hereby certify to the Howell HOWELL STATE PLANE COORDINATES (US FEET): information shown herein. ZONE: OK NORTH OKLAHOMA Mome 1. Nover 2027621 392309 Oklahoma Lic. No. __