

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

API NUMBER: 073 26163

Approval Date: 07/20/2018

Expiration Date: 01/20/2019

Horizontal Hole

Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 23 Twp: 15N Rge: 7W

County: KINGFISHER

SPOT LOCATION:

SE

SE

SE

SW

FEET FROM QUARTER: FROM

SOUTH

FROM

WEST

SECTION LINES:

315

2335

Lease Name: WHISKEY JACK 23_14-15N-7W

Well No: 2HX

Well will be 315 feet from nearest unit or lease boundary.

Operator Name: DEVON ENERGY PRODUCTION CO LP

Telephone: 4052353611; 4052353

OTC/OCC Number: 20751 0

DEVON ENERGY PRODUCTION CO LP
333 W SHERIDAN AVE
OKLAHOMA CITY, OK 73102-5015

CINDY BRUEGGEN
1218 WEST FAY
KINGFISHER OK 73750

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN (LESS CHESTER)	7859	6	
2	WOODFORD	8334	7	
3			8	
4			9	
5			10	

Spacing Orders: 641393

Location Exception Orders:

Increased Density Orders:

Pending CD Numbers: 201804855
201804856
201804858
201804857

Special Orders:

Total Depth: 17992

Ground Elevation: 1109

Surface Casing: 1999

Depth to base of Treatable Water-Bearing FM: 160

Under Federal Jurisdiction: No

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: Yes

PIT 1 INFORMATION

Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: BISON

D. One time land application -- (REQUIRES PERMIT)
H. SEE MEMO

PERMIT NO: 18-34661

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: BISON

HORIZONTAL HOLE 1

Sec 14 Twp 15N Rge 7W County KINGFISHER

Spot Location of End Point: NW NW NE NW

Feet From: NORTH 1/4 Section Line: 50

Feet From: WEST 1/4 Section Line: 1473

Depth of Deviation: 7485

Radius of Turn: 477

Direction: 355

Total Length: 9758

Measured Total Depth: 17992

True Vertical Depth: 8415

End Point Location from Lease,
Unit, or Property Line: 50

Additional Surface Owner	Address	City, State, Zip
KEVIN BRUEGGEN	1218 W. FAY	KINGFISHER, OK 73750

Notes:

Category

Description

DEEP SURFACE CASING

7/5/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR SURFACE CASING

HYDRAULIC FRACTURING

7/5/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO

7/5/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 2 - OBM TO VENDOR, OBM CUTTINGS PER DISTRICT

PENDING CD - 201804855

7/19/2018 - G75 - (I.O.) 23-15N-7W
X641393 MSNLC
4 WELLS
DEVON ENERGY PROD. CO., L.P.
REC 7-17-2018 (MILLER)

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

073 26163 WHISKEY JACK 23_14-15N-7W
2HX

Category	Description
PENDING CD - 201804856	7/19/2018 - G75 - (I.O.) 14-15N-7W X641393 MSNLC 4 WELLS DEVON ENERGY PROD. CO., L.P. REC 7-17-2018 (MILLER)
PENDING CD - 201804857	7/19/2018 - G75 - (I.O.) 23 & 14-15N-7W EST MULTIUNIT HORIZONTAL WELL X641393 MSNLC, WDFD, OTHER (WDFD ADJACENT COMMON SOURCE OF SUPPLY TO MSNLC) 50% 23-15N-7W 50% 14-15N-7W DEVON ENERGY PROD. CO., L.P. REC 7-17-2018 (MILLER)
PENDING CD - 201804858	7/19/2018 - G75 - (I.O.) 23 & 14-15N-7W X641393 MSNLC, WDFD, OTHER X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO AHLDEN 14-11, FRANCIS SENN 14-6 & ANNUSCHAT 1-23 COMPL. INT. (23-15N-7W) NCT 165' FSL, NCT 0' FNL, NCT 330' FWL COMPL. INT. (14-15N-7W) NCT 0' FSL, NCT 165' FNL, NCT 330' FWL DEVON ENERGY PROD. CO., L.P. REC 7-17-2018 (MILLER)
SPACING - 641393	7/19/2018 - G75 - (640)(HOR) 23 & 14-15N-7W VAC OTHERS VAC 163681 MSSLM W2 NW4, NE4, SW4 23-15N-7W VAC 175573 MSSLM SE4 14-15N-7W EST MSNLC EXT 626842 WDFD, OTHER POE TO BHL (MSNLC) NCT 660' FB POE TO BHL (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL (COEXIST SP. ORDER # 175573 MSSLM SW4, NW4, NE4 14-15N-7W & ORDER # 163681 MSSLM E2 NW4, E2 SE4, W2 SE4 23-15N-7W)

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

