API NUMBER: 133 25294

Oil & Gas

Straight Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 05/10/2018
Expiration Date: 11/10/2018

PERMIT TO DRILL

	<u> </u>	SEMINOLE FROM NORTH FROM 1650	WEST 2260	will be 330 feet from nearest unit or lease boundary.	
Operator DEXXON INC Name:	vveii		33219331; 9183219	will be 330 feet from nearest unit or lease boundary. OTC/OCC Number: 16835 0	
DEXXON INC PO BOX 348 KIEFER,	OK 74041-0348		ADOLPH HINSO P. O. BOX 615 SHAWNEE	OK 74081	
Formation(s) (Permit Valid Name 1 CALVIN 2	for Listed Formations Only): Depth 2650	6 7	Name	Depth	
3 4 5		8 9 10	ı		
Spacing Orders: 20200 Pending CD Numbers:	Location Exc	ception Orders:		Increased Density Orders: Special Orders:	
Total Depth: 2750 Gro	by use of a two-stage cemen	face Casing: 0	0 to 0 .	Depth to base of Treatable Water-Bearing FM: 1330	
Under Federal Jurisdiction: No	,	Water Supply Well Drilled:		Surface Water used to Drill: No	
PIT 1 INFORMATION	Арр	Approved Method for disposal of Drilling Fluids:			
Type of Pit System: ON SITE Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000			A. Evaporation/dewater and backfilling of reserve pit. B. Solidification of pit contents.		
Is depth to top of ground water greater Within 1 mile of municipal water well? Wellhead Protection Area? N Pit is located in a Hydrologically Category of Pit: 1B	N		CBL REQUIRED; MIN. SO DIL PIT LINER	OIL COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTIN	

Notes:

Liner required for Category: 1B
Pit Location is BED AQUIFER
Pit Location Formation: ADA

Category Description

ALTERNATE CASING 5/3/2018 - G71 - APPROVED; (1) MUD UP PRIOR TO TD TO PROTECT SHALLOW SANDS, (2) 2-

STAGE CEMENTING TOOL TO BE SET AT 100' BELOW BTW, & (3) COPY OF CBL NEEDS TO BE SUBMITTED TO THE TECHNICAL STAFF IMMEDIATELY. A COMPLETION ATTEMPT, IN CASES WHERE THE PROTECTION OF THE TREATABLE WATER IS QUESTIONABLE, IS STRICTLY

PROHIBITED. RULE 165: 10-3-4 (D)(4)(C)

HYDRAULIC FRACTURING 4/20/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

SPACING - 20200 5/2/2018 - G58 - (20) E2, E2 W2 2-10N-6E SU NE/SW

EST CLVN