API NUMBER: 045 23731

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 02/02/2018 08/02/2018 **Expiration Date**

PERMIT TO DRILL

WELL LOCATION:	Sec:	22	Twp:	19N	Rge: 25W	County:	ELLI
----------------	------	----	------	-----	----------	---------	------

SPOT LOCATION: SW FEET FROM QUARTER: sw lsw SOUTH FROM WEST II SE SECTION LINES: 265 1420

Lease Name: WAYLAND Well No: 22 6H Well will be 265 feet from nearest unit or lease boundary.

EOG RESOURCES INC Operator OTC/OCC Number: Telephone: 4052463212 16231 0 Name:

EOG RESOURCES INC 3817 NW EXPRESSWAY STE 500

OKLAHOMA CITY. OK 73112-1483 TRELLA SUTHERS JOY 44199 OSCEOLA WAY

CALLAHAN FL 32011

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MARMATON	8750	6	
2			7	
3			8	
4			9	
5			10	
Spacing Orders:	578774	Location Exception Orders:		Increased Density Orders:

Pending CD Numbers: 201708709 Special Orders:

201708707

Total Depth: 14045 Ground Elevation: 2328 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 560

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 17-33680 Chlorides Max: 100000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Wellhead Protection Area?

Pit Location is BED AQUIFER Pit Location Formation: OGALLALA

E. Haul to Commercial pit facility: Sec. 21 Twn. 14N Rng. 21W Cnty. 129 Order No: 376462 H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 100000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: OGALLALA

HORIZONTAL HOLE 1

Sec 22 Twp 19N Rge 25W County **ELLIS** NW Spot Location of End Point: NW ΝE NW Feet From: NORTH 1/4 Section Line: 165 Feet From: WEST 1/4 Section Line: 675

Radius of Turn: 573
Direction: 350
Total Length: 4949

Depth of Deviation: 8196

Measured Total Depth: 14045

True Vertical Depth: 8980

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

DEEP SURFACE CASING 1/26/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 1/26/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO 1/26/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 1 -

WBM & CUTTINGS TO BE SOIL FARMED; PIT 2 - OBM TO VENDOR, OBM CUTTINGS TO COMMERCIAL PIT OR LONE MOUNTAIN FACILITY, EPA ID # OKD065438376, 28 & 33-23N-15W,

MAJOR CO.

PENDING CD - 201708707 2/2/2018 - G75 - 22-19N-25W

X578774 MRMN 2 WELLS NO OP. NAMED

REC 1-22-2018 (MURER)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category Description

PENDING CD - 201708709 2/2/2018 - G75 - (I.O.) 22-19N-25W X587774 MRMN **

COMPL. INT. NCT 165' TO SL, NCT 165' TO NL, NCT 675' TO WL

NO OP. NAMED

REC 1-22-2018 (MURER)

** S/B X578774 MRMN: TO BE CORRECTED IN ORDER SUBMITTED TO OCC FOR REVIEW PER

ATTORNEY FOR OPERATOR

SPACING - 578774 2/2/2018 - G75 - (640)(HOR) 22-19N-25W

EST MRMN

POE TO BHL NLT 660 FB

(SUPERSEDE NON-DEVELOPED NON-HORIZONTAL SPACING UNITS; COEXIST WITH

PRODUCING NON-HORIZONTAL SPACING UNITS)

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

13800 WIRELESS WAY, OKLA. CITY, OKLA. 73134 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219

Certificate of Authorization No. 1293 LS

API 045-23731 ELLIS ... County, Oklahoma 265'FSL - 1420'FWL _ Range __<u>25W_I.M.</u> Section _ 19N __ Township 675 X 1449649 Y 411142 X 1452298 Y 411096 X 1454946 Y 411049 BOTTOM HOLE & BOTTOM HOLE AND TAKE POINT 1 165'FNL-675'FWL NAD-27 (U.S. FEET) TP1 36'06'52.3"N 99'51'39.8"W 36.114525301'N 99.861066669'W 1450322 410965 2474' PATH ORIL 22 1449615 X 1454884 Y 408415 NAD-27 OK NORTH U.S. FEET 500 1000 2375 LANDING POINT 165'FSL-675'FWL NAD-27 (U.S. FEET) 36'06'03.3"N 99"51'39.5"W 36.100926768'N PROPOSED PAD LANDING 99.860962484 W 1203 POINT 1450258 06016 2651 1420' X 1449581 Y 405861 X 1452202 Y 405822 -NOTE-The information shown herein is for LANDING POINT, TP1, BOTTOM HOLE AND DRILL PATH INFORMATION PROVIDED BY OPERATOR LISTED, NOT SURVEYED. construction purposes ONLY. Operator: EOG RESOURCES, INC. **ELEVATION:** Lease Name: WAYLAND 22 Well No.: #6H 2328' Gr. at Stake Topography & Vegetation Location fell in slope grass pasture. Reference Stakes or Alternate Location Yes Stakes Set None Good Drill Site? Best Accessibility to Location From South off county road Distance & Direction from Hwy Jct or Town From the Jct. of U.S. Hwy. 60 and U.S. Hwy. 283, go ±2.5 miles South, then ±1 mile East to the SW corner of Section 22, T19N — R25W M PEESSIONAL Revision X A Date of Drawing: January 19, 2018 DATUM: NAD-27 Invoice # 285812A Date Staked: __ December 19, 2017 LAT: 36'06'04.4"N LONG: 99'51'30.4"W **CERTIFICATE:** CENSED THOMAS L LAT: <u>36.101209935°N</u> $\mathsf{SUR}V_{\mathcal{E}}$ I, Thomas L. Howell an Oklahoma Licensed Land Surveyor and an authorized agent of Topographic Land HOWELL LONG: 99.858442911'W STATE PLANE 1433 Surveyors of Oklahoma, do hereby certify to the 19.16 information shown herein COORDINATES: (US Feet) OK LAHOMA ZONE: OK NORTH Thoma L. Nave 1451004 Χ: 406104 Oklahoma Lic. No. ...