PI NUMBER: 069 20191 rizontal Hole Oil & Gas	OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)		Approval Date: Expiration Date:	12/13/2018 06/13/2020	
lti Unit					
		PERMIT TO DR			
WELL LOCATION: Sec: 28 Twp: 4S Rge: 5	E County: JOHN	STON			
SPOT LOCATION: SW SW SE SE	FEET FROM QUARTER: FROM	SOUTH FROM	EAST		
	SECTION LINES:	71	1141		
Lease Name: KELLY	Well No:	3-28H21X	Well	will be 71 feet from neare	st unit or lease boundary.
Operator XTO ENERGY INC Name:		Telephone: 405	3193208; 8178852	OTC/OCC Number:	21003 0
XTO ENERGY INC					
810 HOUSTON ST			ROBERT & HO	LLY WINFORD	
			2630 EAST 67TH STREET		
FORT WORTH, TX	76102-6203		TULSA	OK 7	4136
2 HUNTON 3 WOODFORD 4 5 Spacing Orders: 557092 583116	7826 8005 Location Exception (7 8 9 10 Drders: 684708		Increased Density Orders:	683810
686173					683811
Pending CD Numbers:				Special Orders:	
Total Depth: 19500 Ground Elevation: 8	Surface C	Casing: 1990		Depth to base of Treatable Wate	r-Bearing FM: 320
Under Federal Jurisdiction: No	Fresh Water	Supply Well Drilled:	No	Surface Water u	sed to Drill: Yes
PIT 1 INFORMATION		Арр	oved Method for disposal	of Drilling Fluids:	
Type of Pit System: CLOSED Closed System Means	Steel Pits				
Type of Mud System: WATER BASED			D. One time land application (REQUIRES PERMIT) PERMIT NO: 18-35568 H. SEE MEMO		
Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below b	ase of pit? Y				
Within 1 mile of municipal water well? N					
Wellhead Protection Area? N					
Pit is located in a Hydrologically Sensitive Area.					
Category of Pit: C					
Liner not required for Category: C					
Pit Location is AP/TE DEPOSIT					

PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

Pit Location is AP/TE DEPOSIT Pit Location Formation: TERRACE

HORIZONTAL HOLE 1

Sec 21 Twp 4S Rge 5E Coun	ty JOHNSTON
Spot Location of End Point: NE NE NE	NW
Feet From: NORTH 1/4 Section Line:	1
Feet From: WEST 1/4 Section Line:	2398
Depth of Deviation: 7516	
Radius of Turn: 1000	
Direction: 350	
Total Length: 10413	
Measured Total Depth: 19500	
True Vertical Depth: 8150	
End Point Location from Lease,	
Unit, or Property Line: 0	
Notes:	
Category	Description
DEEP SURFACE CASING	11/21/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	11/21/2018 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 683810

INCREASED DENSITY - 683811

12/10/2018 - GA8 - 21-4S-5E X557092 WDFD 3 WELLS XTO ENERGY INC. 9/26/2018 12/10/2018 - GA8 - 28-4S-5E X583116 WDFD 3 WELLS XTO ENERGY INC. 9/26/2018

Category	Description
LOCATION EXCEPTION - 684708	12/10/2018 - GA8 - (I.O.) 21 & 38-4S-5E X583116 SCMR, WDFD, HNTN 28-4S-5E X557092 SCMR, WDFD, HNTN 21-4S-5E SHL (28-4S-5E) 71' FSL & 1141' FEL COMPL. INT. (28-4S-5E) NCT 165' FSL, NCT 2000' FWL, NCT 0' FNL COMPL. INT. (21-4S-5E) NCT 0' FSL, NCT 2000' FWL, NCT 165' FNL XTO ENERGY INC. 10-10-2018
МЕМО	11/21/2018 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 557092	12/10/2018 - GA8 - (640) 21-4S-5E EXT 552987 SCMR, WDFD, HNTN, OTHERS
SPACING - 583116	12/10/2018 - GA8 - (640) (HOR) 28-4S-5E EXT 557092 SCMR, WDFD, HNTN, OTHERS
SPACING - 686173	12/10/2018 - GA8 - (I.O.) 28 & 21-4S-5E EST MULTIUNIT HORIZONTAL WELL X583116 SCMR, WDFD, HNTN 28-4S-5E X557092 SCMR, WDFD, HNTN 21-4S-5E (SCMR, HNTN ADJACENT COMMON SOURCES OF SUPPLY TO WDFD) 49% 28-4S-5E 51% 21-4S-5E XTO ENERGY INC. 11-6-2018 XTO ENERGY INC. REC 11/6/2018 (JOHNSON)

