API NUMBER: 011 24097

Oil & Gas

Horizontal Hole

### OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 10/04/2018 04/04/2020 **Expiration Date** 

PERMIT TO DRILL

WELL LOCATION: Sec: Twp: 16N Rge: 10W County: BLAINE

FEET FROM QUARTER: SPOT LOCATION: lsw FROM SOUTH WEST NW NE llnw SECTION LINES:

Lease Name: OPPEL Well No: 1610 3H-24X Well will be 300 feet from nearest unit or lease boundary.

700

**NEWFIELD EXPLORATION MID-CON INC** Operator Telephone: 2816742521; 9188781 OTC/OCC Number: 20944 0 Name:

2340

NEWFIELD EXPLORATION MID-CON INC 24 WATERWAY AVE STE 900

THE WOODLANDS. TX 77380-2764 JEFFREY ELDON YOST & MELANIE G. YOST

RT. 1. BOX 63

**OMEGA** OK 73764

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 1 9624 6 2 7 8 3 4 9 10

653464 Spacing Orders: Location Exception Orders: Increased Density Orders:

Pending CD Numbers: 201807279 Special Orders:

Total Depth: 17500 Ground Elevation: 1196 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 40

Under Federal Jurisdiction: Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: С

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: FLOWERPOT

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-35500 E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498

H. SEE MEMO

#### PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA

Pit Location Formation: FLOWERPOT

## HORIZONTAL HOLE 1

Sec 25 Twp 16N Rge 10W County **BLAINE** Spot Location of End Point: SE SW SF SW Feet From: SOUTH 1/4 Section Line: 85 WEST Feet From: 1/4 Section Line: 1671

Depth of Deviation: 9225
Radius of Turn: 382
Direction: 170
Total Length: 7675

Measured Total Depth: 17500
True Vertical Depth: 9624
End Point Location from Lease,
Unit, or Property Line: 85

Notes:

Category Description

DEEP SURFACE CASING 10/2/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 10/2/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH

WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INTERMEDIATE CASING 10/2/2018 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

MEMO 10/2/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST; WBM,

WBM & OBM CUTTINGS CAPTURED IN STEEL HALF PITS & TRANSFERRED TO R360 (ORDER

#587498); PIT 2 - OBM TO VENDOR

Category Description

PENDING CD - 201807279 10/3/2018 - G75 - S2 24-16N-10W

X653464 MSSP 7 WELLS NO OP. NAMED

REC 10-2-2018 (MILLER)

PENDING CD - 201807280 10/3/2018 - G75 - 25-16N-10W

X653464 MSSP 7 WELLS NO OP. NAMED

REC 10-2-2018 (MILLER)

PENDING CD - 201807283 10/3/2018 - G75 - (I.O.) S2 24 & 25-16N-10W

EST MULTIUNIT HORIZONTAL WELL

X653464 MSSP, OTHER 33% S2 24-16N-10W 67% 25-16N-10W NO OP. NAMED

REC 10-2-2018 (MILLER)

PENDING CD - 201807284 10/3/2018 - G75 - (I.O.) S2 24 & 25-16N-10W

X653464 MSSP, OTHÉR

COMPL. INT. (\$2 24-16N-10W) NCT 165' FNL, NCT 0' FSL, NCT 1320' FWL COMPL. INT. (25-16N-10W) NCT 0' FNL, NCT 165' FSL, NCT 1320' FWL

NO OP. NAMÈD REC 10-2-2018 (MILLER)

PENDING CD - 201807295 10/3/2018 - G75 - (I.O.) S2 24 & 25-16N-10W

X165:10-3-28(C)(2)(B) MSSP (OPPEL 1610 3H-24X)

MAY BE CLOSER THAN 600' TO EXISTING/PROPOSED WELLS

NEWFIELD EXPLOR. MID-CONT. INC.

REC 10-2-2018 (MILLER)

SPACING - 653464 10/3/2018 - G75 - (640/320) S2 24 & 25-16N-10W

EST (640)(VER) OTHERS EST (640)(HOR) OTHER

EST (320)(HOR) MSSP, OTHERS S2 24-16N-10W EXT (640)(HOR) 637157 MSSP, OTHERS 25-16N-10W

COMPL. ÍNT. NCT 660' FB

(COEXIST SP. ORDER # 168134/169097 MSSSD & ORDER # 245726/245964 CSTRU, MNNG S2 24 -16N-10W; COEXIST SP. ORDER # 168134/169097 MSSSD & ORDER # 169886 MCSTR 25-16N-

10W)

# PERMIT PLAT

M & M Land Surveying, Inc. Phone (580) 226-0446 520 E Street N.W. Ardmore, OK 73401

Company Name: NEWFIELD EXPLORATION MID-CONTINENT INC.

Lease Name: OPPEL 1610 3H-24X


Section 24 Township 16 N Range 10 W , I.B.M, County of Blaine, State of Oklahoma

Elevation Good Location? 1196' GROUND YES

API 011-24097

2340'FSL - 700'FWL Original Location:

Distance & Direction From Nearest Town: 11.1 miles East of Watonga



to the best official survey records available to us. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified. Please review this plat and notify us immediately of any discrepancy.

## **CERTIFICATE:**

I Aaron Morris a Registered Land Surveyor in the State Of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown and that said plat meets or exceeds the Oklahoma Minimum Technical Standards for the practice of land surveying as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Land Surveyors.

N:300923.07 E:1938753.75

**BOTTOM HOLE** 85' FSL 1671' FWL

165' FSL

1671' FWL

**SECTION 25** 

LAST TAKE POINT

165' HARD LINE

N 89°49'06" W

5271.4

00°02'39"

S

N 00°00'52"

ō

5292.8

HARD LINE

330

38

1933482

讪

N:300939.78

SSIONAL AARON L SURVE MORRIS 1477 OKLAHOMA

ш

ō

5273

N 00°07'34"

Aaron L. Morris R.P.L.S. No.1477 Bennett-Morris & Associates Land Surveying P.C. ~ C.A. No. 5795 (LS)

9/14/2018

Phone (580) 226-5108 Fax (888) 662-7778 1010 Northwest Boulevard Ardmore, OK 73401

SURVEY BY: M & M	Land Surveying, Inc. ~ C.A. No. 3093 (LS)
DRAWING BY: Bennet	t-Morris And Associates Land Surveying, P.C.
© COPYRIGHT 2018	C.A. No. 5975 (LS) ~ Aaron L. Morris, RPLS
PROJECT NUMBER:	SITE VISIT: (Explanation and Date)
18391	STAKING DATE: 09/04/2018
SHEET: 6 OF 10	DRAWING DATE: 09/07/2018