

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

API NUMBER: 017 25309

Approval Date: 11/02/2018

Expiration Date: 05/02/2020

Horizontal Hole Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 05 Twp: 10N Rge: 5W

County: CANADIAN

SPOT LOCATION: ☐ NW ☐ NE ☐ NW ☐ NW

FEET FROM QUARTER: FROM NORTH FROM WEST

SECTION LINES: 260 785

Lease Name: MAD PLAY 5-8-10-7

Well No: 2MXH

Well will be 260 feet from nearest unit or lease boundary.

Operator Name: ROAN RESOURCES LLC

Telephone: 4052412150

OTC/OCC Number: 24127 0

ROAN RESOURCES LLC
14701 HERTZ QUAIL SPRINGS PKWY
OKLAHOMA CITY, OK 73134-2641

GARY G MARGARET R STRAKA
9305 REFORMATORY STREET
TRUSTEES OF THE STRAKS GRANTOR TRUST 7/21/2015
UNION CITY OK 73090

Formation(s) (Permit Valid for Listed Formations Only):

Name	Depth	Name	Depth
1 MISSISSIPPI LIME	11029	6	
2		7	
3		8	
4		9	
5		10	

Spacing Orders: 107705
98732

Location Exception Orders:

Increased Density Orders:

Pending CD Numbers: 201807939
201807940
201807945
201807946

Special Orders:

Total Depth: 19949

Ground Elevation: 1255

Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 300

Under Federal Jurisdiction: No

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: No

PIT 1 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: WATER BASED

Chlorides Max: 30000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: 1A

Liner required for Category: 1A

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

Approved Method for disposal of Drilling Fluids:

A. Evaporation/dewater and backfilling of reserve pit.

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 18-35583

H. SEE MEMO

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: 3

Liner required for Category: 3

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

HORIZONTAL HOLE 1

Sec 08 Twp 10N Rge 7W County CANADIAN

Spot Location of End Point: W2 E2 W2 W2

Feet From: NORTH 1/4 Section Line: 2640

Feet From: WEST 1/4 Section Line: 800

Depth of Deviation: 11000

Radius of Turn: 749

Direction: 179

Total Length: 7772

Measured Total Depth: 19949

True Vertical Depth: 11029

End Point Location from Lease,
Unit, or Property Line: 800

Notes:

Category

Description

DEEP SURFACE CASING

10/25/2018 - GA8 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR SURFACE CASING

HYDRAULIC FRACTURING

10/25/2018 - GA8 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO

10/25/2018 - GA8 - PITS 1 & 2 - CONCRETE LINED PIT PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201807939

10/26/2018 - G58 - (I.O.) 5 & 8-10N-7W
EST MULTIUNIT HORIZONTAL WELL
X107705 MSSLM 5-10N-7W
X98732 MSSLM 8-10N-7W
66% 5-10N-7W
34% 8-10N-7W
NO OP. NAMED
REC 10/16/2018 (DUNN)

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

017 25309 MAD PLAY 5-8-10-7 2MXH

Category	Description
PENDING CD - 201807940	10/26/2018 - G58 - (I.O.) 5 & 8-10N-7W X107705 MSSLM 5-10N-7W X98732 MSSLM 8-10N-7W COMPL. INT. 5-10N-7W NCT 0' FSL, NCT 150' FNL, NCT 785' FWL COMPL. INT. 8-10N-7W NCT 0' FNL, NCT 1320' FSL, NCT 785' FWL NO OP. NAMED REC 10/16/2018 (DUNN)
PENDING CD - 201807945	10/26/2018 - G58 - 5-10N-7W X107705 MSSLM 2 WELLS NO OP. NAMED REC 10/16/2018 (DUNN)
PENDING CD - 201807946	10/26/2018 - G58 - 8-10N-7W X98732 MSSLM 2 WELLS NO OP. NAMED REC 10/16/2018 (DUNN)
SPACING - 107705	10/26/2018 - G58 - (640) 5 & 8-10N-7W CONFIRMS SP ORDER 98732 EXT 98732 MSSLM, OTHERS
SPACING - 98732	10/26/2018 - G58 - (640) 8-10N-7W EST MSSLM, OTHERS


CANADIAN

County, Oklahoma


017-25309

260'FNL-785'FWL Section 5 Township 10N Range 7W I.M.

T11N-R7W
Township Line-p
T10N-R7W



NOTE:
The information shown herein is for
construction purposes ONLY.



FIRST TAKE POINT
165'FNL-800'FWL
NAD-27 (US Feet)
35°22'36.3"N
97°58'10.4"W
35.376749103°N
97.969558191°W
X= 2009075
Y= 743657

LAST TAKE POINT
2540'FNL-800'FWL
NAD-27 (US Feet)
35°21'20.4"N
97°58'10.4"W
35.355672930°N
97.969551406°W
X= 2009080
Y= 735985

BOTTOM HOLE
2640'FNL-800'FWL
NAD-27 (US Feet)
35°21'19.4"N
97°58'10.4"W
35.355398204°N
97.969551412°W
X= 2009080
Y= 735885

X= 2008277
Y= 741174

X= 2010905
Y= 743821

X= 2013533
Y= 743819

X= 2013535
Y= 741179

X= 2008279
Y= 738525

X= 2010919
Y= 738526

X= 2013437
Y= 738539

X= 2011603
Y= 738526

X= 2013536
Y= 738539

X= 2013537
Y= 737739

X= 2013860
Y= 736896

X= 2013861
Y= 736104

X= 2013865
Y= 733464

X= 2008279
Y= 736833

X= 2008280
Y= 735578

X= 2008280
Y= 734895

X= 2008590
Y= 734116

X= 2008591
Y= 733462

X= 2011228
Y= 733463

ELEVATION:
1271' Gr. at Level Pod

Operator: ROAN RESOURCES LLC
Lease Name: MAD PLAY 5-8-10-7
Topography & Vegetation Conductor on level pod.
Good Drill Site? Yes
Reference Stakes or Alternate Location
Stakes Set None

Best Accessibility to Location From North off county road.
Distance & Direction From US Hwy. 81 at Union City, OK, go ±1 mile West, then ±1
mile South, then ±1 mile West, to the NW Cor. of Sec. 5-T10N-R7W.

FIRST TAKE POINT, LAST TAKE POINT, BOTTOM HOLE, AND DRILL PATH
INFORMATION PROVIDED BY OPERATOR LISTED, NOT SURVEYED.

Date of Drawing: Oct. 5, 2018

Invoice # 303989A Date Staked: Oct. 3, 2018

TR

CERTIFICATE:

I, Thomas L. Howell an Oklahoma Licensed Land
Surveyor and an authorized agent of Topographic Land
Surveyors of Oklahoma, do hereby certify to the
information shown herein

Thomas L. Howell
Oklahoma Lic. No. 1433



DATUM: NAD-27
LAT: 35°22'35.4"N
LONG: 97°58'10.6"W
LAT: 35.376487559°N
LONG: 97.969607938°W
STATE PLANE
COORDINATES: (US Feet)
ZONE: OK SOUTH
X: 2009061
Y: 743562

This information was gathered with a GPS receiver with ±1 foot Horiz./Vert. accuracy.


TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

13800 WIRELESS WAY, OKLA. CITY, OKLA. 73134 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219
Certificate of Authorization No. 1293 LS


CANADIAN

County, Oklahoma

260'FNL-785'FWL Section 5 Township 10N Range 7W I.M.




NOTE:
The information shown herein is for
construction purposes ONLY.



FIRST TAKE POINT, LAST TAKE POINT, BOTTOM HOLE, AND DRILL PATH
INFORMATION PROVIDED BY OPERATOR LISTED, NOT SURVEYED.

DATUM: NAD-27
LAT: 35°22'35.4"N
LONG: 97°58'10.6"W
LAT: 35.376487559°N
LONG: 97.969607938°W
STATE PLANE
COORDINATES: (US Feet)
ZONE: OK SOUTH
X: 2009061
Y: 743562

Date of Drawing: Oct. 5, 2018
Invoice # 303989A Date Staked: Oct. 3, 2018 TR
CERTIFICATE:
I, Thomas L. Howell an Oklahoma Licensed Land
Surveyor and an authorized agent of Topographic Land
Surveyors of Oklahoma, do hereby certify to the
information shown herein
Thomas L. Howell
Oklahoma Lic. No. 1433




TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

Surveying and Mapping for the Energy Industry

13800 Wireless Way, Oklahoma City, OK 73134 www.topographic.com

Telephone Numbers: Local (405) 843-4847 Toll Free (800) 654-3219

LOCATION & ELEVATION VERIFICATION MAP



Sec. 5 Twp. 10N Rng. 7W IM

County CANADIAN State OK

Operator ROAN RESOURCES LLC

Description 260'FNL-785'FWL

Lease MAD PLAY 5-8-10-7 2MXH

Elevation 1271' Gr. at Level Pad

Above Background Data from
U.S.G.S. Topographic Map
Scale: 1"=2000'

Contour Interval 10'

When elevation is shown hereon it is the ground elevation of the location stake.
Review this plat and inform us immediately of any possible discrepancy.




LAND SURVEYORS OF OKLAHOMA

Oct. 3, 2018

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA

Surveying and Mapping for the Energy Industry
13800 Wireless Way, Oklahoma City, OK 73134 www.topographic.com
Telephone Numbers: Local (405) 843-4847 Toll Free (800) 654-3219

VICINITY MAP



Scale: 1" = 3 Miles

Sec. 5 Twp. 10N Rng. 7W IM

County CANADIAN State OK



Operator ROAN RESOURCES LLC



LAND SURVEYORS OF OKLAHOMA

T 10 N - R 7 W
(INDIAN MERIDIAN)

PLAT SHOWING
EXISTING PAD AREA IN THE
NW/4 OF SECTION 5, T10N - R7W
CANADIAN COUNTY, OKLAHOMA



- (A) ROAN RESOURCES, LLC.
Mad Play 5-8-10-7 1WXH
260'FNL-765'FWL
Elev.: 1271' Gr.
- (B) ROAN RESOURCES, LLC.
Mad Play 5-8-10-7 2MXH
260'FNL-785'FWL
Elev.: 1271' Gr.
- (C) ROAN RESOURCES, LLC.
Mad Play 5-8-10-7 3WXH
260'FNL-805'FWL
Elev.: 1271' Gr.
- (D) ROAN RESOURCES, LLC.
Mad Play 5-8-10-7 4MXH
260'FNL-825'FWL
Elev.: 1271' Gr.
- (E) ROAN RESOURCES, LLC.
Mad Play 5-8-10-7 5WXH
260'FNL-845'FWL
Elev.: 1271' Gr.

NOTE:
• The information shown herein is
for construction purposes ONLY.

				This plat was prepared exclusively for		SCALE: 1" = 100'	
				ROAN RESOURCES, LLC.		DATE: 10/05/18	
NO.	REVISION	DATE	BY	and may not be relied upon by any other entity without the written consent of Topographic Land Surveyors of Oklahoma.		FILE: L2003B.DWG	
SURVEY BY: JF 10/03/18				SURVEYING AND MAPPING BY		INVOICE: #303989	
DRAWN BY: TAW				TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA		DWG NO.: 118105-L2-003-B	
APPROVED BY: TH				13800 Wireless Way, Okla. City, OK. 73134 (405) 843-4847		SHEET 1 OF 1	
				Certificate of Authorization No. 1293 LS.			