API NUMBER: 017 25307

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 11/02/2018 05/02/2020 Expiration Date:

16896 0

Well will be 256 feet from nearest unit or lease boundary.

OTC/OCC Number:

PERMIT TO DRILL

WELL LOCATION	Sec: 02	Twp: 12N	Rge: 7W	/ Count	y: CAN	ADIAN			
SPOT LOCATION	SW	SE	SE	FEET FROM QUARTER:	FROM	SOUTH	FROM	EAST	
				SECTION LINES:		256		346	
Lease Name:	FORAKER 12	07		w	ell No:	3WH-11			
Operator Name:	CHAPARR	AL ENERGY L	.LC			Teleph	none:	4054788770; 40)54264

RICHARD D AND BILLIE L WILDS H/W

603 RADIO ROAD

MAX L AND TERESA J WILDS H/W

D. One time land application -- (REQUIRES PERMIT)

H. SEE MEMO

EL RENO OK 73036

CHAPARRAL ENERGY LLC 701 CEDAR LAKE BLVD OKLAHOMA CITY. 73114-7800 OK

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	WOODFORD	9433	6	
2			7	
3			8	
4			9	
5			10	
Spacing Orders: No Spacing		Location Exception Orders:		Increased Density Orders:
Pending CD Nur	mbers: 201805541			Special Orders:

201808192

Total Depth: 14300 Ground Elevation: 1304 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 310

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Liner not required for Category: C

Pit Location Formation: ALLUVIUM

Category of Pit: C Pit Location is ALLUVIAL

PERMIT NO: 18-35633

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

HORIZONTAL HOLE 1

Sec 11 Twp 12N Rge 7W County CANADIAN

Spot Location of End Point: SW SW SE SE
Feet From: SOUTH 1/4 Section Line: 165
Feet From: EAST 1/4 Section Line: 1140

Depth of Deviation: 8601 Radius of Turn: 477 Direction: 185

Total Length: 4950

Measured Total Depth: 14300
True Vertical Depth: 9465
End Point Location from Lease,
Unit, or Property Line: 165

Notes:

MEMO

Category Description

DEEP SURFACE CASING 10/30/2018 - GA8 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR

OR SURFACE CASING

HYDRAULIC FRACTURING 10/30/2018 - GA8 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

10/30/2018 - GA8 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2

- OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201805541 11/1/2018 - G58 - (E.O.)(640)(HOR) 11-12N-7W

EXT 668541 WDFD, OTHERS

POE TO BHL NCT 165' FNL & FSL, NCT 330' FEL & FWL

REC 8/28/2018 (MILLER)

Category

PENDING CD - 201808192

Description

11/1/2018 - G58 - 11-12N-7W X201805541 WDFD 1 WELL NO OP. NAMED REC 10/29/2018 (DENTON)

