API NUMBER: 051 24259 Α OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date:	01/22/2018
Expiration Date:	07/22/2018

Horizontal Hole Oil & Gas

Amend reason: DEEPEN SURFACE CASE DEPTH

AMEND PERMIT TO DRILL

2445

WELL LOCATION: Sec: 27 Twp: 5N Rge: 6W County: GRADY FEET FROM QUARTER: SPOT LOCATION: lsw SOUTH WEST SE ll NE SECTION LINES:

Lease Name: JEANNIE Well No: 3-27X34H Well will be 1701 feet from nearest unit or lease boundary.

GULFPORT MIDCON LLC Operator OTC/OCC Number: Telephone: 4052524600 24020 0 Name:

1701

GULFPORT MIDCON LLC 3001 QUAIL SPRINGS PKWY

OKLAHOMA CITY. OK 73134-2640 C. WILSON TRUST, KANE RUSSELL, CORD WILSON 9905 SOUTH MORGAN ROAD

MUSTANG OK 73064

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth SYCAMORE 1 14667 6 2 WOODFORD 15017 7 HUNTON 15266 8 3 9 10 112036 Spacing Orders: Location Exception Orders: 669160 Increased Density Orders: 668987 446322 356151 456941 669358

Pending CD Numbers: 201704401 Special Orders:

Total Depth: 21571 Ground Elevation: 1122 Surface Casing: 2500 Depth to base of Treatable Water-Bearing FM: 320

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well?

located in a Hydrologically Sensitive Area.

Category of Pit: C

Wellhead Protection Area?

Liner not required for Category: C

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-33693

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

HORIZONTAL HOLE 1

Sec 34 Twp 5N Rge 6W County **GRADY** Spot Location of End Point: S2 SW SE SW Feet From: SOUTH 1/4 Section Line: 25 Feet From: WEST 1/4 Section Line: 1650

Depth of Deviation: 14565
Radius of Turn: 383
Direction: 190
Total Length: 6405

Measured Total Depth: 21571

True Vertical Depth: 15266

End Point Location from Lease,

Unit, or Property Line: 25

Notes:

Category Description

DEEP SURFACE CASING 3/23/2018 - G71 - APPROVED; (1) NOTIFYING OCC FIELD INSPECTOR IMMEDIATELY OF ANY

LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING (2) 2-STAGE CEMENTING TOOL TO BE SET AT 100'

BELOW BTW

HYDRAULIC FRACTURING 1/18/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 668987 1/22/2018 - G58 - (I.O.) 34-5N-6W

X456941 WDFD 4 WELLS

GULFPORT MIDCON, LLC

10/11/2017

Category Description

LOCATION EXCEPTION - 669160 1/22/2018 - G58 - (I.O.) 27 & 34-5N-6W

X112036 SCMR (27 & 34-5N-6W) X446322 WDFD, HNTN (27-5N-6W) X456941 WDFD (34-5N-6W) X356151 HNTN (34-5N-6W)

COMPL. INT. (27-5N-6W) NCT 2640' FNL, NCT 0' FSL, NCT 1320' FWL COMPL. INT. (34-5N-6W) NCT 0' FNL, NCT 150' FSL, NCT 1320' FWL

10/18/2017

1/18/2018 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 -MEMO

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201704401 1/22/2018 - G58 - (I.O.) 27-5N-6W

X446322 WDFD 4 WELLS NO OP. NAMED

REC 8/22/2017 (P. PORTER)

SPACING - 112036 1/22/2018 - G58 - (640) 27 & 34-5N-6W & 4-4N-6W

EXT. 94778 SCMR, OTHER

SPACING - 356151 1/22/2018 - G58 - (640) 34-5N-6W

EXT 340020 HNTN

SPACING - 446322 1/22/2018 - G58 - (640) 27-5N-6W

EXT OTHERS

EST WDFD, HNTN, OTHERS

SPACING - 456941 1/22/2018 - G58 - (640) 34-5N-6W

> **EXT OTHERS EST OTHERS**

EXT 440798 WDFD, OTHERS

SPACING - 669358 1/22/2018 - G58 - (I.O.) 27 & 34-5N-6W

EST MULTIUNIT HORÍZONTAL WELL

X112036 SCMR, X446322 WDFD, HNTN (27-5N-6W)

X112036 SCMR, X456941 WDFD, X356151 HNTN (34-5N-6W) (SCMR AND HNTN ARE ASSOCIATED COMMON SOURCE OF SUPPLY TO WDFD)

33% 27-5N-6W 67% 34-5N-6W

GULFPORT MIDCON, LLC

10/24/2017