API NUMBER: 087 22124

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 04/02/2018 10/02/2018 **Expiration Date**

PERMIT TO DRILL

WELL LOCATION:	Sec:	80	Twp:	8N	Rge:	4W	County:	MCCLAIN

SPOT LOCATION: NE FEET FROM QUARTER: NW || NE NW NORTH FROM WEST

SECTION LINES: 250 1960

Lease Name: WILSON Well No: 0817 1H Well will be 250 feet from nearest unit or lease boundary.

EOG RESOURCES INC Operator OTC/OCC Number: Telephone: 4052463212 16231 0 Name:

EOG RESOURCES INC

PO BOX 4362

Pending CD Numbers:

OKLAHOMA CITY. OK 73112-1483 PHYLLIS J. WILSON

P.O. BOX 187

BLANCHARD OK 73010

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 1 9855 6 2 WOODFORD 9985 7 3 HUNTON 10125 8 9 10 603530 Spacing Orders: Location Exception Orders: Increased Density Orders:

201801980 201801879 201802519

201801881

Total Depth: 20070 Ground Elevation: 1245 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 510

Under Federal Jurisdiction: Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: DUNCAN D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 18-34063 E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498

Special Orders:

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: DUNCAN

HORIZONTAL HOLE 1

Sec 17 Twp 8N Rge 4W County MCCLAIN

Spot Location of End Point: S2 SW SW SW Feet From: SOUTH 1/4 Section Line: 165
Feet From: WEST 1/4 Section Line: 330

Depth of Deviation: 9076 Radius of Turn: 477 Direction: 200

Total Length: 10245

Measured Total Depth: 20070

True Vertical Depth: 10125

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

DEEP SURFACE CASING 3/20/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 3/20/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO 3/20/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 1 -

WBM & CUTTINGS TO BE SOIL FARMED; PIT 2 - OBM CUTTINGS TO R360 (ORDER # 587498)
OR DEQ APPROVED FACILITY (SOUTHERN PLAINS LANDFILL, 3-5N-6W, GRADY CO., #

3526013); PIT 2 - OBM TO VENDOR

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

Category Description

PENDING CD - 201801879 3/21/2018 - G75 - (E.O.)(640)(HOR) 8-8N-4W

EXT 666740 MSSP, WDFD, HNTN POE TO BHL (MSSP, HNTN) NCT 660' FB

POE TO BHL (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL (COEXIST SP. ORDER # 588047 MSSP, WDFD, HNTN E2 8) **

NO OP. NAMED

REC 3-16-2018 (M. PORTER)

** S/B COEXIST SP. ORDER # 588047 MSSP, WDFD, HNTN E2 8 & ORDER # 588047 HNTN W2 8;

TO BE CORRECTED AT MERIT HEARING PER ATTORNEY FOR OPERATOR

PENDING CD - 201801881 3/21/2018 - G75 - (E.O.) 8 & 17-8N-4W

EST MULTIUNIT HORIZONTAL WELL X201801879 MSSP, WDFD, HNTN 8-8N-4W X603530 MSSP, WDFD, HNTN 17-8N-4W

(MSSP, HNTN ADJACENT COMMON SOURCES OF SUPPLY TO WDFD)

50% 8-8N-4W 50% 17-8N-4W NO OP. NAMED

REC 3-16-2018 (M. PORTER)

PENDING CD - 201801980 3/21/2018 - G75 - (E.O.) 8 & 17-8N-4W

X201801879 MSSP, WDFD, HNTN 8-8N-4W X603530 MSSP, WDFD, HNTN 17-8N-4W

COMPL. INT. (8-8N-4W) NCT 165' FNL, NCT 0' FSL, NCT 330' FWL COMPL. INT. (17-8N-4W) NCT 0' FNL, NCT 165' FSL, NCT 330' FWL

NO OP. NAMÈD

REC 3-16-2018 (M. PORTER)

PENDING CD - 201802519 4/2/2018 - G75 - 17-8N-4W

X603530 WDFD 1 WELL NO OP. NAMED

HEARING 4-23-2018 SPACING - 603530 3/21/2018 - G75 - (640)

3/21/2018 - G75 - (640) 17-8N-4W VAC 165857 HNTN, OTHERS

EXT OTHER

EXT 588047 MSSP, WDFD, HNTN, OTHERS

EST OTHERS

TOPOGRAPHIC LAND SURVEYORS OF OKLAHOMA
13800 WIRELESS WAY, OKLA. CITY, OKLA. 73134 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219

Certificate of Authorization No. 1293 LS McCLAIN API 087-22124 County, Oklahoma _ Range __4W_I.M. 250'FNL - 1960'FWL Section 8 Township 8Ń LANDING POINT > 250 682'-X 2103776 Y 675641 X 2109047 Y 675657 1960' WATER WELL PROPOSED PAD LANDING POINT 185'FNL-330'FWL NAD-27 (U.S. FEET) 35'11'20.2"N 97'39'05.8"W 35.188946453'N 97.651601719'W X 2104106 Y 675477 2396 NAD-27 OK SOUTH U.S. FEET 500 1000 LANDING POINT, TP1, BOTTOM HOLE AND DRILL PATH INFORMATION PROVIDED BY OPERATOR LISTED, NOT SURVEYED. -NOTE-X 2109059 Y 673016 The information shown herein is for construction purposes ONLY. Best Acces Distance & from Hwy St. Hwy. Good opography t Accessibility to Loc tance & Direction In Hwy Jct or Town ... Hwy. 76 to the NM Drill 76 Site? EOG ጵ WILSON 0817 Vegetation Location Z K Yes From corner Location 2103775 670356 X 2106420 Y 670363 NC Jct. of. X 210907 Y 670374 of. Section fell U.S. ₹. DRILL slope œ Hwy. Reference Stakes Stakes Set Non off PROPOSED N8T pastured 277 and R4W road ō 1S west, ٩ Hwy. Well Alternate water No.: 76 X 2103779 Y 667709 111 3 17 well Location Blanchard, ±366' ELEVATION: 1245' Gr. at : SW, S. BOTTOM HOLE AND BOTTOM HOLE AND TAKE POINT 1 165'FSL-330'FWL NAD-27 (U.S. FEE 35'09'38.9"N 97'39'06.1"W 35.160799173'N 97.651691806'W X 2104115 Y 665232 E-W go ±3.7 Fc. Stake ±221 miles BOTTOM HOLE & TP1 North on X 2109082 Y 665099 X 2103785 Y 665065 330 Date of Drawing: January 30, 2018 ESSIONAL Invoice # 287166 Date Staked: __ DATUM:_ January 24, 2018 **RKM** 35°11'19.4"N LAT: _ LONG:_ 97°38'46.1"W **CERTIFICATE:** 35.188717346°N LAT: THOMAS L SUR Thomas L. Howell _an Oklahoma Licensed Land LONG: 97.646149647°W HOWELL Surveyor and an authorized agent of Topographic Land Surveyors of Oklahoma, do hereby certify to the STATE PLANE 1433 COORDINATES: (US Feet) information shown herein This ered ±1 f 2-5-18 ZONE: OK SOUTH 2105736 OKLAHOMA Oklahoma Lic. No. __ 675399