API NUMBER: 017 25322

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 11/20/2018 05/20/2020 **Expiration Date**

PERMIT TO DRILL

County: CANADIAN WELL LOCATION: Sec: Twp: 11N Rge: 7W

FEET FROM QUARTER: FROM SPOT LOCATION: NORTH EAST NW NW || NE NE SECTION LINES: 235

Lease Name: SILVER CHARM 22-27-11-7 Well No: 1WXH Well will be 235 feet from nearest unit or lease boundary.

1100

ROAN RESOURCES LLC Operator OTC/OCC Number: Telephone: 4058968453 24127 0 Name:

ROAN RESOURCES LLC

14701 HERTZ QUAIL SPRINGS PKWY

OKLAHOMA CITY. OK 73134-2641 LEROY & ROSALIE USSERY

P. O. BOX 721850

OKLAHOMA CITY OK 73172

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth WOODFORD 10312 1 6 2 7 3 8 4 9 5 10 662710 Spacing Orders: Location Exception Orders: 686299 Increased Density Orders: 686298

Pending CD Numbers: Special Orders:

Total Depth: 20832 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 390 Ground Elevation: 1344

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION

Type of Pit System: ON SITE Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: 1B

Liner required for Category: 1B Pit Location is AP/TE DEPOSIT

Pit Location Formation: TERRACE

Approved Method for disposal of Drilling Fluids:

A. Evaporation/dewater and backfilling of reserve pit.

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-35645

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: 3

Liner required for Category: 3
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

HORIZONTAL HOLE 1

Sec 27 Twp 11N Rge 7W County CANADIAN

Spot Location of End Point: SW SE SE SE Feet From: SOUTH 1/4 Section Line: 65
Feet From: EAST 1/4 Section Line: 440

Depth of Deviation: 9742 Radius of Turn: 573 Direction: 177

Total Length: 10190

Measured Total Depth: 20832

True Vertical Depth: 10312

End Point Location from Lease,
Unit, or Property Line: 65

Notes:

Category Description

DEEP SURFACE CASING 10/29/2018 - GA8 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR

OR SURFACE CASING

HYDRAULIC FRACTURING 10/29/2018 - GA8 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

LOCATION EXCEPTION - 686299 11/19/2018 - G56 - (I.O.) 22 & 27-11N-7W

X662710 WDFD

X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO PROPOSED WELLS COMPL INT (22-11N-7W) NCT 150' FNL, NCT 0' FSL, NCT 330' FEL COMPL INT (27-11N-7W) NCT 0' FNL, NCT 150' FSL, NCT 330' FEL

ROAN RESOURCES LLC

11/7/2018

MEMO 10/29/2018 - GA8 - PITS 1 & 2 - CONCRETE LINED PIT PER OPERATOR REQUEST, PIT 2 - OBM

RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

Description Category

11/19/2018 - G56 - (640)(HOR) 22 & 27-11N-7W EST WDFD, OTHER **SPACING - 662710**

POE TO BHL NCT 165' FNL/FSL, NCT 330' FEL/FWL

SPACING - 686298 11/19/2018 - G56 - (I.O.) 22 & 27-11N-7W

ESTABLISH MULTIUNIT HORIZONTAL WELL

X662710 WDFD 50% 22-11N-7W 50% 27-11N-7W

ROAN RESOURCES LLC

11/7/2018

