PI NUMBER: 017 25324 prizontal Hole Oil & Gas	OIL & GAS I OKLAHOI	CORPORATION CONSERVATIO P.O. BOX 52000 MA CITY, OK 73 Rule 165:10-3-1	N DIVISION		Approval Date: Expiration Date		
	E	PERMIT TO DRIL	<u>.L</u>				
WELL LOCATION: Sec: 22 Twp: 11N Rge: 7V	V County: CANAD	IAN					
SPOT LOCATION: NW NE NE	FEET FROM QUARTER: FROM N	IORTH FROM EA	ST				
	SECTION LINES: 2	35 11	40				
Lease Name: SILVER CHARM 22-27-11-7	Well No: 3	вихн		Well will be 23	5 feet from nea	rest unit or lease boundary.	
Operator ROAN RESOURCES LLC Name:		Telephone: 40589	68453	ОТ	C/OCC Number	: 24127 0	
ROAN RESOURCES LLC			LEROY & F	ROSALIE USSI	ERY		
14701 HERTZ QUAIL SPRINGS PKWY			P O BOX 7	21850			
OKLAHOMA CITY, OK	73134-2641		OKLAHOM	A CITY	OK 73172		
Formation(s) (Permit Valid for Listed For Name 1 WOODFORD 2	mations Only): Depth 10388	6 7	Name		De	pth	
3		8					
4		9					
5		10					
Spacing Orders: 662710 686301	Location Exception Or	rders: 686302		Increa	sed Density Orders	686294 686296	
Pending CD Numbers:				Specia	al Orders:		
Total Depth: 20908 Ground Elevation: 13	44 Surface Ca	asing: 1500		Depth to ba	ase of Treatable Wa	ater-Bearing FM: 380	
Under Federal Jurisdiction: No	Fresh Water S	upply Well Drilled: N	lo		Surface Wate	er used to Drill: No	
PIT 1 INFORMATION		Approv	ed Method for di	sposal of Drilling Flu	uids:		
Type of Pit System: ON SITE		A. Eva	aporation/dewate	r and backfilling of r	reserve pit.		
Type of Mud System: WATER BASED		_					
Chlorides Max: 5000 Average: 3000			e time land applic E MEMO	cation (REQUIRE	S PERMIT)	PERMIT NO: 18-3564	
Is depth to top of ground water greater than 10ft below ba	se of pit? Y	п. SE					
Within 1 mile of municipal water well? N							
Wellhead Protection Area? N							
Pit is located in a Hydrologically Sensitive Area.							
Category of Pit: 1B							
Liner required for Category: 1B							
Pit Location is AP/TE DEPOSIT							
Pit Location Formation: TERRACE							

PIT 2 INFORMATION Type of Pit System: ON SITE Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: 3 Liner required for Category: 3

Pit Location is AP/TE DEPOSIT Pit Location Formation: TERRACE

HORIZONTAL HOLE 1

Sec	27	Twp	11N	Rge	7W	/	County	CANADIAN
Spot	Locatior	n of En	d Point	: S2	2	S2	S2	SE
Feet	From:	SOL	JTH	1/4 Seo	ction	Line	e: 6	5
Feet	From:	EAS	БТ	1/4 Se	ction	h Line	e: 1	320
Depth of Deviation: 9818								
Radius of Turn: 573								
Direction: 181								
Total Length: 10190								
Measured Total Depth: 20908								
True Vertical Depth: 10388								
End Point Location from Lease,								
Unit, or Property Line: 65								

Notes:	
Category	Description
DEEP SURFACE CASING	10/29/2018 - GA8 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	10/29/2018 - GA8 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY - 686294	11/20/2018 - G56 - 22-11N-7W X662710 WDFD 2 WELLS ROAN RESOURCES LLC 11/7/2018
INCREASED DENSITY - 686296	11/20/2018 - G56 - 27-11N-7W X662710 WDFD 2 WELLS ROAN RESOURCES LLC 11/7/2018

017 25324 SILVER CHARM 22-27-11-7 3WXH

Category	Description
LOCATION EXCEPTION - 686302	11/20/2018 - G56 - (I.O.) 22 & 27-11N-7W X662710 WDFD X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO PROPOSED WELLS COMPL INT (22-11N-7W) NCT 150' FNL, NCT 0' FSL, NCT 660' FEL COMPL INT (27-11N-7W) NCT 0' FNL, NCT 150' FSL, NCT 660' FEL ROAN RESOURCES LLC 11/7/2018
МЕМО	10/29/2018 - GA8 - PITS 1 & 2 - CONCRETE LINED PIT PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
SPACING - 662710	11/20/2018 - G56 - (640)(HOR) 22 & 27-11N-7W EST WDFD, OTHER POE TO BHL NCT 165' FNL/FSL, NCT 330' FEL/FWL
SPACING - 686301	11/20/2018 - G56 - (I.O.) 22 & 27-11N-7W ESTABLISH MULTIUNIT HORIZONTAL WELL X662710 WDFD 50% 22-11N-7W 50% 27-11N-7W ROAN RESOURCES LLC 11/7/2018

