API NUMBER: 011 24128

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 11/20/2018 05/20/2020 **Expiration Date**

PERMIT TO DRILL

WELL LOCATION:	Sec:	07	Twp:	15N	Rge:	10W	County:	BLAINE
----------------	------	----	------	-----	------	-----	---------	--------

SPOT LOCATION: SE FEET FROM QUARTER: FROM SE sw SE SOUTH EAST SECTION LINES: 325 1385

Lease Name: CENTAUR 7_6-15N-10W Well No: 5HX Well will be 325 feet from nearest unit or lease boundary.

DEVON ENERGY PRODUCTION CO LP Operator Telephone: 4052353611: 4052353 OTC/OCC Number: 20751 0 Name:

DEVON ENERGY PRODUCTION CO LP 333 W SHERIDAN AVE

OKLAHOMA CITY. OK 73102-5015 DENNIS E AND VIRGINA LEE EDSALL

ROUTE 2 BOX 86

WATONGA OK 73772

Special Orders:

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN	10813	6	
2	WOODFORD	11391	7	
3			8	
4			9	
5			10	
ng Orders:	664198	Location Exception Orders:		Increased Density Orders:

Spacing Orders: Increased Density Orders:

201807064

Total Depth: 20747 Ground Elevation: 1528 Surface Casing: 1999 Depth to base of Treatable Water-Bearing FM: 90

Under Federal Jurisdiction: Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Pending CD Numbers:

Liner not required for Category: C Pit Location is AP/TE DEPOSIT Pit Location Formation: TERRACE D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 18-35581

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

HORIZONTAL HOLE 1

Sec 06 Twp 15N Rge 10W County **BLAINE** Spot Location of End Point: NW NW NF NF Feet From: NORTH 1/4 Section Line: 50 EAST Feet From: 1/4 Section Line: 1140

Depth of Deviation: 10360 Radius of Turn: 477

Direction: 2

Total Length: 9636

Measured Total Depth: 20747

True Vertical Depth: 11391

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category Description

DEEP SURFACE CASING 11/9/2018 - GA8 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 11/9/2018 - GA8 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INTERMEDIATE CASING 11/9/2018 - GA8 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

MEMO 11/9/2018 - GA8 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

Category Description

PENDING CD - 201807016 11/20/2018 - G58 - (E.O.)(640)(HOR) 7-15N-10W

EXT 643729 MSSP, WDFD

POE TO BHL (MSSP) NLT 660' FB

POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL REC 11/8/2018 (THOMAS) AFFIRMED BY MACGUIGAN 11/19/2018

PENDING CD - 201807017 11/20/2018 - G58 - 6-15N-10W

X664198 MSSP, WDFD

4 WELLS NO OP. NAMED

REC 11/7/2018 (THOMAS)

PENDING CD - 201807018 11/20/2018 - G58 - 7-15N-10W

X201807016 MSSP, WDFD

3 WELLS NO OP. NAMED

REC 11/7/2018 (THOMAS)

PENDING CD - 201807064 11/20/2018 - G58 - (E.O.) 6 & 7-15N-10W

EST MULTIUNIT HÖRIZÖNTAL WELL X664198 MSSP, WDFD 6-15N-10W X201807016 MSSP, WDFD 7-15N-10W

(WDFD IS ADJACENT COMMON SOURCE OF SUPPLY TO MSSP)

50% 6-15N-10W 50% 7-15N-10W NO OP. NAMED

REC 11/8/2018 (THOMAS) AFFIRMED BY MACGUIGAN 11/19/2018

PENDING CD - 201807065 11/20/2018 - G58 - (E.O.) 6 & 7-15N-10W

X664198 MSSP, WDFD 6-15N-10W X201807016 MSSP, WDFD 7-15N-10W

X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO EXISTING/PROPOSED WELL

COMPL. INT. 7-15N-10W NCT 165' FSL, NCT 0' FNL, NCT 330' FEL COMPL. INT. 6-15N-10W NCT 0' FSL, NCT 165' FNL, NCT 330' FEL NO OP. NAMED

REC 11/8/2018 (THOMAS) AFFIRMED BY MACGUIGAN 11/19/2018

SPACING - 664198 11/20/2018 - G58 - (640)(HOR) 6-15N-10W

EXT 640263 MSSP, WDFD POE TO BHL (MSSP) NLT 660' FB

POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL



011-24128

Ν

0

SURFACE HOLE DATA

ZONE: OK-NORTH

GPS DATUM: NAD83

BOTTOM HOLE DATA STATE PLANE COORDINATES: ZONE: OK-NORTH NAD27

STATE PLANE COORDINATES:

ZONE: OK-NORTH NADS

GPS DATUM: NAD83 LAT: 35.81195105

LONG: -98.29961791

BY OPERATOR LISTED.

INFORMATION PROVIDED

BOTTOM HOLE

LAT: 35.78410288 LONG: -98.30084780

X: 1879266.7

X: <u>1911262.8</u>

GPS DATUM: NAD27

LAT: 35.81190781 LONG: -98.29927333

Y: 295677.2

X: 1879662.8

Y: 295701.1

Y: 285565.2

STATE PLANE COORDINATES:

ZONE: OK-NORTH NAD27 **X**: 1910866.6 Y: 285541.3 GPS DATUM: NAD27 LAT: <u>35.78405879</u> LONG: -98.30050375 STATE PLANE COORDINATES:

GRID NORTH (NAD 27) OKLAHOMA - NORTH ZONE

OPERATOR: DEVON ENERGY PRODUCTION COMPANY, L.P. LEASE NAME: CENTAUR 7_6-15N-10W

WELL NO. 5HX GOOD DRILL SITE: YES

BLAINE _COUNTY, STATE:<u>OK</u> GROUND ELEVATION: 1528.00' GR. AT STAKE SURFACE HOLE FOOTAGE: 1385' FEL - 295' FSL

SECTION: 7 TOWNSHIP: T15N RANGE: R10W BOTTOM HOLE: 6-T15N-R10W,I.M.


ACCESSIBILITY TO LOCATION: FROM SOUTH LINE TOPOGRAPHY & VEGETATION: LOCATION FELL IN A FIELD


DISTANCE & DIRECTION FROM HWY ICT OR TOWN: FROM INTERSECTION HWY 3 AND HWY 281 IN WATONGA EAST ON HWY 3 4 MILES, SOUTH ON N2610 RD 4 MILES EAST ON E0850 RD 2.75 MILES, PAD ON NORTH SIDE OF RD

PLEASE NOTE THAT THIS LOCATION WAS STAKED ON THE GROUND LINDER THE SUPERVISION OF A

PIEASE NOTE THAT THIS LOCATION WAS STAKED ON THE GROUND UNDER THE SUPERVISION OF A LICENSED PROFESSIONAL LAND SURVEYOR, BUT ACCURACY OF THIS EXHIBITE SNOT GIJARANTEED. PIEASE CONTACT CRAFTON TULL PROMPILY IF ANY INCONSISTENCY IS DETERMINED, GPS DATA IS OBSERVED FROM RIK-GPS. NOTEX AND Y DATA SHOWN HEREON FOR SECTION CORNERS MAY NOT HAVE BEEN SURVEYED ON THE GROUND, AND FURTHER, <u>DOES NOT</u> REPRESENT A TRUE BOUNDARY SURVEY. CUARTER SECTION DISTANCES MAY BE ASSIMED FROM A GOVERNMENT SURVEY PLAT OR ASSIMED AT A PROPORTIONATE DISTANCE FROM OPPOSING SECTION CORNERS, OR OCCUPATION THEREOF, AND MAY NOT HAVE BEEN MEASURED ON THE GROUND, AND FURTHER, <u>DOES NOT</u> REPRESENT A TRUE BOUNDARY SURVEY.

_ COUNTY, OKLAHOMA 1385' FEL - 295' FSL SECTION 7 TOWNSHIP 15N RANGE 10W I.M.







GRAPHIC SCALE IN FEET 2000 1000 Ó 2000

SEC. 7

FIRST PERFORATION POINT

1140' FEL- 165' FSL

295

REVISION	"CE			
	PART OF THE	devon		
	SCALE: 1" = 2000' PLOT DATE: 09-18-2018	DRAWN BY: J	J SHEET NO.:	1 OF 6

300 Pointe Parkway Blvd. Yukon, OK 73099 405.787.6270 t 405.787.6276 f www.craftontull.com Crafton Tull

OPERATOR: DEVON ENERGY PRODUCTION COMPANY, L.P. LEASE NAME: CENTAUR 7_6-15N-10W

WELL NO. 5HX

GOOD DRILL SITE: YES _COUNTY, STATE:OK BLAINE

GROUND ELEVATION:1528.00' GR. AT STAKE SURFACE HOLE FOOTAGE: 1385' FEL - 295' FSL

SECTION: 7 TOWNSHIP: T15N RANGE: R10W BOTTOM HOLE: 6-T15N-R10W,I.M.


ACCESSIBILITY TO LOCATION: FROM SOUTH LINE TOPOGRAPHY & VEGETATION: LOCATION FELL IN A FIELD


DISTANCE & DIRECTION FROM HWY JCT OR TOWN:

FROM INTERSECTION HWY 3 AND HWY 281 IN WATONGA EAST ON HWY 3 4 MILES, SOUTH ON N2610 RD 4 MILES EAST ON E0850 RD 2.75 MILES, PAD ON NORTH SIDE OF RD

PLASE NOTE INTO THIS DECISION WAS STAKED ON THE GROUND UNDER THE SUPERVISION OF A LICENSED PROFESSIONAL LAND SUPPLYOR, BUT ACCURACY OF THIS EXHIBIT IS NOT GUARANTEED. PLASE CONTACT CRAFTON TULL PROMPTLY IF ANY INCONSISTENCY TO DETERMINED, GRYS DATA IS OBSERVED FROM RIK.GR. OBSERVED FROM RIK.GR. ORICE XAND Y DATA SHOWN HEREON FOR SECTION CORNERS MAY NOT HAVE BEEN SURVEYED ON THE GROUND, AND FURTHER, DOES NOT REPRESENT A TRUE BOUNDARY SURVEY. OLARIER SECTION DISTANCES MAY BE ASSIMILED FROM A GOVERNMENT SURVEY PLAT OR ASSUMED AT A PROPORTIONATE DISTANCE FROM OPPOSING SECTION CORNERS, OR OCCUPATION THEREOF, AND MAY NOT HAVE BEEN MEASURED ON THE GROUND, AND FURTHER, DOES NOT REPRESENT A TRUE BOUNDARY SURVEY.

BLAINE COUNTY, OKLAHOMA 1385' FEL - 295' FSL SECTION 7 TOWNSHIP 15N RANGE 10W I.M.





SURFACE HOLE DATA STATE PLANE COORDINATES:

ZONE: OK-NORTH NAD27

X: 1910866.6 Y 285541.3

GPS DATUM: NAD27 LAT: 35.78405879 LONG: -98.30050375

STATE PLANE COORDINATES: ZONE: OK-NORTH NAD

X: 1879266.

GPS DATUM: NAD83 LAT: 35.78410288 LONG: <u>-98.30084780</u>

BOTTOM HOLE DATA STATE PLANE COORDINATES:

ZONE: OK-NORTH NAD27 X: 1911262.8

Y: 295677.2

GPS DATUM: NAD27 LAT: 35.81190781 LONG: -98.29927333

STATE PLANE COORDINATES: ZONE: OK-NORTH NAD83

X:1879662.8

GPS DATUM: NAD83 IAT: 35.81195105 LONG: -98.29961791 **BOTTOM HOLE**

INFORMATION PROVIDED BY OPERATOR LISTED.



GRAPHIC SCALE IN FEET 2000 1000 2000 0

REVISION	PART OF THE	ENTAUR 7_6-15N-10W 5HX" SE/4 OF SECTION 7, T-15-N, R-1 PROPOSED DRILL SITE INE COUNTY, OKLAHOMA	10-W		devon
	SCALE: 1" = 2000'				
	PLOT DATE: 09-18-2018	DRAWN BY:	IJ	SHEET NO.:	2 OF 6

300 Pointe Parkway Blvd. Yukon, OK 73099 405.787.6270 t 405.787.6276 f www.craftontull.com Crafton Tull

OPERATOR: DEVON ENERGY PRODUCTION COMPANY, L.P. LEASE NAME: CENTAUR 7_6-15N-10W

WELL NO. 5HX

GOOD DRILL SITE: YES

_COUNTY, STATE:OK **BLAINE GROUND ELEVATION:**1528.00' GR. AT STAKE SURFACE HOLE FOOTAGE: 1385' FEL - 295' FSL

SECTION: 7 TOWNSHIP: T15N RANGE: R10W BOTTOM HOLE: 6-T15N-R10W,I.M.

ACCESSIBILITY TO LOCATION: FROM SOUTH LINE TOPOGRAPHY & VEGETATION: LOCATION FELL IN A FIELD

DISTANCE & DIRECTION FROM HWY JCT OR TOWN:

FROM INTERSECTION HWY 3 AND HWY 281 IN WATONGA EAST ON HWY 3 4 MILES, SOUTH ON N2610 RD 4 MILES EAST ON E0850 RD 2.75 MILES, PAD ON NORTH SIDE OF RD

PLASE NOTE THAT THIS LOCATION WAS STAKED ON THE GROUND UNDER THE SUPERVISION OF A UICENSED PROFESSIONAL LAND SURVEYOR, BUT ACCURACY OF THIS EXHIBIT IS NOT GUIABANITED. PLASE CONTACT CRAFTON THU PROMPILLY F ANY INCONSISTENCY IS DETERMINED, GPS DATA IS OBSERVED FROM RIX-GPS NOTEX AND Y DATA SHOWN HEREON FOR SECTION CORNERS MAY NOT HAVE BEEN SURVEYED ON THE GROUND, AND FURTHER, DOES NOT BEPRESENT A TRUE BOUNDARY SURVEY. QUARTER SECTION DISTANCES MAY BE ASSIMBLE FROM A GOVERNMENT SURVEY PLAT OR ASSIMBL AT A PROPORTIONATE DISTANCE FROM OPPOSING SECTION CORNERS, OR OCCUPATION THEREOF, AND MAY NOT HAVE BEEN MEASURED ON THE GROUND, AND FURTHER, DOES NOT REPRESENT A TRUE BOUNDARY SURVEY.



BLAINE COUNTY, OKLAHOMA 1385' FEL - 295' FSL SECTION 7 TOWNSHIP 15N RANGE 10W I.M.

1140' FEL - 50' FNL 35° 48' 42.87" NORTH 98° 17' 57.38" WEST :295677.2 Y:295677.2 LAT: 35.81190781 LONG: 98.29927333 X=1912404 Y=295723 50, NW COR. X=1909763 Y=295733 SEC. 6 X=1907255 Y=295744 NE COR SEC. 6 LAST PERFORATION POINT 1140' FEL- 165' FNL X=1907247 Y=293110 X=1909641 Y=290516 X=1912282 Y=290579 X=1907238 Y=290476 NE COR NW COR. SEC. 7 SEC. 7 Gas Well X=1912266 Y=287922 X=1907230 Y=287837 CENTAUR 7_6-15N-10W 5HX 1385' FEL - 295' FSL 35° 47' 02.61" NORTH 98° 18' 01.81" WEST X:1910866.6 Y:285541.3 LAT: 35.78405879 LONG:-98.30050375 ELEV::1528.00 1385 X=1912250 Y=285265 X=1907222 Y=285197 SW COR. SE COR X=1909597 Y=285229 SEC. 7 295 FIRST PERFORATION POINT SEC. 7 1140' FEL- 165' FSL

SURFACE HOLE DATA STATE PLANE COORDINATES:

ZONE: OK-NORTH NAD27 X: 1910866.6

Y 285541.3 GPS DATUM: NAD27 LAT: 35.78405879 LONG: -98.30050375

STATE PLANE COORDINATES: ZONE: OK-NORTH NAD

X: 1879266.

GPS DATUM: NAD83 LAT: 35.78410288 LONG: <u>-98.30084780</u>

BOTTOM HOLE DATA STATE PLANE COORDINATES:

ZONE: OK-NORTH NAD27 X: 1911262.8

Y: 295677.2 GPS DATUM: NAD27 LAT: 35.81190781

LONG: -98.29927333 STATE PLANE COORDINATES: ZONE: OK-NORTH NAD83


GPS DATUM: NAD83 IAT: 35.81195105 LONG: -98.29961791 **BOTTOM HOLE** INFORMATION PROVIDED

BY OPERATOR LISTED.




GRAPHIC SCALE IN FEET								
20	00	10	00	()	20	00	


REVISION	"CE			
	PART OF THE	devon		
	SCALE: 1" = 2000' PLOT DATE: 09-18-2018	DRAWN BY:	J SHEET NO.:	3 OF 6





VICINITY MAP





SEC. _____7 ____TWP.___15N ___RNG.___10W___

COUNTY: BLAINE STATE: OK

OPERATOR: Devon Energy Production Company, L.P.

	GRAPHIC SCALE IN MILES							
,	,	1 /						
4	<u>′</u>	1 ()	2				

REVISION	REVISION "CENTAUR 7_6-15N-10W 5HX"				
	PART OF THE	devon			
	SCALE: 1/2" = 1 MILE PLOT DATE: 09-18-2018	DRAWN BY:	J SHEET NO.:	5 OF 6	

