API NUMBER: 045 23714

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 01/09/2018

Expiration Date: 07/09/2018

PERMIT TO DRILL

SPOT LOCATION: NW NE NW FEET FROM QUARTER: FROM NORTH FROM WEST SECTION LINES:	WELL LOCATION:		. —	:_			_	,	: ELLI			
	SPOT LOCATION:	NW] [NW	[N	E	INW			FROM	225	FROM	WES 1

Lease Name: CRIPPLE BEAR 19X18-17-23 Well No: 2HA Well will be 225 feet from nearest unit or lease boundary.

Operator FOURPOINT ENERGY LLC Telephone: 3032900990 OTC/OCC Number: 23429 0

FOURPOINT ENERGY LLC 100 SAINT PAUL ST STE 400

DENVER, CO 80206-5140

CRIPPLE BEAR LLC

19355 CYPRESS RIDGE TERRACE, UNIT 1012

LEESBURG VA 20176

Formation(s) (Permit Valid for Listed Formations Only):

		Name	Depth	Name	Depth
	1	CLEVELAND	9350	6	
	2			7	
	3			8	
	4			9	
	5			10	
Spacin	g Orders:	631276	Location Exception Orders:		Increased Density Orders:

Pending CD Numbers: 201708604

Special Orders:

201708608 201708610

201708609

Total Depth: 20497 Ground Elevation: 2283 Surface Casing: 810 Depth to base of Treatable Water-Bearing FM: 650

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 40000 Average: 5000

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: OGALLALA

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 17-33646

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: OGALLALA

HORIZONTAL HOLE 1

Sec 18 Twp 17N Rge 23W County **ELLIS** NW Spot Location of End Point: ΝE NW NW Feet From: NORTH 1/4 Section Line: 50 Feet From: WEST 1/4 Section Line: 600

Depth of Deviation: 9247 Radius of Turn: 573 Direction: 355

Direction. 333

Total Length: 10350

Measured Total Depth: 20497

True Vertical Depth: 9700

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

MEMO

Category

Description

HYDRAULIC FRACTURING

1/8/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

1/8/2018 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201708604 1/8/2018 - G60 - (E.O.) 18 & 19-17N-23W

X631276 (19-17N-23W)

X201708609 (18-17N-23W) CLVD

50% 18-17N-23W 50% 19-17N-23W

FOURPOINT ENERGY, LLC. REC. 1/5/18 (MINMIER)

Category Description

1/8/2018 - G60 - (E.O.) 18 & 19-17N-23W X631276 (19-17N-23W) PENDING CD - 201708608

X201708609 (18-17N-23W) COMPL. INT. (19-17N-23W) NCT 165' FSL, NCT 0' FNL, NCT 330' FWL COMPL. INT. (18-17N-23W) NCT 0' FSL, NCT 165' FNL, NCT 330' FWL FOURPOINT ENERGY, LLC.

REC. 1/5/18 (MINMIER)

PENDING CD - 201708609 1/8/2018 - G60 - (E.O.)(640)(HOR) 18-17N-23W

EXT 631276 CLVD COMPL. INT. NLT 660' FB REC. 1/5/18 (MINMIER)

PENDING CD - 201708610 1/8/2018 - G60 - (E.O.) 19-17N-23W

X631276 CLVD 2 WELLS

FOURPOINT ENERGY, LLC. **REC. 1/5/18 (MINMIER)**

SPACING - 631276 1/8/2018 - G60 - (640)(HOR) 19-17N-23W

EXT 610862

COMPL. INT. NCT 660' FB

