API NUMBER: 061 22359

Oil & Gas

located in a Hydrologically Sensitive Area.

SAVANNA

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

Category of Pit: 4

Liner not required for Category: 4 Pit Location is BED AQUIFER Pit Location Formation:

Horizontal Hole

## **OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

01/17/2018 Approval Date: Expiration Date: 07/17/2018

DEBMIT TO DRILL

		I ERMIT TO BRILL	
WELL LOCATION: Sec: 26 Twp: 9N Rge: 1	8E County: HASK	ELL	
SPOT LOCATION: NE SW SE SW	FEET FROM QUARTER: FROM	SOUTH FROM WEST	
	SECTION LINES:	475 1960	
Lease Name: AUDREY	Well No:	1-26/35/2H	Well will be 475 feet from nearest unit or lease boundary
Operator TRINITY OPERATING (USG) LLC Name:		Telephone: 9185615631	OTC/OCC Number: 23879 0
TRINITY OPERATING (USG) LLC 1717 S BOULDER AVE STE 201 TULSA, OK	74119-4842		WARE & LAURA WARE
TOLSA, OR	74119-4042	TAYLOR	RS SC 29687
Formation(s) (Permit Valid for Listed Formation(s) (Permit Valid for Listed Formation Name  1 WOODFORD 2 3 4 5  Spacing Orders: No Spacing	Depth 5387  Location Exception 6	Name 6 7 8 9 10  Orders:	Depth  Increased Density Orders:
Pending CD Numbers: 201708389 201708390 201708391			Special Orders:
Total Depth: 12353 Ground Elevation: 6	Surface (	Casing: 310	Depth to base of Treatable Water-Bearing FM: 260
Under Federal Jurisdiction: No	Fresh Water	Supply Well Drilled: No	Surface Water used to Drill: No
PIT 1 INFORMATION		Approved Method for	or disposal of Drilling Fluids:
Type of Pit System: ON SITE		A. Evaporation/dev	water and backfilling of reserve pit.
Type of Mud System: AIR		B. Solidification of	pit contents.
Is depth to top of ground water greater than 10ft below be Within 1 mile of municipal water well? N Wellhead Protection Area? N	pase of pit? Y	E. Haul to Comme H. SEE MEMO	ercial pit facility: Sec. 19 Twn. 8N Rng. 5E Cnty. 125 Order No: 274874

## PIT 2 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: WATER BASED

Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: 1B

Liner required for Category: 1B

Pit Location is BED AQUIFER

Pit Location Formation: SAVANNA

## PIT 3 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: 3

Liner required for Category: 3
Pit Location is BED AQUIFER
Pit Location Formation: SAVANNA

## **HORIZONTAL HOLE 1**

Sec 02 Twp 8N Rge 18E County HASKELL

Spot Location of End Point: NW SW NE NE
Feet From: NORTH 1/4 Section Line: 680
Feet From: EAST 1/4 Section Line: 1285

Depth of Deviation: 5000 Radius of Turn: 482

Direction: 175
Total Length: 6596

Total Length. 0000

Measured Total Depth: 12353

True Vertical Depth: 5422

End Point Location from Lease,
Unit, or Property Line: 680

Notes:

Category Description

**MEMO** 

HYDRAULIC FRACTURING 1/10/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

1/10/2018 - G71 - PIT 2 - MIN. SOIL COMPACTED PIT, NOTIFY DISTRICT PRIOR TO TESTING

SOIL PIT LINER, PIT 3 - MIN. 20-MIL PIT LINER REQUIRED, OBM RETURNED TO VENDOR,

**CUTTINGS PERMITTED PER DISTRICT** 

PENDING CD - 201708389 1/12/2018 - G58 - (640)(HOR) 26 & 35-9N-18E & 2-8N-18E

EST WDFD, OTHERS COMPL. INT. NLT 660' FB REC 1/8/2018 (DUNN)

PENDING CD - 201708390 1/12/2018 - G58 - (I.O.) 26 & 35-9N-18E & 2-8N-18E

EST MULTIUNIT HORÍZONTAL WELL

X201708389 WDFD 25% 26-9N-18E 50% 35-9N-18E 25% 2-8N-18E NO OP. NAMED REC 1/8/2018 (DUNN)

PENDING CD - 201708391 1/12/2018 - G58 - (I.O.) 26 & 35-9N-18E & 2-8N-18E

X201708389 WDFD

COMPL. INT. (26-9N-18E) NCT 165' FNL, NCT 0' FSL, NCT 2300' FEL COMPL. INT. (35-9N-18E) NCT 0' FNL, NCT 0' FSL, NCT 2300' FEL COMPL. INT. (2-8N-18E) NCT 0' FNL, NCT 165' FSL, NCT 330' FEL

NO OP. NAMED REC 1/8/2018 (DUNN)

