API NUMBER: 073 26249

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	09/18/2018
Expiration Date:	03/18/2020

PERMIT TO DRILL

WELL LOCATION:	Sec:	18 1	Гwp:	17N	Rge:	6W	County	r: KING	FISHER		
SPOT LOCATION:	sw	NW	NE		NW	٦	FEET FROM QUARTER:	FROM	NORTH	FROM	WEST
						_	SECTION LINES:		381		1500
Lease Name: E	EVELYN '	1706					We	ell No:	8-18MH		

Well No: 8-18MH Well will be 381 feet from nearest unit or lease boundary.

Operator OKLAHOMA ENERGY ACQUISITIONS LP Telephone: 2815300991 OTC/OCC Number: 23509 0

OKLAHOMA ENERGY ACQUISITIONS LP 15021 KATY FREEWAY STE 400

HOUSTON, TX 77094-1900

COMMISSIONERS OF THE LAND OFFICE STATE OF OKLAHOMA 204 N. ROBINSON, SUITE 900

OKLAHOMA CITY OK 73102

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth		
1	MISSISSIPPIAN (LESS CHESTER)	7795	6			
2			7			
3			8			
4			9			
5			10			
Spacing Orders:	658585	Location Exception Orders: 6801	54	Increased Density Orders: 679408		
	651170					

Pending CD Numbers: Special Orders:

Total Depth: 12500 Ground Elevation: 1015 Surface Casing: 500 Depth to base of Treatable Water-Bearing FM: 220

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-34821
Chlorides Max: 4000 Average: 1800 PERMIT NO: 18-34821

Is depth to top of ground water greater than 10ft below base of pit? Y

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

Wellhead Protection Area?

Within 1 mile of municipal water well? N

HORIZONTAL HOLE 1

Sec 18 Twp 17N Rge 6W County KINGFISHER

Spot Location of End Point: SW SW SW SE
Feet From: SOUTH 1/4 Section Line: 165
Feet From: WEST 1/4 Section Line: 27

Depth of Deviation: 6930
Radius of Turn: 382
Direction: 175
Total Length: 4970

Measured Total Depth: 12500

True Vertical Depth: 7795

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

HYDRAULIC FRACTURING 9/12/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 679408 9/13/2018 - G57 - 18-17N-6W

X651170/658585 MSNLC

6 WELLS

OKLAHOMA ENERGY ACQUISITIONS, LP.

6-20-2018

LOCATION EXCEPTION - 680154 9/13/2018 - G57 - (I.O.) 18-17N-6W

X658585/651170 MSNLC

COMPL. INT. NCT 165' FSL, NCT 165' FNL, NCT 2519' FEL

7-12-2018

SPACING - 651170 9/13/2018 - G57 - (640)(HOR) 18-17N-6W

EXT 644675 MSNLC, OTHER

EST OTHER

POE TO BHL NLT 660' FB

SPACING - 658585 9/13/2018 - G57 - CONFIRM SP. ORDER 651170

SURFACE CASING 9/12/2018 - G71 - MIN. 300' PER ORDERS 23720/41036/42410

