API NUMBER: 011 24025 Α

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date:	06/11/2018
Expiration Date:	12/11/2018

Horizontal Hole Oil & Gas

Amend reason: CHANGE OPERATOR, UPDATE ORDERS & ADD DISPOSAL METHOD

AMEND PERMIT TO DRILL

WELL LOCATION:	Sec:	10	Twp:	16N	Rge:	10\	N	County	: BLAI	NE		
SPOT LOCATION:	SE	sw	SI		SW		FEET FROM QU	ARTER:	FROM	SOUTH	FROM	WEST
							SECTION LINES	:		204		1896

Lease Name: QUINTLE Well No: 2-10-3XHM Well will be 204 feet from nearest unit or lease boundary.

NEWFIELD EXPLORATION MID-CON INC Operator Telephone: 2816742521; 9188781 OTC/OCC Number: 20944 0 Name:

NEWFIELD EXPLORATION MID-CON INC 24 WATERWAY AVE STE 900

THE WOODLANDS. TX 77380-2764 GARY M. QUINTLE 24201 NORTH 2720 ROAD

KINGFISHER OK 73750

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Dep	oth
1	MISSISSIPPIAN	9648	6		
2			7		
3			8		
4			9		
5			10		
Spacing Orders:	639444 644711	Location Exception Orders:		Increased Density Orders:	681742
					681743

Pending CD Numbers: 201804078

201804079

201807009

Total Depth: 19749 Ground Elevation: 1246 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 40

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

Approved Method for disposal of Drilling Fluids: PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

Chlorides Max: 8000 Average: 5000

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is NON HSA

Pit Location Formation: FLOWERPOT

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-34557

E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498

Special Orders:

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA

Pit Location Formation: FLOWERPOT

HORIZONTAL HOLE 1

Sec 03 Twp 16N Rge 10W County **BLAINE** NW Spot Location of End Point: ΝE ΝE NW Feet From: NORTH 1/4 Section Line: 50 Feet From: WEST 1/4 Section Line: 1254

Depth of Deviation: 9171 Radius of Turn: 477 Direction: 355

Total Length: 9829

Measured Total Depth: 19749

True Vertical Depth: 9648

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category Description

DEEP SURFACE CASING 5/29/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 5/29/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 681742 9/7/2018 - G75 - 3-16N-10W

X639444 MSSP

5 WELLS

CONTINENTAL RESOURCES, INC.

8-20-2018

INCREASED DENSITY - 681743 9/7/2018 - G75 - 10-16N-10W

X644711 MSSP

5 WELLS

CONTINENTAL RESOURCES, INC.

8-20-2018

Category Description

INTERMEDIATE CASING 5/29/2018 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

MEMO 8/30/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST; WBM,

WBM & OBM CUTTINGS CAPTURED IN STEEL HALF PITS & TRANSFERRED TO R360 (ORDER

#587498); PIT 2 - OBM TO VENDOR

PENDING CD - 201804078 9/7/2018 - G75 - (I.O.) 10 & 3-16N-10W

EST MULTIUNIT HORIZONTAL WELL

X644711 MSSP 10-16N-10W X639444 MSSP 3-16N-10W

50% 10-16N-10W 50% 3-16N-10W NO OP. NAMED

REC 9-12-2018 (P. PORTER)

PENDING CD - 201804079 9/7/2018 - G75 - (I.O.) 10 & 3-16N-10W

X644711 MSSP 10-16N-10W X639444 MSSP 3-16N-10W

X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO EXISTING/PROPOSED WELLS

COMPL. INT. (10-16N-10W) NCT 150' FSL, NCT 0' FNL, NCT 660' FWL COMPL. INT. (3-16N-10W) NCT 0' FSL, NCT 150' FNL, NCT 660' FWL

NO OP. NAMED

REC 9-12-2018 (P. PORTER)

PENDING CD - 201807009 9/7/2018 - G75 - (E.O.) X681742 & 681743 CHANGING OPERATOR TO NO OPERATOR NAMED

REC 9-10-2018 (THOMAS)

SPACING - 639444 6/5/2018 - G75 - (640)(HOR) 3-16N-10W

VAC 260856 MCSTR S2, NW4 VAC 168134/169097 MSSSD S2, NW4

VAC OTHER EST MSSP, OTHERS POE TO BHL NCT 660' FB

(COEXIST SP. ORDER # 168134/169097 MSSSD NE4 & ORDER # 260856 MCSTR NE4)

SPACING - 644711 6/5/2018 - G75 - (640) 10-16N-10W

VAC 426226 MCSTR S2, NE4

VAC 168134/169097 MSSSD, OTHER S2, NE4

EST (HOR) OTHER

EST (VER) OTHERS

EXT (HOR) 639444 MSSP, OTHERS

COMPL. INT. NCT 660' FB

(COEXIT SP. ORDER # 168134/169097 MSSSD NW4 & ORDER # 426226 MCSTR NW4)