PI NUMBER: 093 25080 rizontal Hole Oil & Gas	OKLAHOMA CORPOR OIL & GAS CONSER P.O. BOX OKLAHOMA CITY, (Rule 165:	VATION DIVISION 52000 OK 73152-2000	Approval Date: Expiration Date:	06/29/2017 06/29/2018
	PERMIT TO	<u>D DRILL</u>		
	County: MAJOR EET FROM QUARTER: FROM SOUTH FRO ECTION LINES: 320	WEST 700		
Lease Name: WAHL 21-20-12	Well No: 2HC	Well wil	l be 320 feet from neares	st unit or lease boundary.
Operator CHESAPEAKE OPERATING LLC Name:	Telephone	4059353425; 4059358	OTC/OCC Number:	17441 0
CHESAPEAKE OPERATING LLC PO BOX 18496		KLM FARMS, L.L. 220 E. WINONA R	C. C/O KELLY WAHL	
OKLAHOMA CITY, OK 7	3154-0496	FAIRVIEW		3737
Formation(s)         (Permit Valid for Listed Formation)           Name         Name           1         MISSISSIPPI SOLID           2         3           4         5           Spacing Orders:         108819 228797           Pending CD Numbers:         201703500 201703501 201703502 201703508 201703510	Depth 8400 Location Exception Orders:	Name 6 7 8 9 10	Dept	
Total Depth: 18700 Ground Elevation: 1482	Surface Casing: 15	<b>00</b> D	Depth to base of Treatable Water	-Bearing FM: 500
Under Federal Jurisdiction: No	Fresh Water Supply Well D	illed: No	Surface Water u	sed to Drill: No
PIT 1 INFORMATION		Approved Method for disposal of	Drilling Fluids:	
Type of Pit System: ON SITE		A. Evaporation/dewater and bac	kfilling of reserve pit.	
Type of Mud System: WATER BASED Chlorides Max: 25000 Average: 8000 Is depth to top of ground water greater than 10ft below base Within 1 mile of municipal water well? N	of pit? Y	D. One time land application (I H. SEE MEMO	REQUIRES PERMIT)	PERMIT NO: 17-3265
Wellhead Protection Area? N				
Pit is not located in a Hydrologically Sensitive Area. Category of Pit: 2				
Liner not required for Category: 2				
Pit Location is NON HSA				

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run. PIT 2 INFORMATION Type of Pit System: ON SITE Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 160000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: 3 Liner required for Category: 3

Pit Location is NON HSA
Pit Location Formation: BLAINE

## HORIZONTAL HOLE 1

Depth of Deviation: 7949					
Radius of Turn: 477					
Direction: 8					
Total Length: 10002					
Measured Total Depth: 18700					
True Vertical Depth: 8400					
End Point Location from Lease,					
Unit, or Property Line: 50					

Notes:	
Category	Description
DEEP SURFACE CASING	6/27/2017 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	6/27/2017 - G71 - OCC 165:10-3-10 REQUIRES: 1) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS BE REPORTED TO FRACFOCUS USING THE FOLLOWING LINK HTTP://FRACFOCUS.ORG/ WITH NOTICE GIVEN 48 HOURS IN ADVANCE OF FRACTURING TO THE LOCAL OCC DISTRICT OFFICE; AND, 2) PRIOR TO COMMENCEMENT OF FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE ALSO GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE
INTERMEDIATE CASING	6/27/2017 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER- PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
MEMO	6/27/2017 - G71 - PIT 1 & 2 - CONCRETE-LINED PIT PER OPERATOR REQUEST; PIT 2 - OBM TO VENDOR, OBM CUTTINGS PER DISTRICT
PENDING CD - 201703500	6/27/2017 - G75 - (I.O.) 21 & 16-20N-12W EST MULTIUNIT HORIZONTAL WELL X228797 MSSSD 21-20N-12W X108819 MSSSD 16-20N-12W 50% 21-20N-12W 50% 16-20N-12W NO OP. NAMED REC 6-27-2017 (THOMAS)

093 25080 WAHL 21-20-12 2HC

Category	Description
PENDING CD - 201703501	6/27/2017 - G75 - (I.O.) 21-20N-12W X228797 MSSSD COMPL. INT. NCT 150' FSL, NCT 0' FNL, NCT 1320' FWL NO OP. NAMED REC 6-27-2017 (THOMAS)
PENDING CD - 201703502	6/27/2017 - G75 - (I.O.) 16-20N-12W X108819 MSSSD COMPL. INT. NCT 0' FSL, NCT 150' FNL, NCT 1320' FWL NO OP. NAMED REC 6-27-2017 (THOMAS)
PENDING CD - 201703508	6/27/2017 - G75 - 21-20N-12W X228797 MSSSD 4 WELLS NO OP. NAMED REC 6-27-2017 (THOMAS)
PENDING CD - 201703510	6/27/2017 - G75 - 16-20N-12W X108819 MSSSD 3 WELLS NO OP. NAMED REC 6-27-2017 (THOMAS)
SPACING - 108819	6/27/2017 - G75 - (640) 16-20N-12W EXT 83423/97877 MSSSD, OTHERS EXT OTHER EST OTHER
SPACING - 228797	6/27/2017 - G75 - (640) 21-20N-12W EXT OTHERS EXT 83423/162490 MSSSD