	PORATION COMMISSION	DIVISION			
PI NUMBER: 011 23898	P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000		Approval Date: Expiration Date:	12/06/2017 06/06/2018	
rizontal Hole Oil & Gas		e 165:10-3-1)			
	PER	MIT TO DRILL			
WELL LOCATION: Sec: 13 Twp: 15N Rge: 10					
SPOT LOCATION: NW NE NW	SECTION LINES				
	285	1421			
Lease Name: HORSEFLY 13_24-15N-10W	Well No: 5HX	Well	I will be 285 feet from near	est unit or lease boundary.	
Operator DEVON ENERGY PRODUCTION Co Name:	DLP Te	lephone: 4052353611; 4052353	OTC/OCC Number:	20751 0	
DEVON ENERGY PRODUCTION CO L	P				
333 W SHERIDAN AVE			N BORNEMANN		
OKLAHOMA CITY, OK	73102-5010	959 N. BANNE	R ROAD	ROAD	
	10102 0010	EL RENO	OK	73036	
Formation(s) (Permit Valid for Listed Form Name 1 MISSISSIPPIAN 2 WOODFORD 3 4 5 Spacing Orders: 646358 594004 Pending CD Numbers: 201706151 201706185 201706180	mations Only): Depth 9220 10652 Location Exception Orders	Name 6 7 8 9 10 :	Dep Increased Density Orders: Special Orders:		
Total Depth: 20540 Ground Elevation: 12 Under Federal Jurisdiction: No	84 Surface Casir Fresh Water Supply	-	Depth to base of Treatable Wat	-	
				used to Drill: Yes	
		Approved Method for disposa			
Type of Pit System: CLOSED Closed System Means S	iteel Pits	D. One time land and " "			
Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000		D. One time land application H. SEE MEMO	I (KEQUIKES PEKMII)	PERMIT NO: 17-3329	
Is depth to top of ground water greater than 10ft below ba	se of pit? Y				
Within 1 mile of municipal water well? N					
Wellhead Protection Area? N					
Pit is not located in a Hydrologically Sensitive Area.					
Category of Pit: C					
Liner net required for Cotogony C					
Liner not required for Category: C					
Pit Location is NON HSA					

PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

Pit Location is NON HSA Pit Location Formation: FLOWERPOT

HORIZONTAL HOLE 1

Sec	24	Twp	15N	Rge	10W	С	ounty	BLAINE
Spot I	Locatior	of En	d Poin	t: SE	5	SW	SE	SW
Feet I	From:	SOL	ΙΤΗ	1/4 Sec	ction L	_ine:	50	
Feet I	From:	WES	ST	1/4 Sec	ction L	_ine:	18	75
Depth of Deviation: 9201								
Radius of Turn: 632								
Direction: 177								
Total Length: 10347								
Measured Total Depth: 20540								
True Vertical Depth: 10652								
End Point Location from Lease,								
Unit, or Property Line: 50								

Notes:	
Category	Description
DEEP SURFACE CASING	11/3/2017 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING
HYDRAULIC FRACTURING	11/3/2017 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
INCREASED DENSITY - 670190	12/4/2017 - G58 - (I.O.) 24-15N-10W X594004 MSSP, WDFD 10 WELLS DEVON ENERGY PROD. CO., L.P. 11/17/17
INTERMEDIATE CASING	11/3/2017 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER- PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES

011 23898 HORSEFLY 13_24-15N-10W 5HX

Category	Description
МЕМО	11/3/2017 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT
PENDING CD - 201706151	12/4/2017 - G58 - (I.O.) 13 & 24-15N-10W EST. MULTIUNIT HORIZONTAL WELL X646358 (13-15N-10W) MSSP, WDFD X594004 (24-15N-10W) MSSP, WDFD (WDFD IS AN ADJACENT COMMON SOURCE OF SUPPLY TO MSSP) 50% 13-15N-10W 50% 24-15N-10W NO OP NAMED REC 10/10/2017 (JACKSON)
PENDING CD - 201706180	12/4/2017 - G58 - (I.O.) 13-15N-10W X646358 MSSP, WDFD 10 WELLS DEVON ENERGY PROD. CO., L.P. REC 10/10/2017 (JACKSON)
PENDING CD - 201706185	12/4/2017 - G58 - (I.O.) 13 & 24-15N-10W X646358 MSSP, WDFD 13-15N-10W X594004 MSSP, WDFD 24-15N-10W X165:10-3-28(C)(2)(B) MSSP, WDFD (HORSEFLY 13_24-15N-10W 5HX) MAY BE CLOSER THAN 600' TO ANY PROPOSED WELL AND CKR 24-15-10 1H COMPL. INT. (13-15N-10W) NCT 165' FNL, NCT 0' FSL, NCT 1320' FWL COMPL. INT. (24-15N-10W) NCT 0' FNL, NCT 165' FSL, NCT 1320' FWL DEVON ENERGY PROD. CO., L.P. REC 10/10/2017 (JACKSON)
SPACING – 594004	12/4/2017 - G58 - (640) 24-15N-10W VAC 169866 CSTR VAC 176175 MNNG, MSSSD EXT 588576 WDFD EST MSSP
SPACING – 646358	12/4/2017 - G58 - (640)(HOR) 13-15N-10W VAC 169866 CSTR VAC 176175 MNNG, MSSSD, OTHER EXT 641537 WDFD EST MSSP, OTHER POE TO BHL (MSSP, OTHER) NCT 660' FB POE TO BHL (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL

