VELL LOCATION: Sec: 08 Twp: 13N Rge: 5E County: LINCOLN SPOT LOCATION: SE NW NE SW FEET FROM QUARTER: FROM SOU SECTION LINES: 2185	RMIT TO DRILL	
2185	TH FROM WEST	
	i 1876	
Lease Name: CHERRY HILLS Well No: 2-5H	H Well will	be 1876 feet from nearest unit or lease boundary.
Operator MONTCLAIR ENERGY LLC T Name:	elephone: 4053418822	OTC/OCC Number: 22644 0
MONTCLAIR ENERGY LLC 3509 FRENCH PARK DR STE B EDMOND, OK 73034-7291	JERRY & PATRICI 2440 TWIN RIDGE EDMOND	
	EDMOND	
Name Depth   1 HUNTON 6356   2 3   4 5   Spacing Order:: 623880	Name 6 7 8 9 10	Depth
	'S:	Increased Density Orders:
Pending CD Numbers: 201803514 201802614 Total Depth: 11100 Ground Elevation: 865 Surface Casi	i <b>ng: 150</b> De	Special Orders:
Under Federal Jurisdiction: No Fresh Water Supp	bly Well Drilled: No	Surface Water used to Drill: Yes
PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000	Approved Method for disposal of D D. One time land application (R H. CLOSED SYSTEM=STEEL PI	
Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N	DIRECTIONAL HOLE 1	
Wellhead Protection Area? N	Sec 05 Twp 13N	Rge 5E County LINCOLN
Pit is located in a Hydrologically Sensitive Area.   Category of Pit: C	Spot Location of End Poin	
Liner not required for Category: C	Feet From: SOUTH	1/4 Section Line: 480
Pit Location is BED AQUIFER	Feet From: WEST	1/4 Section Line: 1891
Pit Location Formation: VANOSS	Measured Total Depth: 6	
	True Vertical Depth: 635	
	End Point Location from L	
	Unit, or Property Line	

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

## HORIZONTAL HOLE 1

Sec 05 Twp 13N Rge 5E County LINCOLN		
Spot Location of End Point: C W2 NW NW		
Feet From: NORTH 1/4 Section Line: 660		
Feet From: WEST 1/4 Section Line: 330		
Depth of Deviation: 5795		
Radius of Turn: 573		
Direction: 355		
Total Length: 4405		
Measured Total Depth: 11100		
True Vertical Depth: 6356		
End Point Location from Lease,		
Unit, or Property Line: 330		
Notes:		
Category	Description	
HYDRAULIC FRACTURING	5/29/2018 - G71 - OCC 165:10-3-10 REQUIRES:	
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;	
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,	
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG	
PENDING CD - 201802614	6/1/2018 - G75 - 5-13N-5E X623880 HNTN 1 WELL NO OP. NAMED REC 4-24-2018 (DENTON)	
PENDING CD - 201803514	6/1/2018 - G75 - (I.O.) X623880 HNTN SHL (8-13N-5E) 2185' FSL, 1876' FWL POE (5-13N-5E) NCT 330' FSL, NCT 660' FWL BHL (5-13N-5E) NCT 660' FNL, NCT 330' FWL MONTCLAIR ENERGY, LLC REC 5-21-2018 (NORRIS)	
SPACING - 623880	6/1/2018 - G75 - (640)(HOR) 5-13N-5E EXT 598905 HNTN, OTHERS POE TO BHL NCT 660' FB	

