API NUMBER: 051 24373

Oil & Gas

Pit is not located in a Hydrologically Sensitive Area.

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

Category of Pit: 4

Liner not required for Category: 4
Pit Location is NON HSA
Pit Location Formation: CHICKA

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 06/05/2018
Expiration Date: 12/05/2018

PERMIT TO DRILL

Lease Name: TAYLOR Well No: 7-5-15-10-3H Well will be 380 feet from nearest unit or lea	
Operator NEWFIELD EXPLORATION MID-CON INC Telephone: 2816742521; 9188781 OTC/OCC Number: 20944	•
NEWFIELD EXPLORATION MID-CON INC 24 WATERWAY AVE STE 900 THE WOODLANDS, TX 77380-2764 STANLEY & PATRICIA TAYLOR 2284 COUNTY RD 1340 BLANCHARD OK 73010	
Formation(s) (Permit Valid for Listed Formations Only): Name Depth Name Depth 1 WOODFORD 11350 6 2 7 3 8 8 4 9 5 10	
Spacing Orders: No Spacing No Spacing No Spacing No Spacing	
Pending CD Numbers: 201708677 Special Orders: 201802201 201802201	
Total Depth: 21650 Ground Elevation: 1288 Surface Casing: 720 Depth to base of Treatable Water-Bearing FM	: 470
Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill:	No
PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:	
Type of Pit System: ON SITE	
	IT NO: 18-34581
Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? Y Wellhead Protection Area? Y H. SEE MEMO E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order	No: 587498

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? Y

Wellhead Protection Area? Y

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: CHICKASHA

PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? Y

Wellhead Protection Area? Y

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: CHICKASHA

HORIZONTAL HOLE 1

Sec 10 Twp 7N Rge 5W County GRADY

Spot Location of End Point: N2 N2 N2 N2
Feet From: NORTH 1/4 Section Line: 50
Feet From: WEST 1/4 Section Line: 2640

Depth of Deviation: 10712 Radius of Turn: 382

Direction: 353

Total Length: 10338

Measured Total Depth: 21650 True Vertical Depth: 11388

End Point Location from Lease, Unit, or Property Line: 50

Notes:

Category Description

COMPLETION INTERVAL 5/30/2018 - G57 - THE COMPLETION INTERVAL FOR THE WDFD WILL BE GREATER THAN 165'

FSL, GREATER THAN 330' FWL IN 15-7N-5W & GREATER THAN 165' FNL, GREATER THAN 330'

FWL 10-7N-5W PER THE OPERATOR

Category Description

HYDRAULIC FRACTURING 5/25/2018 - G57 - OCC 165:10-3-10 REQUIRES:

> 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO 5/30/2018 - G57 - PIT 2 & 3 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST; WBM

WILL BE SOIL FARMED: WBM & OBM CUTTINGS CAPTURED IN STEEL HALF PITS &

TRANSFERRED TO R360 (ORDER # 587498) OR DEQ APPROVED FACILITY (SOUTHERN PLAINS

LANDFILL, 3-5N-6W, GRADY CO., # 3526013); PIT 3 - OBM TO VENDOR

PENDING CD - 201708677 5/25/2018 - G57 - (1280) 10 & 15-7N-5W

VAC 633183 WDFD, OTHER EST WDFD. OTHER

POE TO BHL NCT 165' FNL & FSL, NCT 330' FEL & FWL

REC 1-16-2018 (DUNN)

PENDING CD - 201802201 5/25/2018 - G57 - 10 & 15-7N-5W

X201708677 WDFD

6 WELLS NO OP. NAMED

REC 4-23-2018 (FOREMAN)

PERMIT PLAT

M & M Land Surveying, Inc. Phone (580) 226-0446 520 E Street N.W. Ardmore, OK 73401

Company Name: NEWFIELD EXPLORATION MID-CONTINENT INC.

Lease Name: TAYLOR 7 5 15 10 3H

Section 15 Township 7 N Range 5 W , I.B.M, County of Grady, State of Oklahoma

Elevation Good Location? 1288' GROUND YES

380'FSL - 1905'FEL Original Location: Distance & Direction From Nearest Town: 5.4 miles Southwest of Blanchard

S 89°50'28" W N:643841.69 E:2088094.01 N:643827.00 E:2082802.68 165 HARD LINE **BOTTOM HOLE** E:2082802. 50' FNL 2640' FWL LAST TAKE POINT 165' FNL 2640' FWL \$ 00°03'33" 5282.6' 00°04'10" 5282.2' SECTION 10 T7N-R5W E:2082809.07 N:638544.85 N:638559.06 N 89°50'46" E E:2088099.45 5290.4 N 00°05'47" N 00°07'27" W S 00°05'54" 5271.0 5282.6 SECTION 15 T7N-R5W LANDING N:633262.27 POINT 2082820 165' FSL 2640' FWL 1905 165' HARD LINE N:633288.03 S 89°43'15" W E:2088108.51 5288.0 SURFACE S 73°35'49" W LOCATION

774.9

SURVEY BY: M & M Land Surveying, Inc. ~ C.A. No. 3093 (LS)
DRAWING BY: Bennett-Morris And Associates Land Surveying, P.C.
© COPYRIGHT 2017 C.A. No. 5975 (LS) ~ Aaron L. Morris, RPLS
PROJECT NUMBER: SITE VISIT: (Explanation and Date)
18130 STAKING DATE: 03/13/2018
SHEET: 6 OF 10 DRAWING DATE: 04/11/2018

380'FSL

1905'FEL

SURFACE LOCATION DATUM: NAD27 LAT: 35° 04' 27.15"N LONG: 97° 42' 42.89"W 35.074209°N LAT: LONG: 97.711915°W STATE PLANE COORDINATES: (US SURVEY FEET) ZONE: SOUTH ZONE Y (N): 633659.15 X (E): 2086203.41

API: 051 24373

DATUM: NAD83 35° 04' 27.39"N LAT:

LONG: 97° 42' 44.03"W 35.074276°N LAT:

LONG: 97.712231°W STATE PLANE COORDINATES: (US SURVEY FEET)

ZONE: SOUTH ZONE Y (N): 633701.39 X (E): 2054606.61

DATA DERIVED FROM G.P.S. WITH O.P.U.S. DATA.

This location has been staked according to the best official survey records available to us. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified. Please review this plat and notify us immediately of any discrepancy.

BASIS OF BE GRID N COORDINATE

0

SCALE 1" = 1500'

1500'

CERTIFICATE:

I D. Harry McClintick a Registered Land Surveyor in the State Of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown and that said plat meets or exceeds the Oklahoma Minimum Technical Standards for the practice of land surveying as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Land Surveyors.

SSIONA MCCLINTICK OKLAHONA

D. Harry McClintick

PLS. No.1367 CFEDS