API NUMBER: 051 24440

Oil & Gas

Horizontal Hole

## OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 08/15/2018 02/15/2019 **Expiration Date** 

## PERMIT TO DRILL

WELL LOCATION: Sec: Twp: 8N Rge: 5W County: GRADY

FEET FROM QUARTER: SPOT LOCATION: NW FROM NORTH WEST NW llnw

SECTION LINES: 250 485

Lease Name: DESKINS Well No: 2932 3H Well will be 250 feet from nearest unit or lease boundary.

**EOG RESOURCES INC** Operator OTC/OCC Number: Telephone: 4052463212 16231 0 Name:

EOG RESOURCES INC

3817 NW EXPRESSWAY STE 500

OKLAHOMA CITY. OK 73112-1483 PHYLLIS J PICKARD REVOCABLE TRUST

PO BOX 743

**BLANCHARD** OK 73010

Special Orders:

Formation(s) (Permit Valid for Listed Formations Only):

Depth Name Depth MISSISSIPPIAN (LESS CHESTER) 10785 6 2 WOODFORD 11085 7 MISSISSIPPIAN 11135 8 HUNTON 11205 9 10

679452 Spacing Orders: Location Exception Orders: Increased Density Orders:

Pending CD Numbers: 201803497

1

3

Total Depth: 22770 Ground Elevation: 1324 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 460

Under Federal Jurisdiction: Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: С

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: CHICKASHA D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 18-34736 E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is NON HSA

Pit Location Formation: CHICKASHA

## HORIZONTAL HOLE 1

Rge 5W Sec 32 Twp 8N County **GRADY** Spot Location of End Point: S2 SW SE SW Feet From: SOUTH 1/4 Section Line: 165 WEST Feet From: 1/4 Section Line: 1650

Depth of Deviation: 11000 Radius of Turn: 973 Direction: 175

Total Length: 11190

Measured Total Depth: 22770

True Vertical Depth: 11300

End Point Location from Lease,
Unit, or Property Line: 165

Additional Surface Owner Address City, State, Zip

PHYLLIS J PICKARD REVOCABLE T

Notes:

**MEMO** 

Category Description

DEEP SURFACE CASING 7/5/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 7/5/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

7/5/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 1 - WBM & CUTTINGS TO BE SOIL FARMED; PIT 2 - OBM CUTTINGS TO R360 (ORDER # 587498)

OR DEQ APPROVED FACILITY (SOUTHERN PLAINS LANDFILL, 3-5N-6W, GRADY CO., #

3526013); PIT 2 - OBM TO VENDOR

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

051 24440 DESKINS 2932 3H

Category Description

PENDING CD - 201803497 7/9/2018 - G58 - (E.O.)(640)(HOR) 29-8N-5W

EXT 670842 MSNLC, WDFD, HNTN

COMPL. INT. (MSNLC, HNTN) NCT 660' FB

COMPL. INT. (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL

(COEXIST WITH PRODUCING NON-HORIZONTAL DRILLING AND SPACING UNITS)

REC 6/1/2018 (P. PORTER)

PENDING CD - 201804926 7/9/2018 - G58 - 29-8N-5W

X201803497 MSNLC, WDFD

3 WELLS NO OP. NAMED HEARING 8/20/2018

PENDING CD - 201804927 7/9/2018 - G58 - 32-8N-5W

X679452 MSSP, WDFD

3 WELLS NO OP. NAMED HEARING 8/20/2018

PENDING CD - 201804930 7/9/2018 - G58 - (E.O.) 29 & 32-8N-5W

EST MULTIUNIT HORIZONTAL WELL X201803497 MSNLC, WDFD 29-8N-5W X679452 MSSP, WDFD, OTHER 32-8N-5W

(MSSP, MSNLC IS ADJACENT COMMON SOURCE OF SUPPLY TO WDFD)

50% 29-8N-5W 50% 32-8N-5W NO OP. NAMED

REC 8/14/2018 (JACKSON)

PENDING CD - 201804931 7/9/2018 - G58 - (E.O.) 29 & 32-8N-5W

X201803497 MSNLC, WDFD 29-8N-5W X679452 MSSP, WDFD, OTHER 32-8N-5W

X165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO EXISTING OR PROPOSED WELL

COMPL. INT. (29-8N-5W) NCT 165' FNL, NCT 0' FSL, NCT 930' FWL COMPL. INT. (32-8N-5W) NCT 0' FNL, NCT 165' FSL, NCT 930' FWL

NO OP. NAMED

REC 8/14/2018 (JACKSON)

SPACING - 679452 7/9/2018 - G58 - (E.O.)(640)(HOR) 32-8N-5W

EXT 671033 MSSP, WDFD, HNTN

COMPL. INT. (MSNLC, HNTN) NCT 660' FB

COMPL. INT. (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL

(COEXIST WITH PRODUCING NON-HORIZONTAL DRILLING AND SPACING UNITS)

6/21/2018