API NUMBER: 029 21386

Oil & Gas

Horizontal Hole

## OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 09/25/2018 03/25/2020 **Expiration Date** 

PERMIT TO DRILL

WELL LOCATION: Sec: 28 Twp: 3N Rge: 11E County: 0	COA
---	-----

SPOT LOCATION: N2 FEET FROM QUARTER: lsw SOUTH FROM WEST SECTION LINES: 520 1320

Lease Name: BROWN Well No: 0311 5H-33 Well will be 520 feet from nearest unit or lease boundary.

**NEWFIELD EXPLORATION MID-CON INC** Operator Telephone: 2816742521; 9188781 OTC/OCC Number: 20944 0 Name:

NEWFIELD EXPLORATION MID-CON INC 24 WATERWAY AVE STE 900

THE WOODLANDS. TX 77380-2764 JENNIFER LATHAM, REP OF RONALD MEEKS 1901 S. GARY PL.

**TULSA** OK 74101

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth WOODFORD 1 8514 6 2 7 8 3 4 9 5 10 500216 Spacing Orders: Location Exception Orders: Increased Density Orders:

Pending CD Numbers: 201806728 Special Orders:

201806732

Total Depth: 14139 Ground Elevation: 710 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 640

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill:

PIT 1 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C Pit Location is BED AQUIFER Pit Location Formation: SAVANNA D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-35278

H. SEE MEMO

Approved Method for disposal of Drilling Fluids:

F. Haul to Commercial soil farming facility: Sec. 22 Twn. 2N Rng. 9E Cnty. 29 Order No:

537817

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: SAVANNA

## **HORIZONTAL HOLE 1**

Sec 33 Twp 3N Rge 11E County COAL Spot Location of End Point: S2 S2 SW SW Feet From: SOUTH 1/4 Section Line: 50 Feet From: WEST 1/4 Section Line: 660

Depth of Deviation: 8177
Radius of Turn: 577
Direction: 190
Total Length: 5055

Measured Total Depth: 14139

True Vertical Depth: 8683

End Point Location from Lease,
Unit, or Property Line: 50

 Additional Surface Owner
 Address
 City, State, Zip

 TIMOTHY MEEKS, PERSONAL REPR
 1106 COUNTY STREET 2978
 BLANCHARD, OK 73010

 TIMOTHY MEEKS
 1106 COUNTY STREET 2978
 BLANCHARD, OK 73010

Notes:

Category Description

DEEP SURFACE CASING 9/5/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 9/5/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS. USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO 9/5/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST,

WBM/CUTTINGS & OBM CUTTINGS CAPTURED IN STEEL HALF PITS, WBM CUTTINGS WILL BE SOIL FARMED (18-34786), WBM/OBM CUTTINGS TRANSFERRED TO SOLE2 537817 (22-2N-9E),

COAL CO; PIT 2 - OBM TO VENDOR

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

029 21386 BROWN 0311 5H-33

Description Category

PENDING CD - 201806728 9/7/2018 - G58 - 33-3N-11E

X500216 WDFD 4 WELLS NO OP NAMED

REC 9/17/2018 (P. PORTER)

9/7/2018 - G58 - (I.O.) 33-3N-11E X500216 WDFD, OTHERS PENDING CD - 201806732

COMPL. INT. NCT 165' FNL, NCT 165' FSL, NCT 330' FWL

NO OP. NAMED

REC 9/17/2018 (P. PORTER)

PENDING CD - 201806733 9/10/2018 - G58 - (I.O.) 33-3N-11E

X165:10-3-28(C)(2)(B) WDFD (BROWN 0311 5H-33)

MAY BE CLOSER THAN 600' FROM PROPOSED WELL AND THE BROWN 33-1H WELL

REC 9/17/2018 (P. PORTER)

**SPACING - 500216** 9/7/2018 - G58 - (640) 33-3N-11E

**VAC OTHERS** EST WDFD, OTHERS

## PERMIT PLAT

M & M Land Surveying, Inc. Phone (580) 226-0446 520 E Street N.W. Ardmore, OK 73401

029-21386

Company Name: NEWFIELD EXPLORATION MID-CONTINENT INC.

Lease Name: BROWN 0311 5H 33

N 88°59'51" E

5295.07

SECTION 28 T3N-R11E

S 88°48'46" W

5299.93'

SECTION 33

**165' HARD LINE** 

165' HARD LINE

SURFACE

LOCATION

520'FSL

1320'FWL

S 42°51'40" W

952.97' LANDING

POINT

165' FSL

660' FWL

LAST TAKE POINT

**BOTTOM HOLE** 50' FSL 660' FWL

> N 88°42'27" E 5283.31

165' FSL

660' FWL

N:505667.16 E:2552310.36

00°56'30" E

N:500390.13

S 01°01'42"

5280.55

2552491.88 N:495110,43

°01'42" E

\$ 01

5277.75

Section 28 Township 3 N Range 11 E , I.B.M, County of Coal, State of Oklahoma

Elevation Good Location? YES

N:505759.81

S 00°59'39" 5260.65

HARD

N 00°50'50" 5270.91

E:2557773.84

N:495229.62

E:2557604.61

N:500499.95

E:2557695.89

520'FSL - 1320'FWL Original Location: 710' GROUND Distance & Direction From Nearest Town: 11.3 miles Northeast of Coalgate

SURFACE LOCATION DATUM: NAD27 LAT: 34° 41' 45.55"N LONG: 96° 09' 28.24"W 34.695986°N LAT: LONG: 96.157845°W STATE PLANE COORDINATES: (US SURVEY FEET) ZONE: SOUTH ZONE Y (N): 500937.34 X (E): 2553708.09

DATUM: NAD83

34° 41' 45.89"N LAT: LONG: 96° 09' 29.24"W LAT: 34.696079°N

LONG: 96.158123°W STATE PLANE

COORDINATES: (US SURVEY FEET) ZONE: SOUTH ZONE

Y (N): 500984.05 X (E): 2522111.41

DATA DERIVED FROM G.P.S. WITH O.P.U.S.

BASIS OF BEARINGS ARE GRID NORTH COORDINATES ARE NAD27 SCALE 1" = 1500'

1500'

DATA.

This location has been staked according to the best official survey records available to us. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified. Please review this plat and notify us immediately of any discrepancy.

## **CERTIFICATE:**

I D. Harry McClintick a Registered Land Surveyor in the State Of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown and that said plat meets or exceeds the Oklahoma Minimum Technical Standards for the practice of land surveying as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Land Surveyors.

MCCLINTICK OKLAHOMA

D. Harry McClintick

PLS. No.1367 CFEDS

SURVEY BY: M & M L	and Surveying, Inc. ~ C.A. No. 3093 (LS)
DRAWING BY: Bennett	-Morris And Associates Land Surveying, P.C.
	C.A. No. 5975 (LS) ~ Aaron L. Morris, RPLS
PROJECT NUMBER:	SITE VISIT: (Explanation and Date)
17449	STAKING DATE: 10/27/2017
SHEET: 6 OF 10	DRAWING DATE: 02/28/2018