API NUMBER: 063 24826

## OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 07/13/2018
Expiration Date: 01/13/2019

Straight Hole Stratigraphic Test

Category of Pit: 4

Liner not required for Category: 4
Pit Location is BED AQUIFER
Pit Location Formation: SENORA

## PERMIT TO DRILL

	: NE NW	Twp: 8N Rge:	FEET FROM C	1110111	SOUTH FROM 999 3-5-18CH	920		Well will be		earest unit or lea	•
Operator Name:	CALYX ENE	RGY III LLC			Telephone:	9189494	1224		OTC/OCC Numb	er: 23515	0
CALYX E	NERGY III LI	LC									
6120 S YALE AVE STE 1480						JAMES B. WISE					
				1000		3401 HICKORY STICK RD					
TULSA,		OK	74136-4	226			OKLAHOM	A CITY	ОК	73120	
1 2 3 4 5 pacing Orders:	CANEY MAYES WOODFORD HUNTON SYLVAN No Spacing		4 4 4	8800 4000 4150 4230 4250 ocation Exception	n Orders:	6 7 8 9 10		lr	ncreased Density Orde	ers:	
nding CD Numbers:								S	pecial Orders:		
Total Depth:	4400	Ground Elevation:	737	Surface	Casing: 150	00		Depth	to base of Treatable \	Water-Bearing FM:	280
Under Federal Jurisdiction: No Fresh				Fresh Wate	er Supply Well Dril	led: No			Surface Wa	ater used to Drill:	Yes
IT 1 INFORMATION					Approved Method for disposal of Drilling Fluids:						
ype of Pit System: ON SITE						A. Evaporation/dewater and backfilling of reserve pit.					
Type of Mud System: AIR						B. Solidification of pit contents.					
depth to top o	f ground water gre	eater than 10ft below	w base of pit?	Υ							
/ithin 1 mile of municipal water well? N						H. SEE MEMO					
Wellhead Protection Area?     N       Pit     is     located in a Hydrologically Sensitive Area.						F. Haul to Commercial soil farming facility: Sec. 14 Twn. 7N Rng. 9E Cnty. 63 Order No: 551649					

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: SENORA

Notes:

Category Description

DEEP SURFACE CASING 5/31/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 5/31/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH

WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS. USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO 6/1/2018 - G71 - PIT 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST,

WBM/CUTTINGS CAPTURED IN CONCRETE-LINED PIT, SOLIDFIED AND HELD UNTIL DISPOSAL

APPROVED BY OCC

SPACING 7/13/2018 - G57 - NA - STRATIGRAPPHIC TEST

STRAT TEST 7/13/2018 - G57 - THIS WELL HAS BEEN APPROVED AS A STRATIGRAPHIC TEST WITH THE

INTENT TO SET SURFACE CASING ONLY. OPERATOR WILL FILE AN AMENDED FORM 1000

CHANGING THE TYPE OF DRILLING OPERATION AT A LATER DATE.