API NUMBER: 107 23600

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 07/17/2018

Expiration Date: 01/17/2019

PERMIT TO DRILL

WELL LOCATION:	Sec:	24 T	wp: 10N	Rge: 9E	County: O	KFUSKEE		
SPOT LOCATION:	SW	SE	SE	SE	FEET FROM QUARTER: FROM	SOUTH	FROM	EAST
					SECTION LINES:	212		522
Lease Name: 1	IMBERV	VOLF			Well No	: 1-30-31C	н	

Well will be 212 feet from nearest unit or lease boundary.

Operator CALYX ENERGY III LLC Telephone: 9189494224 OTC/OCC Number: 23515 0

CALYX ENERGY III LLC 6120 S YALE AVE STE 1480

TULSA, OK 74136-4226

DALE E. DAVIS

TRUSTEE OF DALE E. DAVIS REV TRUST

116159 HWY 27

OKEMAH OK 74859

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN	3475	6	
2	WOODFORD	3770	7	
3			8	
4			9	
5			10	
Spacing Orders:	No Spacing	Location Exception Orders:		Increased Density Orders:

Pending CD Numbers: 201803945 Special Orders:

201803947

Total Depth: 14028 Ground Elevation: 806 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 40

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: AIR

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Approved Method for disposal of Drilling Fluids:

A. Evaporation/dewater and backfilling of reserve pit.

B. Solidification of pit contents.

F. Haul to Commercial soil farming facility: Sec. 14 Twn. 7N Rng. 9E Cnty. 63 Order No:

551649

H. PIT 2 - CLOSED SYSTEM=STEEL PITS (REQUIRED - NORTH CANADIAN RIVER)

Category of Pit: 4

Liner not required for Category: 4

Pit Location is BED AQUIFER

Pit Location Formation: WEWOKA

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 5000, Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: WEWOKA

HORIZONTAL HOLE 1

Sec 31 Twp 10N Rge 10E County OKFUSKEE

Spot Location of End Point: S2 SW SW SW Feet From: SOUTH 1/4 Section Line: 165
Feet From: WEST 1/4 Section Line: 330

Depth of Deviation: 3193 Radius of Turn: 382

Direction: 175

Total Length: 10235

Measured Total Depth: 14028

True Vertical Depth: 3770

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

DEEP SURFACE CASING 7/13/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 7/13/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

PENDING CD - 201803945 7/16/2018 - G57 - (1280)(HOR) 30 & 31-10N-10E

EST MSSP, WDFD, OTHER

POE TO BHL (MSSP) NLT 660' FB

POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL

REC 6-4-2018 (JOHNSON)

PENDING CD - 201803947 7/16/2018 - G57 - (I.O.) 30 & 31-10N-10E

X201803945 MSSP, WDFD

COMPL. INT. (30-10N-10E) NCT 165' FNL, NCT 330' FWL COMPL. INT. (31-10N-10E) NCT 165' FSL, NCT 330' FWL

CALYX ENERGY III, LLC. REC 6-4-2018 (JOHNSON)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

107 23600 TIMBERWOLF 1-30-31CH

