API NUMBER: 063 24820

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 07/12/2018 01/12/2019 **Expiration Date**

PERMIT TO DRILL

WELL LOCATION: Sec: 9N Rge: 9E County: HUGHES Twp:

FEET FROM QUARTER: SPOT LOCATION: lsw FROM SOUTH WEST Isw sw IIsw

SECTION LINES: 243 216

Lease Name: MAVERICK Well No: 1-14-23CH Well will be 216 feet from nearest unit or lease boundary.

CALYX ENERGY III LLC Operator OTC/OCC Number: Telephone: 9189494224 23515 0 Name:

CALYX ENERGY III LLC 6120 S YALE AVE STE 1480

TULSA. OK 74136-4226 WILLIAM H. LAYCOCK

7611 E. 120 RD

WETUMKA OK 74883

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 1 3600 6 2 WOODFORD 3875 7 3 8 4 9 10 678870 Spacing Orders: Location Exception Orders: Increased Density Orders:

Total Depth: 14157 Ground Elevation: 749 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 240

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION

Pending CD Numbers:

Type of Pit System: ON SITE

Type of Mud System: AIR

Is depth to top of ground water greater than 10ft below base of pit? Y

201803095

Within 1 mile of municipal water well? N

Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Approved Method for disposal of Drilling Fluids:

A. Evaporation/dewater and backfilling of reserve pit.

B. Solidification of pit contents.

F. Haul to Commercial soil farming facility: Sec. 14 Twn. 7N Rng. 9E Cnty. 63 Order No:

Special Orders:

H. SEE MEMO

Category of Pit: 4

Liner not required for Category: 4

Pit Location is ALLUVIAL

ALLUVIUM Pit Location Formation:

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 8000 Average: 8000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

HORIZONTAL HOLE 1

Sec 23 Twp 9N Rge 9E County HUGHES

Spot Location of End Point: S2 SW SW SW Feet From: SOUTH 1/4 Section Line: 165
Feet From: WEST 1/4 Section Line: 330

Depth of Deviation: 3173 Radius of Turn: 477

Direction: 179

Total Length: 10234

Measured Total Depth: 14157

True Vertical Depth: 3875

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

DEEP SURFACE CASING 7/5/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 7/5/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO 7/5/2018 - G71 - PIT 2 - CLOSED SYSTEM=STEEL PITS (REQUIRED - LITTLE WEWOKA CREEK),

WBM/CUTTINGS CAPTURED IN CONCRETE-LINED PIT, SOLIDFIED AND HELD UNTIL DISPOSAL

APPROVED BY OCC

PENDING CD - 201803095 7/9/2018 - G57 - (I.O.) 14 & 23-9N-9E

X678870 MSSP, WDFD

COMPL. INT. (14-9N-9E) NCT 165' FNL, NCT 330' FWL COMPL. INT. (23-9N-9E) NCT 165' FSL, NCT 330' FWL

CALYX ENERGY III, LLC. REC 5-8-2018 (DUNN)

Category Description

SPACING - 678870

7/9/2018 - G57 - (1280)(HOR) 14 & 23-9N-9E EST MSSP, WDFD, OTHER POE TO BHL (MSSP) NLT 660' FB POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL

Calyx Well Location Plat S.H.L. Sec. 11-9N-9E I.M. B.H.L. Sec. 23-9N-9E I.M. Operator: CALYX ENERGY III, LLC API: 063 24820 Lease Name and No.: MAVERICK 1-14-23CH Footage: 243' FSL - 216' FWL Gr. Elevation: 749' Section: 11 Township: 9N Range: 9E I.M. County: Hughes State of Oklahoma Terrain at Loc.: Location fell in timber that slopes downhill from North to South. 1" = 1500' **GPS DATUM NAD 83 NAD 27** OK SOUTH ZONE Surface Hole Loc.: Lat: 35°15'41.89"N Lon: 96°20'03.55"W X: 2465760.63 SURFACE HOLE LOC. 243' FSL - 216' FWL Y: 705877.49 Surface Hole Loc.: Lat: 35°15'41.59"N Lon: 96°20'02.52"W ~S16°41'E-4 X: 2497358.24 Y: 705828.43 POE: Lat: 35°15'37.85"N Lon: 96°20'02.16"W X: 2465882.48 Y: 705470.75 POE: Lat: 35°15'37.54"N Lon: 96°20'01.13"W X: 2497480.09 Y: 705421.69 Bottom Hole Loc. Lat: 35°13'56.62"N Lon: 96°20'02.22"W X: 2466046.32 Y: 695236.81 Bottom Hole Loc.: Lat: 35°13'56.31"N Lon: 96°20'01.19"W X: 2497643.97 "EW 122 RD. Y: 695187.94 BOTTOM HOLE LOC STATE HWY 9 WILL SSIONAL RESOURCE Certification: Arkoma Surveying and Mapping, PLLC LANCE G. This is to certify that this Well Location Plat represents P.O. Box 238 Wilburton, OK 74578 Ph. 918-465-5711 Fax 918-465-5030 Certificate of Authorization No. 5348 Expires June 30, 2020 **MATHIS** the results of a survey made on the ground performed under the supervision of the undersigned. 1664 Invoice #7904-C Date Staked: 06/18/18 Date Drawn: 06/20/18 AHOMA OKLAHOMA 06/26/18

OK LPLS 1664