API NUMBER: 045 23777

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 11/16/2018 05/16/2020 Expiration Date:

PERMIT TO DRILL

EAST 1950

WELL LOCATION:	Sec:	01	Twp:	17N	Rge:	23V	/ County	ELLI	S	
SPOT LOCATION:	SW	NE	N)	W	NE		FEET FROM QUARTER:	FROM	NORTH	FROM
							SECTION LINES:		420	

Lease Name: WESTON Well No: 36-25 1H Well will be 420 feet from nearest unit or lease boundary.

VALPOINT OPERATING LLC Operator OTC/OCC Number: Telephone: 8063764675 23241 0 Name:

VALPOINT OPERATING LLC 600 S TYLER ST STE 1701

79101-2353 AMARILLO. TX

SHREWDER & BERRYMAN TRUST

PO BOX 1

WICHITA KS 67201

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	OSWEGO	9880	6	
2	CHEROKEE	10000	7	
3			8	
4			9	
5			10	
Spacing Orders:	685606	Location Exception Orders:		Increased Density Orders:
	680102	·		

Pending CD Numbers: 201807404 Special Orders:

Total Depth: 20454 Ground Elevation: 2280 Surface Casing: 570 Depth to base of Treatable Water-Bearing FM: 510

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

Type of Pit System: ON SITE Type of Mud System: WATER BASED Chlorides Max: 20000 Average: 10000

PIT 1 INFORMATION

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N Wellhead Protection Area?

is located in a Hydrologically Sensitive Area.

Category of Pit: 1B Liner required for Category: 1B Pit Location is BED AQUIFER Pit Location Formation: OGALLALA Approved Method for disposal of Drilling Fluids:

A. Evaporation/dewater and backfilling of reserve pit.

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-35876 H. PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS

PIT 2 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: 3

Liner required for Category: 3
Pit Location is BED AQUIFER
Pit Location Formation: OGALLALA

HORIZONTAL HOLE 1

Sec 25 Twp 18N Rge 23W County **ELLIS** NE Spot Location of End Point: NW NF NW Feet From: NORTH 1/4 Section Line: 165 Feet From: EAST 1/4 Section Line: 1950

Depth of Deviation: 9479 Radius of Turn: 522 Direction: 360

Total Length: 10154

Measured Total Depth: 20454

True Vertical Depth: 10000

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

Category Description

HYDRAULIC FRACTURING

11/16/2018 - GA8 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

PENDING CD - 201807404 11/16/2018 - G56 - (I.O.) 25 & 36-18N-23W

X680102 OSWG X685606 CHRK

COMPL INT NCT 165' FSL, NCT 165' FNL, NCT 660' FEL

NO OP NAMED

REC 11/5/2018 (THOMAS)

SPACING - 680102 11/16/2018 - G56 - (1280)(HOR) 25 & 36-18N-23W

VAC 141054 OSWG

EST OSWG

COMPL INT NCT 660' FB

SPACING - 685606 11/16/2018 - G56 - (1280)(HOR) 25 & 36-18N-23W

VAC 141054 CHRK

EST CHRK

COMPL INT NCT 660' FB

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

045 23777 WESTON 36-25 1H

