PI NUMBER: 047 25176	OIL & GAS (I OKLAHOI	CORPORATION C CONSERVATION P.O. BOX 52000 MA CITY, OK 731 Rule 165:10-3-1)	DIVISION	Approval Date: 11/07/2018 Expiration Date: 05/07/2020
	P	PERMIT TO DRILL	-	
WELL LOCATION: Sec: 25 Twp: 23N Rge:	5W County: GARFIE	ELD		
SPOT LOCATION: SW SE SE		OUTH FROM EAS	т	
	SECTION LINES: 2	50 102	5	
Lease Name: ABBEY 25-23N-5W	Well No: 1	мн	Well will	be 250 feet from nearest unit or lease boundary.
Operator WHITE STAR PETROLEUM LLC Name:		Telephone: 405252	5821; 8444024	OTC/OCC Number: 23358 0
WHITE STAR PETROLEUM LLC PO BOX 13360 OKLAHOMA CITY, OK	73113-1360		ROY DEAN LOWE 2912 OAKRIDGE R	OAD
	10110-1000		ENID	OK 73703
1 MISSISSIPPI LIME 2 3 4 5	5783	6 7 8 9 10		
Spacing Orders: 77363	Location Exception Or	rders:		Increased Density Orders:
Pending CD Numbers: 201807438 201807437				Special Orders:
	1173 Surface Ca	asing: 420	De	pth to base of Treatable Water-Bearing FM: 170
Total Depth: 11000 Ground Elevation:				
Total Depth: 11000 Ground Elevation: Under Federal Jurisdiction: No	Fresh Water S	upply Well Drilled: No		Surface Water used to Drill: Yes
	Fresh Water S		d Method for disposal of D	
Under Federal Jurisdiction: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Mean		Approve	d Method for disposal of D	rilling Fluids:
Under Federal Jurisdiction: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Mean Type of Mud System: WATER BASED		Approve D. One	d Method for disposal of D time land application (R	rilling Fluids: EQUIRES PERMIT) PERMIT NO: 18-3575
Under Federal Jurisdiction: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Mean Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000	is Steel Pits	Approve D. One	d Method for disposal of D time land application (R	rilling Fluids:
Under Federal Jurisdiction: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Mean Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below	is Steel Pits	Approve D. One	d Method for disposal of D time land application (R	rilling Fluids: EQUIRES PERMIT) PERMIT NO: 18-3575
Under Federal Jurisdiction: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Mean Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N	is Steel Pits	Approve D. One	d Method for disposal of D time land application (R	rilling Fluids: EQUIRES PERMIT) PERMIT NO: 18-3575
Under Federal Jurisdiction: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Mean Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below	ns Steel Pits base of pit? Y	Approve D. One	d Method for disposal of D time land application (R	rilling Fluids: EQUIRES PERMIT) PERMIT NO: 18-3575
Under Federal Jurisdiction: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Mean Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N Wellhead Protection Area? N	ns Steel Pits base of pit? Y	Approve D. One	d Method for disposal of D time land application (R	rilling Fluids: EQUIRES PERMIT) PERMIT NO: 18-3575
Under Federal Jurisdiction: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Mean Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area	ns Steel Pits base of pit? Y	Approve D. One	d Method for disposal of D time land application (R	rilling Fluids: EQUIRES PERMIT) PERMIT NO: 18-3575
Under Federal Jurisdiction: No PIT 1 INFORMATION Type of Pit System: CLOSED Closed System Mean Type of Mud System: WATER BASED Chlorides Max: 8000 Average: 5000 Is depth to top of ground water greater than 10ft below Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: C	ns Steel Pits base of pit? Y	Approve D. One	d Method for disposal of D time land application (R	rilling Fluids: EQUIRES PERMIT) PERMIT NO: 18-3575

GARFIELD Sec 25 Twp 23N Rge 5W County Spot Location of End Point: NF NW NE NE Feet From: NORTH 1/4 Section Line: 165 Feet From: EAST 1/4 Section Line: 880 Depth of Deviation: 5320 Radius of Turn: 477 Direction: 5 Total Length: 4931 Measured Total Depth: 11000 True Vertical Depth: 5988 End Point Location from Lease. Unit. or Property Line: 165 Notes: Description Category HYDRAULIC FRACTURING 11/5/2018 - G71 - OCC 165:10-3-10 REQUIRES: 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE: 2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND, 3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG PENDING CD - 201807437 11/7/2018 - G75 - 25-23N-5W X77383 MSSLM 1 WELL NO OP. NAMED REC 10-8-2018 (THOMAS) PENDING CD - 201807438 11/7/2018 - G75 - (I.O.) 25-23N-5W X77383 MSSLM COMPL. INT. NCT 165' FSL, NCT 165' FNL, NCT 330' FEL NO OP. NAMED REC 10-8-2018 (THOMAS) 11/7/2018 - G75 - (640) 25-23N-5W **SPACING - 77383**

HORIZONTAL HOLE 1

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

EXT 69992 MSSLM

