API NUMBER: 011 24040

Disposal

Straight Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date:	06/26/2018
Expiration Date:	12/26/2018

PERMIT TO DRILL

VELL LOCATION: Sec: 03 Twp: 15N Rge: 11W	County: BLA	INE				
OF ECOATION. INV	M QUARTER: FROM	SOUTH FROM	WEST			
SECTION I	LINES:	352	961			
Lease Name: ATLAS	Well No:	1 SWD		Well will be	feet from nearest unit or lease boundary	
Operator MARATHON OIL COMPANY Name:		Telephone: 71	32962003	0	TC/OCC Number: 1363 0	
MARATHON OIL COMPANY 5555 SAN FELIPE ST			MARATHO	ON OIL COMP	ANY	
HOUSTON, TX 77056-2701			7301 NW EXPRESSWAY, STE 225			
110001011, 117 11000	2101		OKLAHO	MA CITY	OK 73132	
2 3 4 5 Spacing Orders: No Spacing	Location Exception	7 8 9 10 Orders:		Incre	ased Density Orders:	
rending CD Numbers:				Spec	ial Orders:	
Total Depth: 9500 Ground Elevation: 1502	Surface	Casing: 1500		Depth to b	pase of Treatable Water-Bearing FM: 40	
Under Federal Jurisdiction: No	Fresh Wate	er Supply Well Drilled:	No		Surface Water used to Drill: Yes	
PIT 1 INFORMATION		Ap	proved Method for o	disposal of Drilling F	Fluids:	
Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED						
Chlorides Max: 8000 Average: 5000		E.	E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498			
Is depth to top of ground water greater than 10ft below base of pit? Within 1 mile of municipal water well? N Wellhead Protection Area? N	Υ	н.	CLOSED SYSTEM	M=STEEL PITS PEF	R OPERATOR REQUEST	
Pit is located in a Hydrologically Sensitive Area.						

Notes:

Category of Pit: C

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

Category Description

DEEP SURFACE CASING

6/26/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 6/22/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH

WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INTERMEDIATE CASING 6/26/2018 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER-

PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE

MORROW SERIES

SPACING 6/22/2018 - G71 - N/A - DISPOSAL WELL