API NUMBER: 063 24819

Disposal

Straight Hole

Wellhead Protection Area?

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: SENORA

Category of Pit: C

is located in a Hydrologically Sensitive Area.

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 06/27/2018

Expiration Date: 12/27/2018

PERMIT TO DRILL

WELL LOCATION: Sec: 03 Twp: 8	N Rge: 12E	County: HUGH	ES				
SPOT LOCATION: NW NE NW			NORTH FROM	WEST			
	SECTION	LINES:	226	807			
Lease Name: HANS		Well No:	1 SWD		Well will be 22	6 feet from nearest	unit or lease boundary.
Operator ANTIOCH OPERATIN Name:	IG LLC		Telephone: 4	052360080	ОТ	C/OCC Number:	23947 0
ANTIOCH OPERATING LLC				MIDDLE CI	REEK RANCH,	LLC	
OKLAHOMA CITY,	OK 73101	73101-1557		2798 N. 39	4 RD		
OKLAHOWA CITT,	OK 75101	-1557		DUSTIN		OK 74	839
2 WILCOX 3 ARBUCKLE 4 5 Spacing Orders: No Spacing		4705 5200 Location Exception C			Increas	ed Density Orders:	
Pending CD Numbers:					Special	Orders:	
Total Depth: 7050 Ground	Elevation: 738	Surface 0	Casing: 210		Depth to ba	se of Treatable Water-I	Bearing FM: 160
Under Federal Jurisdiction: No		Fresh Water	Supply Well Drilled	: No		Surface Water us	ed to Drill: Yes
PIT 1 INFORMATION		Ap	Approved Method for disposal of Drilling Fluids:				
Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: WATER BASED			D	D. One time land application (REQUIRES PERMIT) PERMIT NO: 18-3466			
Chlorides Max: 8000 Average: 5000			H	H. SEE MEMO			
Is depth to top of ground water greater than Within 1 mile of municipal water well?		Υ	_				

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: SENORA

Notes:

MEMO

Category Description

HYDRAULIC FRACTURING 6/26/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG 6/26/2018 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

SPACING 6/26/2018 - G71 - N/A - DISPOSAL WELL