API NUMBER: 017 25201 B

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 03/22/2018
Expiration Date: 09/22/2018

Horizontal Hole Oil & Gas

Amend reason: OCC CORRECTION FOR DSC REQUEST

/ELLLOCATION: Sec: 35 Twp: 12N Re	FEET FROM QUARTER: FROM N	OIAN OORTH FROM EAST 20 179		
Lease Name: FNA 1207		26-23-1WXH	Well will be 179 feet from nearest unit or lease	boundary
Operator CAMINO NATURAL RESOUR	RCES LLC	Telephone: 7204052706	OTC/OCC Number: 24097 0	
CAMINO NATURAL RESOURCES	SILC	RUNNING N	1 FARMS LLC	
1401 17TH ST STE 1000		12346 SW 4	4TH STREET	
	00000 1017	C/O BRAND	ON MITCHELL	
DENIVER C	() 80202-1247			
DENVER, C	CO 80202-1247	MUSTANG	OK 73064	
		MUSTANG	OK 73064	
Formation(s) (Permit Valid for Lister	ed Formations Only):			
Formation(s) (Permit Valid for Lister Name 1 WOODFORD 2	ed Formations Only): Depth	Name 6 7		
Formation(s) (Permit Valid for Lister Name 1 WOODFORD 2 3	ed Formations Only): Depth	Name 6 7 8		
Formation(s) (Permit Valid for Lister Name 1 WOODFORD 2	ed Formations Only): Depth	Name 6 7		
Formation(s) (Permit Valid for Lister Name 1 WOODFORD 2 3 4	ed Formations Only): Depth	Name 6 7 8 9		

Total Deptit. 20050 Ground Elevation. 1219 Surface Casing: 1500 Deptit to base of Treatable Water-Dealing Fix. 350

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Chlorides Max: 5000 Average: 3000

Ciliondes Max. 3000 Average. 3000

Type of Mud System: WATER BASED

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is AP/TE DEPOSIT

Pit Location Formation: TERRACE

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-34203

H. SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is AP/TE DEPOSIT
Pit Location Formation: TERRACE

HORIZONTAL HOLE 1

Sec 23 Twp 12N Rge 7W County CANADIAN

Spot Location of End Point: NW NE NE NE Feet From: NORTH 1/4 Section Line: 100

Feet From: EAST 1/4 Section Line: 380

Depth of Deviation: 9157
Radius of Turn: 901
Direction: 360
Total Length: 10278

Measured Total Depth: 20850

True Vertical Depth: 9730

End Point Location from Lease,
Unit, or Property Line: 100

Notes:

MEMO

Category Description

DEEP SURFACE CASING 6/20/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 3/13/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG 3/13/2018 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 -

OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT

PENDING CD - 201706198 3/22/2018 - G58 - (I.O.) 26 & 23-12N-7W

EST MULTIUNIT HORIZONTAL WELL X665611 WDFD (26-12N-7W) X201703167 WDFD (23-12N-7W)

50% 26-12N-7W 50% 23-12N-7W NO OP. NAMED

REC 3/6/2018 (DENTON)

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

017 25201 FNA 1207 26-23-1WXH

Category Description

PENDING CD - 201706200

3/22/2018 - G58 - (I.O.) 26 & 23-12N-7W X665611 WDFD (26-12N-7W) X201703167 WDFD (23-12N-7W)

COMPL. INT. (26-12N-7W) NCT 165' FSL, NCT 0' FNL, NCT 330' FEL COMPL. INT. (23-12N-7W) NCT 0' FSL, NCT 165' FNL, NCT 330' FEL

NO OP. NAMÈD

REC 3/6/2018 (DENTON)

3/22/2018 - G58 - (640)(HOR) 26-12N-7W EXT 645698 WDFD, OTHERS **SPACING - 665611**

COMPL. INT. NLT 165' FNL & FSL, NLT 330' FEL & FWL

(COEXIST SP. ORDER 174162, WDFD)

SPACING - 678714 3/22/2018 - G58 - (640)(HOR) 23-12N-7W

EST WDFD, OTHERS

COMPL. INT. NLT 165' FNL & FSL, NLT 330' FEL & FWL

(COEXIST SP. ORDER 142620, WDFD)