API NUMBER: 107 23604

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 08/22/2018 02/22/2019 **Expiration Date**

PERMIT TO DRILL

WELL LOCATION: Sec: Twp: 10N Rge: 9E County: OKFUSKEE 15

FEET FROM QUARTER: SPOT LOCATION: lsw FROM SOUTH WEST NW NW llsw SECTION LINES: 1035 167

Lease Name: CHEATWOOD Well No: 1-15-27CH Well will be 167 feet from nearest unit or lease boundary.

CALYX ENERGY III LLC Operator Telephone: 9189494224 OTC/OCC Number: 23515 0 Name:

CALYX ENERGY III LLC 6120 S YALE AVE STE 1480

TULSA. OK 74136-4226 LONNIE R. & KARON R. CHEATWOOD

115151 N. 3740 RD

OKEMAH OK 74859

Special Orders:

Formation(s) (Permit Valid for Listed Formations Only):

Name Depth Name Depth MISSISSIPPIAN 1 3600 6 2 WOODFORD 3875 7 8 3 4 9 10

646252 Spacing Orders: Location Exception Orders: Increased Density Orders:

Pending CD Numbers: 201804837

Total Depth: 14794 Ground Elevation: 811 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 210

Under Federal Jurisdiction: Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: ON SITE A. Evaporation/dewater and backfilling of reserve pit.

B. Solidification of pit contents. Type of Mud System: AIR

Is depth to top of ground water greater than 10ft below base of pit? Y F. Haul to Commercial soil farming facility: Sec. 14 Twn. 7N Rng. 9E Cnty. 63 Order No: Within 1 mile of municipal water well?

551649

Wellhead Protection Area?

H. SEE MEMO is located in a Hydrologically Sensitive Area.

Category of Pit: 4

Liner not required for Category: 4 Pit Location is BED AQUIFER Pit Location Formation: SEMINOLE

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 5000, Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Weinicaa i Totootion / troa.

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: SEMINOLE

HORIZONTAL HOLE 1

Sec 27 Twp 10N Rge 9E County OKFUSKEE

Spot Location of End Point: S2 SW SW SW Feet From: SOUTH 1/4 Section Line: 165
Feet From: WEST 1/4 Section Line: 330

Depth of Deviation: 3223 Radius of Turn: 477

Direction: 179

Total Length: 10822

Measured Total Depth: 14794

True Vertical Depth: 3875

End Point Location from Lease,
Unit, or Property Line: 165

Notes:

MEMO

Category Description

DEEP SURFACE CASING 8/6/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 8/6/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

8/6/2018 - G71 - PIT 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST.

WBM/CUTTINGS CAPTURED IN CONCRETE-LINED PIT, SOLIDFIED AND HELD UNTIL DISPOSAL

APPROVED BY OCC

PENDING CD - 201804836 8/8/2018 - G57 - (640)(HOR) 22-10N-9E

EXT 646252 MSSP, WDFD POE TO BHL (MSSP) NLT 660' FB

POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL

REC 7-16-2018 (JOHNSON)

Category Description

PENDING CD - 201804837 8/8/2018 - G57 - (640)(HOR) 27-10N-9E

EST MSSP, WDFD

POE TO BHL (MSSP) NLT 660' FB

POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL

(COEXIST W/ SP. ORDER 216099 MYES SW4 SE4)

REC 7-16-2018 (JOHNSON)

PENDING CD - 201804852 8/8/2018 - G57 - (I.O.) 15, 22, 27-10N-9E

EST MULITUNIT HORIZONTAL WELL X646252 MSSP, WDFD 15-10N-9E X201804836 MSSP, WDFD 22-10N-9E X201804837 MSSP, WDFD 27-10N-9E

(WDFD IS AN ADJACENT COMMON SOURCE OF SUPPLY TO THE MSSP)

10% 15-10N-9E 45% 22-10N-9E 45% 27-10N-9E

CALYX ENERGY III, LLC. REC 7-16-2018 (JOHNSON)

PENDING CD - 201804853 8/8/2018 - G57 - (I.O.) 15, 22, 27-10N-9E

X646252 MSSP, WDFD 15-10N-9E X201804836 MSSP, WDFD 22-10N-9E X201804837 MSSP, WDFD 27-10N-9E

COMPL. INT. (15-10N-9E) NFT 165' FSL, NCT 0' FSL, NCT 330' FWL COMPL. INT. (22-10N-9E) NCT 0' FNL, NCT 0' FSL, NCT 330' FWL COMPL. INT. (27-10N-9E) NCT 0' FNL, NCT 165' FSL, NCT 330' FWL

NO OP. NAMÈD

REC 7-16-2018 (JOHNSON)

PENDING CD - 201804854 8/8/2018 - G57 - (I.O.) 15-10N-9E

X646252 MSSP 1 WELL

NO OP. NAMED REC 7-16-2018 (JOHNSON)

SPACING - 646252 8/7/2018 - G57 - (640)(HOR) 15-10N-9E

EST MSSP, WDFD, OTHERS POE TO BHL (MSSP) NLT 660' FB

POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 330' FEL & FWL (COEXIST WITH SP. ORDER 461122 WDFD S2 NE4, NE SE4)