

OKLAHOMA CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
P.O. BOX 52000
OKLAHOMA CITY, OK 73152-2000
(Rule 165:10-3-1)

API NUMBER: 049 25229

Approval Date: 10/12/2018

Expiration Date: 04/12/2020

Horizontal Hole Oil & Gas

PERMIT TO DRILL

WELL LOCATION: Sec: 28 Twp: 3N Rge: 4W

County: GARVIN

SPOT LOCATION: ☐ SW ☐ SW ☐ NW ☐ NW

FEET FROM QUARTER: FROM NORTH FROM WEST

SECTION LINES: 1052 298

Lease Name: DICKSION

Well No: W5-21H

Well will be 298 feet from nearest unit or lease boundary.

Operator Name: CONTINENTAL RESOURCES INC

Telephone: 4052349020; 4052349

OTC/OCC Number: 3186 0

CONTINENTAL RESOURCES INC
PO BOX 269000
OKLAHOMA CITY, OK 73126-9000

JAMES L AND CELESTA J INCE
11247 EAST COUNTY ROAD 1600
LINDSAY OK 73052

Formation(s) (Permit Valid for Listed Formations Only):

| Name | Depth | Name | Depth |
|------------|-------|------|-------|
| 1 WOODFORD | 14397 | 6 | |
| 2 | | 7 | |
| 3 | | 8 | |
| 4 | | 9 | |
| 5 | | 10 | |

Spacing Orders: 602785

Location Exception Orders: 683518

Increased Density Orders: 681316

Pending CD Numbers:

Special Orders:

Total Depth: 18390

Ground Elevation: 1132

Surface Casing: 1500

Depth to base of Treatable Water-Bearing FM: 330

Under Federal Jurisdiction: No

Fresh Water Supply Well Drilled: No

Surface Water used to Drill: No

PIT 1 INFORMATION

Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED

Chlorides Max: 3000 Average: 2000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is BED AQUIFER

Pit Location Formation: DUNCAN

D. One time land application -- (REQUIRES PERMIT)

PERMIT NO: 18-35454

H. SEE MEMO

This permit does not address the right of entry or settlement of surface damages.

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is BED AQUIFER

Pit Location Formation: DUNCAN

HORIZONTAL HOLE 1

Sec 21 Twp 3N Rge 4W County GARVIN

Spot Location of End Point: N2 NW NW NW

Feet From: NORTH 1/4 Section Line: 30

Feet From: WEST 1/4 Section Line: 330

Depth of Deviation: 13920

Radius of Turn: 485

Direction: 1

Total Length: 3708

Measured Total Depth: 18390

True Vertical Depth: 14397

End Point Location from Lease,
Unit, or Property Line: 30

Notes:

Category

Description

DEEP SURFACE CASING

10/3/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR SURFACE CASING

HYDRAULIC FRACTURING

10/3/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 681316

10/9/2018 - G56 - 21-3N-4W
X602785 WDFD
4 WELLS
CONTINENTAL RESOURCES, INC.
8/10/2018

LOCATION EXCEPTION - 683518

10/9/2018 - G56 - 21-3N-4W
X602785 WDFD
165:10-3-28(C)(2)(B) MAY BE CLOSER THAN 600' TO ANOTHER WELL
COMPL. INT. NCT 150' FSL, NCT 150' FNL, NCT 330' FWL
CONTINENTAL RESOURCES, INC.
9/21/2018

This permit does not address the right of entry or settlement of surface damages.

049 25229 DICKSION W5-21H

The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1.

Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

| Category | Description |
|---------------------|---|
| MEMO | 10/3/2018 - G71 - PITS 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, PIT 2 - OBM RETURNED TO VENDOR, CUTTINGS PERMITTED PER DISTRICT |
| SPACING - 602785 | 10/9/2018 - G56 - (640) 21-3N-4W VAC OTHERS EST OTHERS EXT OTHERS EXT 592945 WDFD, OTHERS |
| WATERSHED STRUCTURE | 10/3/2018 - G71 - WELL WITHIN 1/2 MILE OF AN OKLAHOMA CONSERVATION COMMISSION WATERSHED STRUCTURE. CONTACT THE LOCAL CONSERVATION DISTRICT OFFICE AT (405) 238-7233 PRIOR TO DRILLING |

EXHIBIT: A (1 of 5)
 SHEET: 8.5x14
 SHL: 28-3N-4W
 BHL-2 21-3N-4W
 BHL-5 21-3N-4W
 BHL-6 21-3N-4W



COVER SHEET

CONTINENTAL RESOURCES, INC.

P.O. BOX 26900 OKLAHOMA CITY, OK 73126 * (T) 1-800-256-8955 (F) 405-234-9253

Section 28 Township 3N Range 4W I.M. Well: DICKSION M2-21H
 County GARVIN State OK Well: DICKSION W5-21H
 Operator CONTINENTAL RESOURCES, INC. Well: DICKSION W6-21H

| NAD-83 | | | | | | EXISTING ELEVATION | DESIGN ELEVATION |
|--------|----------------------|----------|---------|-----------------------------------|-------------------------|--|---------------------|
| POINT | WELL NAME | NORTHING | EASTING | LATITUDE LONGITUDE | LATITUDE LONGITUDE | | |
| W2 | DICKSION M2-21H | 500323 | 2079017 | 34° 42' 27.32" -97° 37' 56.20" | 34.707590 -97.632276 | 1022' FNL / 298' FWL (NW/4 SEC 28) | 1130.93 |
| LP-2 | LANDING POINT | 501395 | 2079042 | 34° 42' 37.93" -97° 37' 55.84" | 34.710535 -97.632179 | 50' FSL / 330' FWL (SW/4 SEC 21) | -- |
| BHL-2 | BOTTOM HOLE LOCATION | 506604 | 2079010 | 34° 43' 29.45" -97° 37' 56.00" | 34.724846 -97.632223 | 30' FNL / 330' FWL (NW/4 SEC 21) | -- |
| W5 | DICKSION W5-21H | 500293 | 2079017 | 34° 42' 27.03" -97° 37' 56.19" | 34.707507 -97.632276 | 1052' FNL / 298' FWL (NW/4 SEC 28) | 1130.19 |
| LP-5 | LANDING POINT | 501395 | 2079042 | 34° 42' 37.93" -97° 37' 55.84" | 34.710535 -97.632179 | 50' FSL / 330' FWL (SW/4 SEC 21) | -- |
| BHL-5 | BOTTOM HOLE LOCATION | 506604 | 2079010 | 34° 43' 29.45" -97° 37' 56.00" | 34.724846 -97.632223 | 30' FNL / 330' FWL (NW/4 SEC 21) | -- |
| W6 | DICKSION W6-21H | 500263 | 2079017 | 34° 42' 26.73" -97° 37' 56.19" | 34.707425 -97.632276 | 1082' FNL / 298' FWL (NW/4 SEC 28) | 1129.76 |
| LP-6 | LANDING POINT | 501397 | 2079702 | 34° 42' 37.92" -97° 37' 47.94" | 34.710532 -97.629983 | 50' FSL / 990' FWL (SW/4 SEC 21) | -- |
| BHL-6 | BOTTOM HOLE LOCATION | 506603 | 2079670 | 34° 43' 29.42" -97° 37' 48.09" | 34.724839 -97.630026 | 30' FNL / 990' FWL (NW/4 SEC 21) | -- |
| X-1 | WHITE #1-1-21 | 504653 | 2083319 | 34° 43' 09.99" -97° 37' 04.47" | 34.719441 -97.617909 | 21-3N-4W:SE4NE4 TD: 9,322' 660' FSL / 1,980' FWL | -- |
| X-2 | GREGORY #1H-28 | 501646 | 2079371 | 34° 42' 40.39" -97° 37' 51.90" | 34.711221 -97.631083 | 21-3N-4W:S2S2SW4SW4 TD: 19,258' 300' FSL / 660' FWL | -- |
| X-3 | DICKSION #1-21H | 501681 | 2081531 | 34° 42' 40.66" -97° 37' 26.02" | 34.711294 -97.623894 | 21-3N-4W:W2SW4SW4SE4 TD: 18,796' 300' FSL / 2,437' FEL | -- |
| X-4 | HOLINSWORTH 3H-9X | 506040 | 2081652 | 34° 43' 23.77" -97° 37' 24.38" | 34.723270 -97.623439 | 21-3N-4W:SW4NW4NW4NE4 TD: 24,503' 593' FNL / 2,328' FEL | -- |
| X-5 | HOLINSWORTH 4H-9X | 506026 | 2081638 | 34° 43' 23.63" -97° 37' 24.55" | 34.723232 -97.623486 | 21-3N-4W:SW4NW4NW4NE4 TD: 24,935' 607' FNL / 2,342' FEL | -- |
| X-6 | HOLINSWORTH 2H-9X | 506054 | 2081666 | 34° 43' 23.91" -97° 37' 24.21" | 34.723309 -97.623393 | 21-3N-4W:SW4NW4NW4NE4 TD: 24,571' 579' FNL / 2,314' FEL | -- |
| X-7 | HOLINSWORTH 7H-9X | 504999 | 2078985 | 34° 43' 13.57" -97° 37' 56.37" | 34.720436 -97.632326 | 21-3N-4W:NN4NW4SW4NW4 TD: 24,951' 1,635' FNL / 295' FWL | -- |
| X-8 | HOLINSWORTH 8H-9X | 505019 | 2078985 | 34° 43' 13.77" -97° 37' 56.37" | 34.720491 -97.632326 | 21-3N-4W:NN4NW4SW4NW4 TD: 25,054' 1,615' FNL / 295' FWL | -- |
| X-9 | HOLINSWORTH 5H-9X | 505483 | 2079977 | 34° 43' 18.33" -97° 37' 44.47" | 34.721758 -97.629019 | 21-3N-4W:SE4SE4NW4NW4 TD: 24,989' 1,150' FNL / 1,290' FWL | -- |
| X-10 | HOLINSWORTH 6H-9X | 505503 | 2079977 | 34° 43' 18.53" -97° 37' 44.47" | 34.721813 -97.629019 | 21-3N-4W:SE4SE4NW4NW4 TD: 24,096' 1,130' FNL / 1,290' FWL | -- |
| X-11 | DICKSION W2-21H | 501731 | 2079796 | 34° 42' 41.22" -97° 37' 46.80" | 34.711450 -97.629667 | 21-3N-4W:NE4SE4SW4SE4 TD: 18,682' 384' FSL / 1,558' FEL | -- |
| X-12 | DICKSION W3-21H | 501725 | 2083690 | 34° 42' 41.02" -97° 37' 00.16" | 34.711394 -97.616710 | 21-3N-4W:NE4SE4SE4SE4 TD: 18,733' 370' FSL / 308' FEL | -- |
| X-13 | DICKSION W4-21H | 501725 | 2083690 | 34° 42' 41.02" -97° 37' 00.16" | 34.711394 -97.616710 | 21-3N-4W:NE4SE4SE4SE4 TD: 18,913' 370' FSL / 308' FEL | -- |
| X-14 | DICKSION M1-21H | 501732 | 2082440 | 34° 42' 41.13" -97° 37' 15.13" | 34.711425 -97.620869 | 21-3N-4W:NE4SE4SW4SE4 TD: 18,708' 379' FSL / 1,558' FEL | -- |
| X-15 | DICKSION S4-21H | 501721 | 2083410 | 34° 42' 40.99" -97° 37' 03.51" | 34.711386 -97.617642 | 21-3N-4W:NN4SE4SE4SE4 TD: 16,326' 370' FSL / 588' FEL | -- |
| X-16 | J.L. INCE #1-28 | 500355 | 2080699 | 34° 42' 27.57" -97° 37' 36.05" | 34.707659 -97.626680 | 28-3N-4W:S2NE4NW4 TD: 9,350' 1,650' FSL / 1,980' FWL | -- |
| X-17 | INCE #1-21H | 500911 | 2079115 | 34° 42' 33.13" -97° 37' 54.99" | 34.709202 -97.631942 | 28-3N-4W:SE4NW4NW4NW4 TD: 18,194' 435' FNL / 400' FWL | -- |
| X-18 | DICKSION S3-21H | 501040 | 2081050 | 34° 42' 34.33" -97° 37' 31.82" | 34.709537 -97.625505 | 28-3N-4W:NE4NE4NE4NW4 TD: 16,256' 310' FNL / 2,335' FWL | -- |
| X-19 | DICKSION S2-21H | 501040 | 2081020 | 34° 42' 34.33" -97° 37' 32.18" | 34.709537 -97.625604 | 28-3N-4W:NE4NW4NW4NE4 TD: 16,256' 310' FNL / 2,305' FWL | -- |

Certificate of Authorization No. 7318

Date Staked: **--**--18
 Date Drawn: 07-16-18



Prepared By:
 Petro Land Services South
 10400 Vineyard Blvd.
 Suite C
 Oklahoma City, OK 73120

REVISIONS

| No. | DATE | BY | DESCRIPTION | COMMENTS |
|-----|----------|-----|---------------------|----------|
| 00 | 07-16-18 | HOG | ISSUED FOR APPROVAL | -- |
| | | | | |
| | | | | |
| | | | | |

