PI NUMBER: 073 26088 izontal Hole Oil & Gas	OIL & GAS C P OKLAHOM	DRPORATION COMMISS ONSERVATION DIVISIO O. BOX 52000 A CITY, OK 73152-2000 ule 165:10-3-1)		06/06/2018 12/06/2018
	PE	ERMIT TO DRILL		
WELL LOCATION: Sec: 34 Twp: 15N Rge: 6W				
SPOT LOCATION: NW NE NW NE	SECTION LINES:	RTH FROM EAST		
Lease Name: MAD HATTER 1506	244	4 1677 34MH	Well will be 244 feet from nearest	unit or lease boundary.
Operator OKLAHOMA ENERGY ACQUISITIO Name:		Telephone: 2815300991	OTC/OCC Number:	23509 0
OKLAHOMA ENERGY ACQUISITIONS 15021 KATY FREEWAY STE 400 HOUSTON, TX	LP 77094-1900		SEN TRUST, CARLA BRUEGGEN 232ND ST. Y OK 73	TRUSTEE
Formation(s) (Permit Valid for Listed Forr Name 1 MISSISSIPPIAN	nations Only): Depth 8024	Name 6	Depth	
2		7		
3		8		
4 5		9 10		
Spacing Orders: 627729	Location Exception Ord		Increased Density Orders:	678079
Pending CD Numbers:			Special Orders:	
Total Depth: 12500 Ground Elevation: 12	¹² Surface Cas	sing: 500	Depth to base of Treatable Water-	Bearing FM: 190
Under Federal Jurisdiction: No	Fresh Water Supply Well Drilled: No		Surface Water use	ed to Drill: No
PIT 1 INFORMATION	Approved Method for disposal of Dril		disposal of Drilling Fluids:	
Type of Pit System: CLOSED Closed System Means S	teel Pits			
Type of Mud System: WATER BASED	D. One time land application (REC		plication (REQUIRES PERMIT)	PERMIT NO: 18-3459
Chlorides Max: 4000 Average: 1800	H. CLOSED SYSTEM=STEEL PITS		M=STEEL PITS PER OPERATOR REQUES	г
Is depth to top of ground water greater than 10ft below bas	e of pit? Y			
Within 1 mile of municipal water well? N				
Wellhead Protection Area? N				
Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.				
Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: C				
Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.				

HORIZONTAL HOLE 1

Sec 34 Twp 15N Rge 6W County KINGFISHER Spot Location of End Point: SW SE SW SE Feet From: SOUTH 1/4 Section Line: 165 Feet From: EAST 1885 1/4 Section Line: Depth of Deviation: 6642 Radius of Turn: 573 Direction: 182 Total Length: 4958 Measured Total Depth: 12500 True Vertical Depth: 8024 End Point Location from Lease, Unit, or Property Line: 165

Address

Additional Surface Owner

			· · · · ·		
	RUTH WALLACE	16829 W. MEMORIAL	YUKON, OK 73099		
	JAMES BRUEGGEN	16017 POINTE MANOR LANE	EDMOND, OK 73013		
Notes:					
Category	Description				
DEEP SURFACE CASING	6/1/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR SURFACE CASING				
HYDRAULIC FRACTURING	6/1/2018 - G71 - OCC 165:10-3-10 REQUIRES:				
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;				
	WELLS TO BOTH THE OCC "FRAC NOTICE FORM" FO	DTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE TICE FORM" FOUND AT THE FOLLOWING LINK: 5.COM/OG/OGFORMS.HTML; AND, EMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS PORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE C FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG			
	TO BE REPORTED TO FRA				
INCREASED DENSITY - 678079	6/6/2018 - G75 - 34-15N-6W X627729 MSSP 6 WELLS OKLAHOMA ENERGY ACQUISITIONS, LP 5-21-2018				
LOCATION EXCEPTION - 678637	6/6/2018 - G75 - (I.O.) 34-15N-6W X627729 MSSP COMPL. INT. NCT 165' FSL, NCT 165' FNL, NCT 1734' FEL ** OKLAHOMA ENERGY ACQUISITIONS, LP 6-1-2018				
		ED IN OPPOSITE DIRECTION; TO BE CO EXCEPTION PER OPERATOR	RRECTED AT HEARING FOR		
SPACING - 627729	6/6/2018 - G75 - (640)(HOR) VAC OTHER VAC 55880/62761 MSSLM N VAC 55880/62761/169572 N EXT 621116 MSSP, OTHER COMPL. INT. NLT 660' FB (COEXIST SP. ORDER # 55	, NE4 ISSLM W2			

City, State, Zip

