API NUMBER: 045 23711 A

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 12/13/2017
Expiration Date: 12/13/2018

635 feet from nearest unit or lease boundary.

16231 0

OTC/OCC Number:

Horizontal Hole Oil & Gas

Amend reason: CHANGE SURFACE AND BOTTOM HOLE LOCATION

AMEND PERMIT TO DRILL

Telephone: 4052463212

							SECTION LIN	IES:		635		1460	
SPOT LOCATION:	SE	NE	N	N	NE		SECTION LIN		FROM	NORTH 635	FROM	EAST	
WELL LOCATION:			Twp:			24٧			y: ELLI				

EOG RESOURCES INC

PO BOX 4362

Operator

Name:

OKLAHOMA CITY, OK 73112-1483

EOG RESOURCES INC

K.KNOWLES & C. KNOWLES REV TRST 179228 EAST COUNTY ROAD 63

Well will be

ARNETT OK 73832

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depti	h
1	MARMATON	9750	6		
2			7		
3			8		
4		•	9		
5			10		
Spacing Orders:	610233	Location Exception Orders: 665721		Increased Density Orders:	665303

Pending CD Numbers: Special Orders:

Total Depth: 15116 Ground Elevation: 2418 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 710

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 100000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? $\quad \mbox{Y}$

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is BED AQUIFER

Pit Location Formation: OGALLALA

D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 17-33395
E. Haul to Commercial pit facility: Sec. 21 Twn. 14N Rng. 21W Cnty. 129 Order No: 376462

H SEE MEMO

PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C
Pit Location is BED AQUIFER
Pit Location Formation: OGALLALA

HORIZONTAL HOLE 1

Sec 35 Twp 18N Rge 24W County **ELLIS** NE Spot Location of End Point: ΝE NE ΝE Feet From: NORTH 1/4 Section Line: 165 Feet From: EAST 1/4 Section Line: 330

Depth of Deviation: 8983
Radius of Turn: 500
Direction: 360

Total Length: 5553

Measured Total Depth: 15116

True Vertical Depth: 9900

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category Description

DEEP SURFACE CASING 11/13/2017 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS

OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR

OR SURFACE CASING

HYDRAULIC FRACTURING 11/13/2017 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

INCREASED DENSITY - 665303 12/8/2017 - G58 - 35-18N-24W

X610233 MRMN 2 WELLS

EOG RESOURCES, INC.

6/26/2017

LOCATION EXCEPTION - 665721 12/8/2017 - G58 - (I.O.) 35-18N-24W

X610233 MRMN

COMPL. INT NCT 165' FSL, NCT 165' FNL, NCT 330' FEL

EOG RESOURCES, INC.

4/7/2017

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

045 23711 ROBERTA 35 4H

Category Description

MEMO 11/15/2017 - G71 - PIT 1 & 2 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST; PIT 1 -

WBM CUTTINGS TO BE SOIL FARMED, PIT 2 - OBM CUTTINGS TO HAULED TO COMM PITS,

OBM TO VENDOR

SPACING - 610233 12/8/2017 - G58 - (640)(HOR) 35-18N-24W

EXT 601929 MRMN POE TO BHL NCT 660' FB

(SUPERSEDE NON-PRODUCING, NON-HORIZONTAL SPACING UNITS; COEXIST WITH

PRODUCING, NON-HORIZONTAL SPACING UNITS)



Permit ex 6/13/16 Surely ex 2/23/19 Operator #16231

EOG Resources, Inc. 3817 NW Expressway Suite 500 Oklahoma City, OK 73112-1483 (405) 246-3100

June 1, 2018

Via Fed Ex Overnight Delivery

Attention: Ms. Virginia Hullinger Oklahoma Corporation Commission Oil and Gas Conservation Division Jim Thorpe Building 2101 N. Lincoln Blvd. Oklahoma City, OK 73105

RE:

Request for Six (6) Month Extension of OCC Drilling Permit Roberta 35 #4H - API No. 35 045 23711 A

Section 2-17N-24W / Ellis County, Oklahoma

Dear Ms. Hullinger:

EOG Resources, Inc. respectfully requests a six (6) month extension on the approved permit of the above well. All information included on the permit remains the same. We understand the extension will be granted for only one six-month period and once that period has elapsed, the permit and fee must be re-filed.

If additional information is required, please feel free to contact me directly at 246-3114, fax number 246-3115, or email linda_young@eogresources.com.

Singerely,

Linda Bruster Young, CPL Senior Landman / Regulatory Approved for 6 Month Extension From

__6-13-18

6-6-18

RECEIVED

JUN 0 4 2018

OKLAHOMA CORPORATION COMMISSION