PI NUMBER: 073 26 izontal Hole Oil	071 & Gas	OIL & GAS OKLAHO	CORPORATION CONSERVATIO P.O. BOX 5200 DMA CITY, OK 7 (Rule 165:10-3-	ON DIVISION 0 3152-2000	Approval Date Expiration Date	
			PERMIT TO DRI	<u>LL</u>		
WELL LOCATION: Sec: 06	Twp: 16N Rge: 9W	County: KINGF	ISHER			
SPOT LOCATION: NE	NE NW NE	FEET FROM QUARTER: FROM	NORTH FROM E	AST		
		SECTION LINES:	255 1	340		
Lease Name: INDOMINU	IS REX	Well No:	1609 8H-6X	Well w	vill be 255 feet from ne	earest unit or lease boundary.
Operator NEWFII Name:	ELD EXPLORATION MID-CON	IINC	Telephone: 2816	742521; 9188781	OTC/OCC Numbe	er: 20944 0
	ORATION MID-CON IN	IC		TERRY & ANITA	PRIVOTT	
24 WATERWAY A	VE STE 900					
THE WOODLAND	9S, TX 7	7380-2764		P.O. BOX 632	0.1	
				WATONGA	OK	73772
1 MISSISSIP 2 WOODFOR 3 4 5		9000 9590	6 7 8 9 10			
Spacing Orders: 649881 672553		Location Exception C	Drders: 672554		Increased Density Orde	rs: 671654 671655
Pending CD Numbers: 20	1702145				Special Orders:	
Total Depth: 19348	Ground Elevation: 120	5 Surface C	Casing: 1500		Depth to base of Treatable V	/ater-Bearing FM: 420
Under Federal Jurisdiction	: No	Fresh Water	Supply Well Drilled:	No	Surface Wa	ter used to Drill: Yes
PIT 1 INFORMATION			Appro	ved Method for disposal o	of Drilling Fluids:	
Type of Pit System: CLOS Type of Mud System: WAT	ED Closed System Means Ste	eel Pits	B. S	olidification of pit contents.		
Chlorides Max: 5000 Average						
Is depth to top of ground water greater than 10ft below base of pit? Y				H. SEE MEMO E. Haul to Commercial pit facility: Sec. 31 Twn. 12N Rng. 8W Cnty. 17 Order No: 587498		
Within 1 mile of municipal wa	ater well? N		E. H	auı to Commercial pit facili	ity: Sec. 31 Twn. 12N Rng. 8	W Unty. 17 Order No: 587498
Wellhead Protection Area?	Ν					
Pit is not located in a Hyd	drologically Sensitive Area.					
Category of Pit: C						
Liner not required for Cate	gory: C					
Pit Location is NON HSA						
FIL LOCATION IS NON HSA						

PIT 2 INFORMATION Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is not located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C

Pit Location is NON HSA Pit Location Formation: CHICKASHA

HORIZONTAL HOLE 1

Sec 07 Twp 16N Rge 9W County KINGFISHER						
Spot Location of End Point: SW SE SI						
Feet From: SOUTH 1/4 Section Line:	85					
Feet From: EAST 1/4 Section Line:	380					
Depth of Deviation: 8590						
Radius of Turn: 382						
Direction: 170						
Total Length: 10158						
Measured Total Depth: 19348						
True Vertical Depth: 9590						
End Point Location from Lease,						
Unit, or Property Line: 85						
Notes:						
Category	Description					
DEEP SURFACE CASING	5/23/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY FOR ANY LOSS OF CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON CONDUCTOR OR SURFACE CASING					
HYDRAULIC FRACTURING	5/23/2018 - G71 - OCC 165:10-3-10 REQUIRES:					
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;					
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,					
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG					
INCREASED DENSITY - 671654	5/24/2018 - G75 - 6-16N-9W X649881 MSSP 7 WELLS NEWFIELD EXPLOR. MID-CONT. INC. 1-2-2018					
INCREASED DENSITY - 671655	5/24/2018 - G75 - 7-16N-9W X649881 MSSP 7 WELLS NEWFIELD EXPLOR. MID-CONT. INC. 1-2-2018					

073 26071 INDOMINUS REX 1609 8H-6X

Category	Description
INTERMEDIATE CASING	5/23/2018 - G71 - DUE TO THE KNOWN POTENTIAL RISK OF ENCOUNTERING AN OVER- PRESSURED ZONE IN THE MORROW SERIES IN THIS AREA, THE TECHNICAL MANAGER RECOMMENDS SETTING AN INTERMEDIATE STRING OF CASING IMMEDIATELY ABOVE THE MORROW SERIES
LOCATION EXCEPTION - 672554	5/24/2018 - G75 - (I.O.) 6 & 7-16N-9W X649881 MSSP, WDFD COMPL. INT. (6-16N-9W) NCT 165' FNL, NCT 0' FSL, NCT 330' FEL COMPL. INT. (7-16N-9W) NCT 0' FNL, NCT 165' FSL, NCT 330' FEL NEWFIELD EXPLOR. MID-CONT. INC. 1-24-2018
MEMO	5/23/2018 - G71 - PIT 1 & 2 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST; WBM, WBM & OBM CUTTINGS CAPTURED IN STEEL HALF PITS & TRANSFERRED TO R360 (ORDER # 587498); PIT 2 - OBM TO VENDOR
PENDING CD - 201702145	5/24/2018 - G75 - (I.O.) 6 & 7-16N-9W X165:10-3-28(C)(2)(B) MSSP (INDOMINUS REX 1609 8H-6X) MAY BE CLOSER THAN 600' TO EXISTING/PROPOSED WELLS NEWFIELD EXPLOR. MID-CONT. INC. REC 11-6-2017 (MACGUIGAN ON APPEAL, CONFIRMED BY COMMISSIONERS 2 TO 1 VOTE ON 5-22-2018)
SPACING - 649881	5/24/2018 - G75 - (640)(HOR) 6 & 7-16N-9W EST MSSP, OTHER 6 & 7-16N-9W EST WDFD 7-16N-9W EXT 639140/VAR WDFD 6-16N-9W POE TO BHL (MSSP) NCT 660' FB POE TO BHL (WDFD) NCT 165' FNL & FSL, NCT 330' FEL & FWL (COEXIST SP. ORDER # 93366 MSSNC, MNNG, MSSSD & ROOF 1 WDFD SE4 6-16N-9W; ORDER # 96892 MSSNC, MNNG, MSSSD 7-16N-9W)
SPACING - 672553	5/24/2018 - G75 - (I.O.) 6 & 7-16N-9W EST MULTIUNIT HORIZONTAL WELL X649881 MSSP, WDFD (WDFD ADJACENT COMMON SOURCE OF SUPPLY TO MSSP) 50% 6-16N-9W 50% 7-16N-9W NEWFIELD EXPLOR. MID-CONT. INC. 1-24-2018

