API NUMBER: 073 25940

Oil & Gas

Horizontal Hole

## OKLAHOMA CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

Approval Date: 02/26/2018 08/26/2018 **Expiration Date** 

## PERMIT TO DRILL

WELL LOCATION:	Sec:	21	Twp:	17N	Rge:	9W	County	: KING	SFISHER		
SPOT LOCATION:	SE	SE	SI	E	SE		FEET FROM QUARTER:	FROM	SOUTH	FROM	EAST
							SECTION LINES:		275		80

Lease Name: WAITS Well No: 1709 5H-28X Well will be feet from nearest unit or lease boundary.

**NEWFIELD EXPLORATION MID-CON INC** Operator Telephone: 2816742521; 9188781 OTC/OCC Number: 20944 0 Name:

NEWFIELD EXPLORATION MID-CON INC 24 WATERWAY AVE STE 900

THE WOODLANDS. TX 77380-2764 J.R. (JERRY) & LULA MAE BARTON

P.O. BOX 586

**KINGFISHER** OK 73750

Special Orders:

(Permit Valid for Listed Formations Only): Formation(s)

	Name	Depth	Name	Depth
1	MISSISSIPPIAN (EX CHESTER)	8612	6	
2	WOODFORD	9202	7	
3			8	
4			9	
5			10	
i O-d	643976	Landing Franchisc Orders		In account Danish Orders

Spacing Orders: Location Exception Orders: Increased Density Orders:

Pending CD Numbers: 201800424 201800486 201800413

201800423

201800412

Total Depth: 19315 Ground Elevation: 1184 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 330

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: Yes

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: ON SITE A. Evaporation/dewater and backfilling of reserve pit. B. Solidification of pit contents. Type of Mud System: AIR

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well?

Wellhead Protection Area?

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: 4

Liner not required for Category: 4

Pit Location is NON HSA

FLOWERPOT Pit Location Formation:

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

F. Haul to Commercial soil farming facility: Sec. 27 Twn. 17N Rng. 9W Cnty. 73 Order No:

659856

G. Haul to recycling/re-use facility: Sec. 22 Twn. 16N Rng. 9W Cnty. 73 Order No: 647741

H. SEE MEMO

#### PIT 2 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED
Chlorides Max: 5000 Average: 3000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N
Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: FLOWERPOT

### PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: OIL BASED
Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is not located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is NON HSA

Pit Location Formation: FLOWERPOT

## **HORIZONTAL HOLE 1**

Sec 33 Twp 17N Rge 9W County KINGFISHER

Spot Location of End Point: SW SW SE SE
Feet From: SOUTH 1/4 Section Line: 50
Feet From: EAST 1/4 Section Line: 1272

Depth of Deviation: 8045 Radius of Turn: 573

Direction: 185

Total Length: 10369

Measured Total Depth: 19315

True Vertical Depth: 9202

End Point Location from Lease,
Unit, or Property Line: 50

Notes:

Category Description

DEEP SURFACE CASING 2/16/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

Category Description

HYDRAULIC FRACTURING 2/16/2018 - G71 - OCC 165:10-3-10 REQUIRES:

> 1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES. USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

2/16/2018 - G71 - PIT 2 & 3 - CLOSED SYSTEM = STEEL PITS PER OPERATOR REQUEST, WBM **MEMO** 

& OBM CUTTINGS CAPTURED IN STEEL HALF PITS; PIT 2 - TRANSFERRED TO BACKYARD ENERGY SERVICES 659856 (27-17N-9W, KINGFISHER CO); PIT 3 - TRANSFERRED TO BACKYARD ENERGY SERVICES 647741 (22-16N-9W), KINGFISHER CO); OBM TO VENDOR

PENDING CD - 201800412 2/20/2018 - G57 - (I.O.) 28-17N-9W

X643976 MSNLC 5 WELLS NO OP. NAMED REC 2-5-2018 (NORRIS)

PENDING CD - 201800413 2/20/2018 - G57 - (I.O.) 33-17N-9W

X643976 MSNLC 5 WELLS NO OP. NAMED REC 2-5-2018 (NORRIS)

PENDING CD - 201800423 2/20/2018 - G57 - (I.O.) 28 & 33-17N-9W EST MULTIUNIT HORIZONTAL WELL

X643976 MSNLC, WDFD

(WDFD IS ADJACENT COMMON SOURCE OF SUPPLY TO MSNLC)

50% 28-17N-9W 50% 33-17N-9W

NEWFIELD EXPLORATION MID-CONTINENT, INC.

REC 2-5-2018 (NORRIS)

PENDING CD - 201800424 2/20/2018 - G57 - (I.O.) 28 & 33-17N-9W

X643976 MSNLC, WDFD

SHL SE4 33 \*

COMPL. INT. (28-17N-9W) NCT 165' FNL, NCT 0' FSL, NCT 990' FEL COMPL. INT. (33-17N-9W) NCT 0' FNL, NCT 165' FSL, NCT 990' FEL

NO OP. NAMED

REC 2-5-2018 (NORRIS)

\*\*SHL SW4 33 S/B SE4 21: WILL BE CORRECTED AT THE HEARING FOR FINAL ORDER PER

ATTORNEY FOR OPERATOR

PENDING CD - 201800486 2/20/2018 - G57 - (I.O.) 28 & 33-17N-9W

X643976 MSNLC, WDFD

X165:10-3-28(C)(2)(B) MSNLC (WAITS 1709 5H-28X) MAY BE CLOSER THAN 600' FROM

**EXISTING WELLBORE** 

NEWFIELD EXPLORATION MID-CONTINENT, INC.

REC 2-5-2018 (NORRIS)

**SPACING - 643976** 2/20/2018 - G57 - (640)(HOR) 28 & 33-17N-9W

EXT 639140 MSNLC, WDFD POE TO BHL (MSNLC) NLT 660' FB

POE TO BHL (WDFD) NLT 165' FNL & FSL, NLT 165' FEL & FWL

(COEXIST WITH SP. ORDER #83337 MSSSD, MNNG, MSSNC & SP. ORDER #88292/88519

MSSSD, MNNG, MSSNC)

N:342970.56 N:342955.67 S 89"50"18" E S 89"31'50" E N:342912.53 E:1948464.09 5278.4 E:1953742.50 E:1959008.21 SECTION 22 SECTION 21 T17N R9W T17N-R9W SURFACE LOCATION 275'FSL 80'FEL 80 S 89°56'59" W N 89°21'31" W N:337646.48 E:1959003.91 .58 165 HARD LINE 0 20 84 948434 LANDING 337705 N-337700 953731 POINT 165' FNL 1272' FEL ш ш S 00"04'58" W 00.06.22 5271.3' SECTION 28 SECTION 27 98 953723 332397 N:332418.22 ż ш S 89°46'15" E 89"45'45" E N:332375.24 E:1948440.21 E:1958994.14 30°00'05" W 5266.4 W.St.10.00 5276.4 SECTION 33 T17N-R9W SECTION 34 T17N-R9W LAST TAKE POINT 165' FSI 1272' FEL BOTTOM HOLE 01 50' FSL 953722 1948449 N:327120. 1272' FEL ш ш 65' HARD LINE N 89\*52'17" W N:327108.88 N 89"54'26" W 5272.0 E:1958994.02 SURVEY BY: M & M Land Surveying, Inc. ~ C.A. No. 3093 (LS)
DRAWING BY: Bennett-Morris And Associates Land Surveying, P.C.

C.A. No. 5975 (LS) ~ Aaron L. Morris, RPLS SITE VISIT: (Explanation and Date) STAKING DATE: 01/25/2018

DRAWING DATE: 01/29/2018

© COPYRIGHT 2017 PROJECT NUMBER:

SHEET: 6 OF 10

API: 073 25940 **PERMIT PLAT** 

M & M Land Surveying, Inc. Phone (580) 226-0446 520 E Street N.W.

Ardmore, OK 73401

Company Name: NEWFIELD EXPLORATION MID-CONTINENT INC.

Lease Name: WAITS 1709 5H 28X

Section 21 Township 17 N Range 9 W , I.B.M, County of Kingfisher, State of Oklahoma

Good Location? YES

NAD27

BASIS OF BEARINGS. GRID NORTH COORDINATES ARE N

SCALE 1" = 1500'

1500'

Original Location: 275'FSL - 80'FEL Elevation 1184' GROUND Distance & Direction From Nearest Town: 13.4 miles Northwest of Kingfisher

SURFACE LOCATION

DATUM: NAD27 LAT: 35° 55' 42.23"N LONG: 98° 09' 23.55"W

LAT: 35.928396°N LONG: 98.156543°W

STATE PLANE COORDINATES: (US SURVEY FEET)

ZONE: NORTH ZONE Y (N): 337980.33 X (E): 1953652.06

DATUM: NAD83

LAT: 35° 55' 42.37"N LONG: 98° 09' 24.78"W

LAT: 35.928436°N LONG: 98.156884°W STATE PLANE

COORDINATES: (US SURVEY FEET) ZONE: NORTH ZONE

Y (N): 338003.97 X (E): 1922052.15

DATA DERIVED FROM G.P.S. WITH O.P.U.S. DATA.

This location has been staked according to the best official survey records available to us. The metrical data shown hereon is for permitting the well location and the section location may or may not be field verified. Please review this plat and notify us immediately of any discrepancy.

# CERTIFICATE:

I D. Harry McClintick a Registered Land Surveyor in the State Of Oklahoma, do hereby certify that the above described Well Location was surveyed and staked on the ground as shown and that said plat meets or exceeds the Oklahoma Minimum Technical Standards for the practice of land surveying as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Land Surveyors.



D. Harry McClintick PLS. No.1367 CFEDS