API NUMBER: 017 25181

Oil & Gas

Horizontal Hole

## OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 OKLAHOMA CITY, OK 73152-2000 (Rule 165:10-3-1)

Approval Date: 02/26/2018
Expiration Date: 08/26/2018

21194 0

Well will be 250 feet from nearest unit or lease boundary.

OTC/OCC Number:

## PERMIT TO DRILL

WELL LOCATION	l: Sec: 32 Twp: 11N Rge: 7V	V County: CAN	IADIAN	
SPOT LOCATION	I: NE NW NE NE	FEET FROM QUARTER: FROM	NORTH FROM	EAST
		SECTION LINES:	250	932
Lease Name:	PAPPE	Well No:	1-32H	
Operator Name:	CIMAREX ENERGY CO		Telephone:	9185851100

RAYMOND L. PAPPE TRUST 10120 S. SHARTEL DRIVE

OKLAHOMA CITY OK 73139

CIMAREX ENERGY CO
202 S CHEYENNE AVE STE 1000
TULSA, OK 74103-3001

Formation(s) (Permit Valid for Listed Formations Only):

	Name	Depth	Name	Depth
1	MISSISSIPPIAN	10275	6	
2			7	
3			8	
4			9	
5			10	
Spacing Orders:	No Spacing	Location Exception Orders:		Increased Density Orders:

Pending CD Numbers: 201800975 Special Orders:

201800980

Total Depth: 15720 Ground Elevation: 1320 Surface Casing: 1500 Depth to base of Treatable Water-Bearing FM: 350

Under Federal Jurisdiction: No Fresh Water Supply Well Drilled: No Surface Water used to Drill: No

PIT 1 INFORMATION Approved Method for disposal of Drilling Fluids:

Type of Pit System: CLOSED Closed System Means Steel Pits

Type of Mud System: WATER BASED D. One time land application -- (REQUIRES PERMIT) PERMIT NO: 18-33943
Chlorides Max: 5000 Average: 3000 H. CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST

Is depth to top of ground water greater than 10ft below base of pit? Y

Category of Pit: C

Wellhead Protection Area?

**Liner not required for Category: C**Pit Location is NON HSA

Pit Location Formation: DOG CREEK

Within 1 mile of municipal water well? N

Pit is not located in a Hydrologically Sensitive Area.

## **HORIZONTAL HOLE 1**

Sec 32 Twp 11N Rge 7W County CANADIAN

Spot Location of End Point: SE SW SE SE
Feet From: SOUTH 1/4 Section Line: 150
Feet From: EAST 1/4 Section Line: 720

Depth of Deviation: 9985
Radius of Turn: 573
Direction: 178
Total Length: 4835

Measured Total Depth: 15720

True Vertical Depth: 10972

End Point Location from Lease,
Unit, or Property Line: 150

Notes:

Category Description

DEEP SURFACE CASING 2/26/2018 - G71 - APPROVED; NOTIFY OCC FIELD INSPECTOR IMMEDIATELY OF ANY LOSS OF

CIRCULATION OR FAILURE TO CIRCULATE CEMENT TO SURFACE ON ANY CONDUCTOR OR

SURFACE CASING

HYDRAULIC FRACTURING 2/26/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH

WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE

"FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS

TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE

HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

PENDING CD - 201800975 2/26/2018 - G57 - (640)(HOR) 32-11N-7W

EST MSSP, OTHERS POE TO BHL NLT 660' FB REC 2-20-2018 (JOHNSON)

PENDING CD - 201800980 2/26/2018 - G57 - (I.O.) 32-11N-7W

X201800975 MSSP

COMPL. INT. NCT 150' FNL, NCT 150' FSL, NCT 660' FEL

NO OP. NAMED

REC 2-20-2018 (JOHNSON)