API NUMBER: 121 24815 Drizontal Hole Oil & Gas WELL LOCATION: Sec: 20 1 SPOT LOCATION: NW NW Lease Name: BELLE	Imp: 7N Rge: 13E Cour NE NW FEET FROM QUARTER: SECTION LINES:	AHOMA CORPORATI L & GAS CONSERVA P.O. BOX 52 OKLAHOMA CITY, O (Rule 165:10 <u>PERMIT TO I</u> nty: PITTSBURG FROM NORTH FROM 196 Well No: 2-20/29H	TION DIVISION 2000 (73152-2000 -3-1) DRILL WEST 1630	Approval Date: 04/05/2018 Expiration Date: 10/05/2018 will be 196 feet from nearest unit or lease boundary.
Operator TRINITY OPE Name:	RATING (USG) LLC	Telephone:	0185615631	OTC/OCC Number: 23879 0
TRINITY OPERATING 1717 S BOULDER AVE TULSA,	. ,		KENT W. DALM 8641 TANNEHI MCALESTER	
Formation(s) (Permit Va Name 1 WOODFORD 2 3 4 5	alid for Listed Formations Only): Depth 5510		Name 6 7 8 9 10	Depth
Spacing Orders: No Spacing	Location	Exception Orders:		Increased Density Orders:
Pending CD Numbers: 2017080 2017080 2017080 2017080 2017080 2017080 2017080 2017080	84 85 92 93	Surface Casing: 200		Special Orders: Depth to base of Treatable Water-Bearing FM: 150
Under Federal Jurisdiction: No	F	resh Water Supply Well Drille	d: No	Surface Water used to Drill: No
PIT 1 INFORMATION		А	pproved Method for disposal	of Drilling Fluids:
Type of Pit System: ON SITE			A. Evaporation/dewater and	backfilling of reserve pit.
Type of Mud System: AIR				
Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.			E. Haul to Commercial pit fac	sility: Sec. 19 Twn. 8N Rng. 5E Cnty. 125 Order No: 274874
Category of Pit: 4				
Liner not required for Category: Pit Location is ALLUVIAL Pit Location Formation: ALLUV				

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

This permit does not address the right of entry or settlement of surface damages. The duration of this permit is SIX MONTHS, except as otherwise provided by Rule 165: 10-3-1. Rule 165: 10-3-4 (c) (7) (e) - The Operator shall give 24 Hours notice by telephone to the appropriate District Office of the Conservation Division as to when Surface Casing will be run.

 PIT 2 INFORMATION

 Type of Pit System:
 CLOSED Closed System Means Steel Pits

 Type of Mud System:
 WATER BASED

 Chlorides Max: 8000 Average: 5000
 Is

 Is depth to top of ground water greater than 10ft below base of pit?
 Y

 Within 1 mile of municipal water well?
 N

 Wellhead Protection Area?
 N

 Pit
 is
 located in a Hydrologically Sensitive Area.

 Category of Pit:
 C

 Liner not required for Category: C
 C

Pit Location is ALLUVIAL
Pit Location Formation: ALLUVIUM

PIT 3 INFORMATION

Type of Pit System: CLOSED Closed System Means Steel Pits Type of Mud System: OIL BASED Chlorides Max: 300000 Average: 200000 Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area. Category of Pit: C Liner not required for Category: C Pit Location is ALLUVIAL Pit Location Formation: ALLUVIUM

HORIZONTAL HOLE 1

Sec 29 Twp 7N Rge 13E County PITTSBURG Spot Location of End Point: SW SW SE SW Feet From: SOUTH 1/4 Section Line: 1 Feet From: WEST 1/4 Section Line: 1634 Depth of Deviation: 5419 Radius of Turn: 308 Direction: 179 Total Length: 9997 Measured Total Depth: 15899 True Vertical Depth: 6045 End Point Location from Lease, Unit, or Property Line: 1

Additional Surface Owner

Address

GENE L. DALMONT & CHERYL L. DA 1498 SCIPIO LANE

City, State, Zip MCALESTER, OK 74501

Notes:

Category	Description
HYDRAULIC FRACTURING	3/27/2018 - G71 - OCC 165:10-3-10 REQUIRES:
	1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE;
	2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK: OCCEWEB.COM/OG/OGFORMS.HTML; AND,
	3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG
MEMO	3/27/2018 - G71 - PIT 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, WBM & OBM CUTTINGS CAPTURED IN CONCRETE-LINED PIT, SOLIDFIED AND HELD UNTIL DISPOSAL APPROVED BY OCC; PIT 3 - OBM TO VENDOR
PENDING CD – 201708079	3/30/2018 - G58 - (640)(HOR) 20 & 29-7N-13E EXT 598520 WDFD, OTHERS COMPL. INT. NLT 165' FNL & FSL, NLT 330' FEL & FWL REC 3/7/2018 (DUNN)
PENDING CD – 201708084	3/30/2018 - G58 - (I.O) 20 & 29-7N-13E EST MULTIUNIT HORIZONTAL WELL X201708079 WDFD (20 & 29-7N-13E) 50% 20-7N-13E 50% 29-7N-13E NO OP. NAMED REC 3/7/2018 (DUNN)
PENDING CD – 201708085	3/30/2018 - G58 - (I.O) 20 & 29-7N-13E X201708079 WDFD (20 & 29-7N-13E) COMPL. INT. (20-7N-13E) NCT 0' FSL, NCT 165' FNL, NCT 1500' FWL COMPL. INT. (29-7N-13E) NCT 0' FNL, NCT 165' FSL, NCT 1500' FWL NO OP. NAMED REC 3/7/2018 (DUNN)
PENDING CD – 201708092	3/30/2018 - G58 - 20-7N-13E X201708079 WDFD 4 WELLS NO OP. NAMED REC 3/7/2018 (DUNN)
PENDING CD – 201708093	3/30/2018 - G58 - 29-7N-13E X201708079 WDFD 4 WELLS NO OP. NAMED REC 3/7/2018 (DUNN)

