API NUMBER: 121 24816

Liner not required for Category: 4 Pit Location is ALLUVIAL Pit Location Formation:

ALLUVIUM

Mud System Change to Water-Based or Oil-Based Mud Requires an Amended Intent (Form 1000).

Oil & Gas

Horizontal Hole

OKLAHOMA CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION P.O. BOX 52000 **OKLAHOMA CITY, OK 73152-2000** (Rule 165:10-3-1)

04/05/2018 Approval Date: Expiration Date: 10/05/2018

PERMIT TO DRILL						
WELL LOCATION: S SPOT LOCATION: Lease Name: BE	NW NW NE NW FEET R	ON LINES:	BURG NORTH FROM WEST 196 1645 3-20/29H	Well will be	196 feet from nearest unit or lease boundary.	
Operator Name:	TRINITY OPERATING (USG) LLC		Telephone: 91856156	331	OTC/OCC Number: 23879 0	
TRINITY OPERATING (USG) LLC 1717 S BOULDER AVE STE 201 TULSA, OK 74119-4842			8	CENT W. DALMONT 641 TANNEHIL RD MCALESTER	OK 74105	
Formation(s)	(Permit Valid for Listed Formatio	ns Only): Depth		Name	Depth	
1 WC	OODFORD	5595	6			
2			7			
3			8			
4			9			
5			10			
Spacing Orders: No Spacing Location Exce		Location Exception (Orders:	Ir	ncreased Density Orders:	
Pending CD Number	s: 201708079 201708086 201708087 201708092 201708093			s	pecial Orders:	
Total Depth: 16413 Ground Elevation: 667		Surface (Surface Casing: 200		Depth to base of Treatable Water-Bearing FM: 150	
Under Federal Jurisdiction: No Fresh W		Fresh Water	Supply Well Drilled: No		Surface Water used to Drill: No	
PIT 1 INFORMATION			Approved Method for disposal of Drilling Fluids:			
Type of Pit System: ON SITE Type of Mud System: AIR			A. Evapo	ration/dewater and backfillin	ig of reserve pit.	
Is depth to top of ground water greater than 10ft below base of pit? Y Within 1 mile of municipal water well? N Wellhead Protection Area? N Pit is located in a Hydrologically Sensitive Area.			E. Haul to		c. 19 Twn. 8N Rng. 5E Cnty. 125 Order No: 274874	
Category of Pit:						

PIT 2 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: WATER BASED

Chlorides Max: 8000 Average: 5000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area? N

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

PIT 3 INFORMATION

Type of Pit System: ON SITE

Type of Mud System: OIL BASED

Chlorides Max: 300000 Average: 200000

Is depth to top of ground water greater than 10ft below base of pit? Y

Within 1 mile of municipal water well? N

Wellhead Protection Area?

Pit is located in a Hydrologically Sensitive Area.

Category of Pit: C

Liner not required for Category: C

Pit Location is ALLUVIAL

Pit Location Formation: ALLUVIUM

HORIZONTAL HOLE 1

Sec 29 Twp 7N Rge 13E County PITTSBURG

Spot Location of End Point: SW SW SW SE

Feet From: SOUTH 1/4 Section Line: 1

Feet From: EAST 1/4 Section Line: 2590

Depth of Deviation: 5366 Radius of Turn: 477

Direction: 165

Total Length: 10298

Measured Total Depth: 16413

True Vertical Depth: 6115

End Point Location from Lease,

Unit, or Property Line: 1

Additional Surface Owner Address City, State, Zip

KEVIN & PATTY NOLEN 1498 SCIPIO LANE MCALESTER, OK 74105

Notes:

Category Description

HYDRAULIC FRACTURING 3/27/2018 - G71 - OCC 165:10-3-10 REQUIRES:

1) PRIOR TO COMMENCEMENT OF HYDRAULIC FRACTURING OPERATIONS FOR HORIZONTAL WELLS, NOTICE GIVEN FIVE BUSINESS DAYS IN ADVANCE TO OFFSET OPERATORS WITH WELLS COMPLETED IN THE SAME COMMON SOURCE OF SUPPLY WITHIN 1/2 MILE:

2) WITH NOTICE ALSO GIVEN 48 HOURS IN ADVANCE OF HYDRAULIC FRACTURING ALL WELLS TO BOTH THE OCC CENTRAL OFFICE AND LOCAL DISTRICT OFFICES, USING THE "FRAC NOTICE FORM" FOUND AT THE FOLLOWING LINK:

PRACTIONICE FORM FOUND AT THE FOLLOWING

OCCEWEB.COM/OG/OGFORMS.HTML; AND,

3) THE CHEMICAL DISCLOSURE OF HYDRAULIC FRACTURING INGREDIENTS FOR ALL WELLS TO BE REPORTED TO FRACFOCUS WITHIN 60 DAYS AFTER THE CONCLUSION THE HYDRAULIC FRACTURING OPERATIONS, USING THE FOLLOWING LINK: FRACFOCUS.ORG

MEMO 3/27/2018 - G71 - PIT 2 & 3 - CLOSED SYSTEM=STEEL PITS PER OPERATOR REQUEST, WBM &

OBM CUTTINGS CAPTURED IN CONCRETE-LINED PIT, SOLIDFIED AND HELD UNTIL DISPOSAL

APPROVED BY OCC; PIT 3 - OBM TO VENDOR

PENDING CD - 201708079 3/30/2018 - G58 - (640)(HOR) 20 & 29-7N-13E

EXT 598520 WDFD, OTHERS

COMPL. INT. NLT 165' FNL & FSL, NLT 330' FEL & FWL

REC 3/7/2018 (DUNN)

PENDING CD – 201708086 3/30/2018 - G58 - (I.O) 20 & 29-7N-13E

EST MULTIUNIT HORIZONTAL WELL X201708079 WDFD (20 & 29-7N-13E)

50% 20-7N-13E 50% 29-7N-13E NO OP. NAMED REC 3/7/2018 (DUNN)

PENDING CD – 201708087 3/30/2018 - G58 - (I.O) 20 & 29-7N-13E

X201708079 WDFD (20 & 29-7N-13E)

COMPL. INT. (20-7N-13E) NCT 0' FSL, NCT 165' FNL, NCT 2400' FEL COMPL. INT. (29-7N-13E) NCT 0' FNL, NCT 165' FSL, NCT 2400' FEL

NO OP. NAMED REC 3/7/2018 (DUNN)

PENDING CD – 201708092 3/30/2018 - G58 - 20-7N-13E

X201708079 WDFD 4 WELLS NO OP. NAMED REC 3/7/2018 (DUNN)

PENDING CD – 201708093 3/30/2018 - G58 - 29-7N-13E

X201708079 WDFD 4 WELLS NO OP. NAMED REC 3/7/2018 (DUNN)

TRINITY Well Location Plat

S.H.L. Sec. 20-7N-13E I.M. B.H.L. Sec. 29-7N-13E I.M.

Operator: TRINITY OPERATING

Lease Name and No.: BELLE #3-20/29H

Footage: 196' FNL - 1645' FWL GR. ELEVATION: 667'


Section: 20 Township: 7N Range: 13E

County: Pittsburg State of Oklahoma

Terrain at Loc.: Location fell in fell in open pasture.

121-24816





survey and plat by, Arkoma Surveying and Mapping, PLLC P.O. Box 238 Wilburton, OK 74578 Ph. 918-465-5771 Fax 918-465-5030 Certificate of Authorization No. 5348 Expires June 30, 2018

Invoice #7231-C

Date Staked : 07/03/17 By : H.S. Date Drawn : 07/06/17 By : K.B. Add LP & BHL : 07/21/17 By : C.K.

Certification:

This is to certify that this Well Location Plat represents the results of a survey made on the ground performed under the supervision of the undersigned.



07/24/17

